

The Annual Traffic Report

**is published by the Nevada Department of Transportation
Traffic Information Division in cooperation
with the U.S. Department of Transportation
Federal Highway Administration.**

*Nevada Department of Transportation
1263 S. Stewart Street
Carson City, Nevada 89712*

**Kenny C. Guinn, Governor
Tom Stephens, P.E., Director**

If you have any comments, questions, or need additional information
regarding the contents of this report, please contact
Traffic Information Division at (775) 888-7445
or E-mail at
info@dot.state.nv.us
www.nevadadot.com

TABLE OF CONTENTS

<u>DESCRIPTION</u>	<u>PAGE NUMBER</u>
Title Page - - - - -	i
Table of Contents - - - - -	ii
Introduction - - - - -	iii
Statistics - - - - -	1
Traffic Count Station Numbering System - - - - -	2
Automatic Traffic Recorder (ATR) System - - - - -	3
Vehicle Classification & 18 Kip Equivalent Single Axle Load Templates	4
Automatic Traffic Recorder (ATR) Summaries - - - - -	10
Table Three (Ten year history and maps) - - - - -	81

INTRODUCTION

The administration of approximately 5,400 miles of roads in the State of Nevada Highway System involves the expenditure of hundreds of millions of dollars annually for construction, reconstruction and maintenance. Also, it imposes the responsibility of selecting and designing new roads, and the planning of future construction and development.

It is necessary to keep current data on motor vehicle trends for numerous reasons including: Design of new construction to service the volume and type of traffic a roadway will carry. Selection of new routes to serve the greatest area and maximum number of motorists while maintaining cost efficiency. Design of future projects to coincide with expected development. And to schedule maintenance when and where it is most needed.

Perhaps the single most reliable statistics available to guide the highway engineer and the planner are the type and volume of traffic on each section of highway under consideration for future improvement. Responsibility for the collection, tabulation and analysis of these trends is vested in the Traffic Information Division of the Nevada Department of Transportation.

During 2001, hourly traffic volumes were monitored continuously at 71 locations statewide. These sites, commonly referred to as Automatic Traffic Recorders (ATR's) are presented in summary form beginning on page 10 of this report. In addition, traffic volumes were collected in short periods (7days) and factored to Annual Average Daily Traffic (AADT's). These summary statistics including a ten-year history (if available) are presented by county in the Table Three portion of this report, which begins on page 81.

STATISTICS

The methods used to derive the “Annual Average Daily Traffic” (AADT) for the Automatic Traffic Recorder (ATR) sites in this book are:

1. Each day of the week is averaged for the month.
2. The seven average days (Sunday through Saturday) are averaged which provides “Monthly Average Daily Traffic” (MADT).
3. The twelve MADT’s (January through December) are averaged, which then yields the AADT.

The methods used to derive the “Annual Average Daily Traffic” for Table Three in this report are:

1. The total raw count from a five to seven day short period count is divided by the number of hours sampled and the quotient is then multiplied by 24 (24 hours in a day).
2. The above product is then factored using summary statistics from ATR’s to derive a Monthly Average Daily Traffic (MADT).
3. The MADT is once again factored for seasonality using summary statistics from ATR’s which produces Annual Average Daily Traffic (AADT). The AADT summary statistics in this report represent a composite of both directions.
4. Those locations sampled with an axle sensor are then factored once more using factors developed from vehicle classification statistics. This procedure factors out inflated counts due to extra axle vehicles.

Data is collected in an hourly increment at various count locations statewide. The year the last hourly count was taken at a particular location is noted in the left margin of the Table Three report directly under the station identification number. This data is available upon request from the Traffic Information Division staff by calling at (775) 888-7445.

TABLE 3 SHORT TERM COUNT STATION NUMBERING SYSTEM

The 2001 Table 3 section of this report contains a ten-year history of Annual Average Daily Traffic at short-term count locations. This data is divided into counties including maps depicting individual count locations. All short-term count locations are listed with a four-digit station identifier. Short-term count locations are represented on the maps in red and consist of the four-digit identification number with all leading zeros removed.

Example of table three:	Clark county station number	1 is 0001
	Mineral county station number	33 is 0033
	Washoe county station number	114 is 0114

Below is a listing of the counties and their prefix numbers. County code numbers are in bold print and located in the upper right hand corner on all county maps.

<u>County</u>	<u>Prefix Number</u>
Carson City	25
Churchill	01
Clark	03
Douglas	05
Elko	07
Esmeralda	09
Eureka	11
Humboldt	13
Lander	15
Lincoln	17
Lyon	19
Mineral	21
Nye	23
Pershing	27
Storey	29
Washoe	31
White Pine	33

AUTOMATIC TRAFFIC RECORDERS (ATR)

In addition to the short-term locations, Automatic Traffic Recorder (ATR) locations are shown on the maps with seven-digit identification number.

Summary data for ATR sites can be found in the Automatic Traffic Recorder section of this report. The ATR section provides the user with Monthly Average Daily Traffic (MADT) and a 10-year history of the AADT with the percent of change from the previous year. This section also provides Average Daily Traffic (ADT), Average Weekday Traffic and Average Weekend Traffic. (Please note Friday ADT is not used to calculate Average Weekday or Weekend Traffic).

The percent design hour volume (DHV) is of the AADT is provided in the ATR summaries is a tool used in the design process. It is the hour used to design a highway as it represents the highest volume the highway will have to accommodate. To a greater extent, the design hour volume determines pavement widths and other geometric features.


VEHICLE CLASSIFICATION & 18 KIP EQUIVALENT AXLE LOAD TEMPLATES

The maps on page 5 & 6 show the Roadway Functional Classification for the majority of Las Vegas and Reno areas. The Template on page 7 provides the percentage of travel and corresponding average 18 KIP Equivalent Single Axle Loadings (ESAL) by vehicle type for Urban Roadway Functional Classifications. Page 8 is the Statewide Roadway Functional Classification map with page 9 depicting the Rural percentage of travel and corresponding average 18 KIP ESAL by vehicle type.

These statistics represent the previous three years of data collection at 420 locations statewide. The statistical sampling procedures found in the Federal Highway Administration's "Traffic Monitoring Guide" were the basis of location selection and monitoring duration.

This data is used in capacity analysis, environmental assessment, pavement management programs and economic development planning. This information is also requested by local entities and engineering consulting firms for determining structural numbers used in pavement design.

The procedure for calculating a current year daily ESAL value is available upon request by telephoning (775) 888-7444.



FEDERAL AID HIGHWAY SYSTEM OF


NEVADA

1993

PREPARED BY THE NEVADA DEPARTMENT OF TRANSPORTATION


LEGEND	
EXISTING	PROPOSED
	URBAN BOUNDARIES
	INTERSTATE HIGHWAYS
	PRINCIPAL ARTERIAL & OTHER FREEWAYS AND EXPRESSWAYS
	OTHER PRINCIPAL ARTERIALS
	MINOR ARTERIALS
	RURAL MAJOR COLLECTOR
	NON FUNCTIONALLY CLASSED MAJOR ROADS
	URBAN OR RURAL MINOR COLLECTOR
	COUNTY LINE
	STATE LINE

DATE APPROVED _____



Downtown Las Vegas

ROADWAY FUNCTIONAL CLASSIFICATION LAS VEGAS URBANIZED AREA



ROADWAY FUNCTIONAL CLASSIFICATION RENO URBAN AREA

URBAN
VEHICLE DISTRIBUTION and AVERAGE ESAL's
by ROADWAY FUNCTIONAL CLASSIFICATION

STATE: NEVADA


STATE FIPS CODE: 32

DATA YEAR: 2001

DATE: 18-Jun-02

FUNCTIONAL CLASSIFICATION	PERCENT OF TRAVEL												
	TRUCK PERCENT (T%)	PASS- ENGER CARS [2 AXLE, 4 TIRE]		BUSSES	SINGLE-UNIT TRUCKS		SINGLE-TRAILER UNITS			MULTI-TRAILER TRUCKS			AVERAGE ESAL
2 AXLE, 6 TIRE	3 AXLE OR MORE	4 AXLE OR LESS	SAXLE	6 AXLE OR MORE	5 AXLE OR LESS	6 AXLE	7 AXLE OR MORE						
URBAN													
INTERSTATE	10.15%	89.85%			0.52%	1.95%	0.62%	0.45%	5.22%	0.17%	0.44%	0.10%	0.68%
FLEXIBLE ESAL by VEHICLE GROUP					0.895	0.275	0.715	0.727	1.344	1.597	2.067	1.176	2.380
RIGID ESAL by VEHICLE GROUP					1.022	0.253	1.062	0.764	2.064	2.080	1.991	1.133	2.887
OTHER FREEWAY & EXPRESSWAY	8.64%	91.36%			0.54%	2.18%	0.43%	0.30%	3.34%	0.14%	0.19%	0.04%	1.48%
FLEXIBLE ESAL by VEHICLE GROUP					0.666	0.182	0.775	0.545	1.275	1.618	1.635	1.085	2.290
RIGID ESAL by VEHICLE GROUP					0.741	0.160	1.107	0.521	1.901	2.129	1.526	1.021	3.693
OTHER PRINCIPAL ARTERIALS	4.06%	95.94%			0.56%	1.44%	0.34%	0.26%	1.16%	0.03%	0.13%	0.04%	0.10%
FLEXIBLE ESAL by VEHICLE GROUP					0.5659	0.2646	0.8487	0.5691	1.1597	1.6754	1.9641	1.1271	1.5921
MINOR ARTERIALS	4.14%	95.86%			0.43%	1.97%	0.46%	0.22%	0.74%	0.04%	0.06%	0.01%	0.21%
FLEXIBLE ESAL by VEHICLE GROUP					0.9722	0.2380	0.8209	0.6795	1.1798	1.5507	1.5211	1.8067	2.0153
MINOR COLLECTORS	2.02%	97.98%			0.51%	1.19%	0.12%	0.10%	0.07%	0.00%	0.01%	0.01%	0.01%
FLEXIBLE ESAL by VEHICLE GROUP					*	*	*	*	*	*	*	*	*
LOCAL ROADS	4.51%	95.49%			0.38%	2.93%	0.55%	0.04%	0.46%	0.03%	0.01%	0.01%	0.10%
FLEXIBLE ESAL by VEHICLE GROUP					*	*	*	*	*	*	*	*	*

* Data not available for these Roadway Functional Classifications



ROADWAY FUNCTIONAL CLASSIFICATION NEVADA

RURAL
VEHICLE DISTRIBUTION and AVERAGE ESAL's
by ROADWAY FUNCTIONAL CLASSIFICATION

STATE: NEVADA

STATE FIPS CODE: 32

DATA YEAR: 2001

DATE: 18-Jun-02


FUNCTIONAL CLASSIFICATION	PERCENT OF TRAVEL												
	TRUCK PERCENT (T%)	PASS- ENGER CARS [2 AXLE, 4 TIRE]		BUSSES	SINGLE-UNIT TRUCKS		SINGLE-TRAILER UNITS			MULTI-TRAILER TRUCKS			AVERAGE ESAL
RURAL	2 AXLE, 6 TIRE	3 AXLE OR MORE			4 AXLE OR LESS	SAXLE	6 AXLE OR MORE	5 AXLE OR LESS	6 AXLE	7 AXLE OR MORE			
INTERSTATE	30.91%	69.09%			0.60%	3.40%	0.40%	0.72%	22.03%	0.33%	0.98%	0.33%	2.12%
FLEXIBLE ESAL by VEHICLE GROUP					0.640	0.168	0.422	0.643	1.302	1.479	1.771	1.088	1.721
RIGID ESAL by VEHICLE GROUP					0.696	0.145	0.556	0.643	1.937	1.774	1.628	1.010	2.004
OTHER PRINCIPAL ARTERIAL	20.88%	79.12%			0.55%	4.41%	0.49%	1.13%	11.51%	0.39%	0.60%	0.21%	1.59%
FLEXIBLE ESAL by VEHICLE GROUP					0.689	0.183	0.580	0.657	1.263	1.695	1.712	1.155	1.775
MINOR ARTERIAL	15.00%	85.00%			0.45%	3.63%	0.86%	0.80%	6.85%	0.34%	0.50%	0.13%	1.44%
FLEXIBLE ESAL by VEHICLE GROUP					0.675	0.272	0.667	0.443	1.033	1.660	1.161	1.349	1.929
MAJOR COLECTOR	13.72%	86.28%			0.38%	3.13%	0.63%	0.54%	6.84%	0.30%	0.56%	0.15%	1.19%
FLEXIBLE ESAL by VEHICLE GROUP					0.653	0.232	0.578	0.401	1.427	1.294	1.944	0.957	1.321
MINOR COLLECTOR	5.29%	94.71%			0.08%	0.99%	0.21%	0.15%	1.07%	0.02%	0.12%	0.25%	2.40%
FLEXIBLE ESAL by VEHICLE GROUP					*	*	*	*	*	*	*	*	*
LOCAL ROADS	6.47%	93.53%			0.77%	3.45%	0.16%	0.11%	1.42%	0.00%	0.08%	0.03%	0.45%
FLEXIBLE ESAL by VEHICLE GROUP					*	*	*	*	*	*	*	*	*

* Data not available for these Roadway Functional Classifications


ATR 0121109

US-50, 21 KM (13 MI.) EAST OF SR-361 EAST OF FALON


MONTH	MADT	% OF AADT
JANUARY	371	57.1%
FEBRUARY	352	54.2%
MARCH	441	67.8%
APRIL	550	84.6%
MAY	729	112.2%
JUNE	841	129.4%
JULY	888	136.6%
AUGUST	983	151.2%
SEPTEMBER	908	139.7%
OCTOBER	843	129.7%
NOVEMBER	564	86.8%
DECEMBER	414	63.7%



YEAR	AADT	% OF PREVIOUS YEAR
2001	650	101.6%
2000	640	94.1%
1999	680	109.7%
1998	620	99.2%
1997	625	103.3%
1996	605	94.5%
1995	640	103.2%
1994	620	100.8%
1993	615	98.4%
1992	625	100.0%



DAY OF WEEK	ADT	% OF AADT
SUN	647	99.5%
MON	632	97.2%
TUE	613	94.3%
WED	621	95.5%
THU	652	100.3%
FRI	745	114.6%
SAT	636	97.8%
AVG WEEKDAY	630	96.8%
AVG WEEKEND	642	98.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	15.1%
PERCENT HIGH DIRECTION IS OF DHV	61.2%


ATR 0121209

US-50, .64 KM (.4 MI.) WEST OF US-50A


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	1,834	79.6%
FEBRUARY	1,970	85.5%
MARCH	2,193	95.1%
APRIL	2,271	98.5%
MAY	2,506	108.7%
JUNE	2,624	113.8%
JULY	2,618	113.6%
AUGUST	2,583	112.1%
SEPTEMBER	2,390	103.7%
OCTOBER	2,329	101.0%
NOVEMBER	2,045	88.7%
DECEMBER	1,923	83.4%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	2,275	98.7%
2000	2,305	99.1%
1999	2,325	103.6%
1998	2,245	105.4%
1997	2,130	
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,919	83.3%
MON	2,152	93.4%
TUE	2,338	101.4%
WED	2,334	101.3%
THU	2,316	100.5%
FRI	2,522	109.4%
SAT	2,337	101.4%
AVG WEEKDAY	2,285	99.1%
AVG WEEKEND	2,128	92.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 11.3%

PERCENT HIGH DIRECTION IS OF DHV 60.2%


ATR 0121309

US-50, (WILLIAMS ST) 22 METERS (75') E. OF RUSSELL ST.


MONTH	MONTHLY PERCENT	
	MADT	% OF AADT
JANUARY	19,225	89.1%
FEBRUARY	20,503	95.1%
MARCH	22,134	102.6%
APRIL	22,771	105.6%
MAY	22,600	104.8%
JUNE	22,884	106.1%
JULY	22,054	102.3%
AUGUST	21,980	101.9%
SEPTEMBER	22,256	103.2%
OCTOBER	21,798	101.1%
NOVEMBER	20,470	94.9%
DECEMBER	20,076	93.1%



YEAR	HISTORICAL RECORD	
	AADT	% OF PREVIOUS YEAR
2001	21,565	102.9%
2000	20,960	
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	16,164	75.0%
MON	21,799	101.1%
TUE	22,385	103.8%
WED	22,554	104.6%
THU	22,816	105.8%
FRI	25,131	116.5%
SAT	20,090	93.2%
AVG WEEKDAY	22,389	103.8%
AVG WEEKEND	18,127	84.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.6%
PERCENT HIGH DIRECTION IS OF DHV	56.7%


ATR 031109

I-15, AT NV/CA STATELINE


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	30,002	84.2%
FEBRUARY	31,449	90.2%
MARCH	31,725	91.0%
APRIL	36,144	103.7%
MAY	35,404	101.6%
JUNE	36,152	103.7%
JULY	40,879	117.3%
AUGUST	40,921	117.4%
SEPTEMBER	34,280	98.4%
OCTOBER	31,554	90.5%
NOVEMBER	34,714	99.6%
DECEMBER	35,059	100.6%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	35,650	102.3%
2000	34,855	102.4%
1999	34,040	105.9%
1998	32,150	103.6%
1997	31,025	105.1%
1996	29,530	101.5%
1995	29,090	102.3%
1994	28,425	107.6%
1993	26,420	106.4%
1992	24,820	101.9%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	50,469	144.8%
MON	33,072	94.9%
TUE	27,055	77.6%
WED	27,154	77.9%
THU	29,277	84.0%
FRI	43,361	124.4%
SAT	39,169	112.4%
AVG WEEKDAY	29,140	83.6%
AVG WEEKEND	44,819	128.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	14.2%
PERCENT HIGH DIRECTION IS OF DHV	63.4%


ATR 0311209

I-15, 2.4 KM (1.5 MI) N. OF APEX INTERCHANGE


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	16,234	82.9%
FEBRUARY	17,017	86.9%
MARCH	19,856	101.4%
APRIL	20,871	106.6%
MAY	20,642	105.4%
JUNE	22,111	112.9%
JULY	22,788	116.4%
AUGUST	23,371	119.4%
SEPTEMBER	21,408	109.3%
OCTOBER	20,938	106.9%
NOVEMBER	20,590	105.2%
DECEMBER	19,544	99.8%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2001	20,450	104.4%
2000	19,580	101.0%
1999	19,380	103.6%
1998	18,710	107.0%
1997	17,490	105.6%
1996	16,570	103.6%
1995	15,990	107.4%
1994	14,890	105.8%
1993	14,080	107.2%
1992	13,130	103.2%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	20,882	106.6%
MON	19,048	97.3%
TUE	18,590	94.9%
WED	19,428	99.2%
THU	20,576	105.1%
FRI	23,495	120.0%
SAT	21,113	107.8%
AVG WEEKDAY	19,411	99.1%
AVG WEEKEND	20,998	107.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.7%
PERCENT HIGH DIRECTION IS OF DHV	65.4%

ATR 0311309


I-15, 61 METERS (200') N. OF THE E. MESQUITE INTERCHANGE

MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	16,117	80.8%
FEBRUARY	17,455	87.5%
MARCH	19,853	99.5%
APRIL	20,170	101.1%
MAY	19,997	100.2%
JUNE	21,298	106.7%
JULY	22,120	110.8%
AUGUST	22,793	114.2%
SEPTEMBER	20,826	104.4%
OCTOBER	19,994	100.2%
NOVEMBER	19,895	99.7%
DECEMBER	18,938	94.9%




DATA MISSING DUE TO CONSTRUCTION

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2001	19,955	106.5%
2000	18,740	100.1%
1999	18,715	105.1%
1998	17,805	106.0%
1997	16,795	104.1%
1996	16,140	101.7%
1995	15,870	109.0%
1994	14,565	100.8%
1993	14,445	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	21,460	107.5%
MON	18,117	90.8%
TUE	17,419	87.3%
WED	18,297	91.7%
THU	19,430	97.4%
FRI	22,951	115.0%
SAT	22,009	110.3%
AVG WEEKDAY	18,316	91.8%
AVG WEEKEND	21,735	108.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.4%
PERCENT HIGH DIRECTION IS OF DHV	63.7%

ATR 0312109


I-15, 320 METERS (0.2 MI) N. OF SR-589 (SAHARA AVE)

MONTHLY PERCENT		% OF AADT
MONTH	MADT	AADT
JANUARY		
FEBRUARY		
MARCH		
APRIL		
MAY		
JUNE		
JULY		
AUGUST		
SEPTEMBER		
OCTOBER		
NOVEMBER		
DECEMBER		




*OUT DUE TO CONTRACTION

HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2001	222100	96.8%
2000	229500	101.6%
1999	225955	111.2%
1998	203165	99.6%
1997	203990	109.3%
1996	186670	103.4%
1995	180485	105.0%
1994	171,920	110.4%
1993	155795	111.2%
1992	140075	104.9%



* 2000, 2001 ESTIMATED AADT

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN		
MON		
TUE		
WED		
THU		
FRI		
SAT		
AVG WEEKDAY		
AVG WEEKEND		




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE
PERCENT HIGH DIRECTION IS OF DHV


ATR 0312309

I-15, 1.1 KM (0.7 MI') NORTH OF SR-147 (LAKE MEAD BLVD)

MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	82,618	89.1%
FEBRUARY	84,410	91.0%
MARCH	96,287	103.8%
APRIL	96,515	104.0%
MAY	92,194	99.4%
JUNE	97,540	105.2%
JULY	93,926	101.3%
AUGUST	96,706	104.3%
SEPTEMBER	94,594	102.0%
OCTOBER	96,508	104.0%
NOVEMBER	92,194	99.4%
DECEMBER	89,627	96.6%




HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2001	92,760	0.0%
2000	80,000	0.0%
1999	79,500	105.1%
1998	75,615	107.7%
1997	70,200	109.8%
1996	63,935	104.7%
1995	61,090	
1994		
1993		
1992		



*1999,2000 ESTIMATED DUE TO CONSTRUCTION

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	67,860	73.2%
MON	95,902	103.4%
TUE	98,813	106.5%
WED	98,475	106.2%
THU	100,896	108.8%
FRI	105,580	113.8%
SAT	81,794	88.2%
AVG WEEKDAY	98,522	106.2%
AVG WEEKEND	74,827	80.7%



PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE

7.9%


PERCENT HIGH DIRECTION IS OF DHV

53.4%


ATR 0312509

I-215, .32 KM (0.2 MI) E. OF SR-146 (EASTERN AVE)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	81,686	91.5%
FEBRUARY	85,508	95.8%
MARCH	90,014	100.9%
APRIL	90,042	100.9%
MAY	89,393	100.2%
JUNE	90,396	101.3%
JULY	89,878	100.7%
AUGUST	90,380	101.3%
SEPTEMBER	88,868	99.6%
OCTOBER	91,412	102.4%
NOVEMBER	90,226	101.1%
DECEMBER	93,027	104.2%



HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2001	89,235	125.8%
2000	70,930	180.0%
1999	39,405	170.1%
1998	23,160	
1997		
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	63,815	71.5%
MON	90,229	101.1%
TUE	95,325	106.8%
WED	96,961	108.7%
THU	97,284	109.0%
FRI	100,755	112.9%
SAT	78,867	88.4%
AVG WEEKDAY	94,950	106.4%
AVG WEEKEND	71,341	79.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	8.8%
PERCENT HIGH DIRECTION IS OF DHV	59.3%


ATR 0321209

US-95, 61 M (200') S. OF SR-157 (KYLE CANYON RD) N. OF LAS VEGAS


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	9,913	99.1%
FEBRUARY	9,735	97.3%
MARCH	9,942	99.4%
APRIL	9,240	92.4%
MAY	8,962	89.6%
JUNE	10,350	103.4%
JULY	10,452	104.5%
AUGUST	10,634	106.3%
SEPTEMBER	10,411	104.1%
OCTOBER	10,696	106.9%
NOVEMBER	9,651	96.5%
DECEMBER	10,066	100.6%



HISTORICAL RECORD		
	% OF PREVIOUS	
YEAR	AADT	YEAR
2001	10,005	103.9%
2000	9,630	104.8%
1999	9,185	99.5%
1998	9,235	105.2%
1997	8,780	110.0%
1996	7,980	95.6%
1995	8,350	103.3%
1994	8,080	102.5%
1993	7,880	98.7%
1992	7,985	109.1%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	11,086	110.8%
MON	9,863	98.6%
TUE	9,551	95.5%
WED	9,690	96.9%
THU	10,027	100.2%
FRI	10,071	100.7%
SAT	10,189	101.8%
AVG WEEKDAY	9,783	97.8%
AVG WEEKEND	10,638	106.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	14.9%
PERCENT HIGH DIRECTION IS OF DHV	68.0%


ATR 0322209

US-95, 0.3 KM (0.2 MI) S. OF SR-596 (JONES BLVD)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	185,136	96.7%
FEBRUARY	191,479	100.0%
MARCH	198,761	103.8%
APRIL	196,326	102.6%
MAY	195,977	102.4%
JUNE	192,682	100.6%
JULY	190,125	99.3%
AUGUST	191,411	100.0%
SEPTEMBER	188,116	98.3%
OCTOBER	190,631	99.6%
NOVEMBER	186,559	97.5%
DECEMBER	190,080	99.3%



HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2001	191,440	101.2%
2000	189,255	104.3%
1999	181,465	108.2%
1998	167,745	106.2%
1997	157,895	105.8%
1996	149,215	106.8%
1995	139,680	106.6%
1994	130,980	112.3%
1993	116,675	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	150,389	78.6%
MON	194,205	101.4%
TUE	199,499	104.2%
WED	201,276	105.1%
THU	202,210	105.6%
FRI	209,320	109.3%
SAT	183,182	95.7%
AVG WEEKDAY	199,298	104.1%
AVG WEEKEND	166,786	87.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	7.4%
PERCENT HIGH DIRECTION IS OF DHV	52.3%


ATR 0322409

SR-612 (NELLIS BLVD) 23 METERS (75 FT) N. OF ST. LOUIS AVE.


MONTH	MADT	% OF AADT
JANUARY	39,825	96.2%
FEBRUARY	43,782	105.8%
MARCH	44,784	108.2%
APRIL	44,367	107.2%
MAY	44,034	106.4%
JUNE	43,349	104.7%
JULY	42,610	102.9%
AUGUST	42,858	103.5%
SEPTEMBER	42,273	102.1%
OCTOBER	43,122	104.2%
NOVEMBER	42,542	102.8%
DECEMBER	42,893	103.6%



YEAR	AADT	% OF PREVIOUS YEAR
2001	41,400	100.0%
2000	41,400	96.0%
1999	43,125	99.7%
1998	43,250	102.9%
1997	42,050	104.0%
1996	40,420	93.0%
1995	43,460	100.2%
1994	43,365	101.3%
1993	42,800	
1992		



DAY	ADT	% OF AADT
SUN	35,839	86.6%
MON	43,110	104.1%
TUE	43,283	104.5%
WED	43,747	105.7%
THU	43,984	106.2%
FRI	47,785	115.4%
SAT	43,508	105.1%
AVG WEEKDAY	43,531	105.1%
AVG WEEKEND	39,674	95.8%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	8.9%
PERCENT HIGH DIRECTION IS OF DHV	55.0%

ATR 0322609


SR-604 (LAS VEGAS BLVD.) 161 M (0.1 MI) S. OF SR-589 (SAHARA AVE.)

MONTH	MADT	% OF AADT
JANUARY	42,784	95.4%
FEBRUARY	45,523	101.5%
MARCH	48,601	108.4%
APRIL	48,667	108.5%
MAY	*	0.0%
JUNE	*	0.0%
JULY	47,737	106.5%
AUGUST	47,423	105.8%
SEPTEMBER	41,450	92.4%
OCTOBER	43,006	95.9%
NOVEMBER	42,288	94.3%
DECEMBER	40,897	91.2%




* DATA MISSING DUE TO CONSTRUCTION

YEAR	AADT	% OF PREVIOUS YEAR
2001	44,840	95.9%
2000	46,755	97.2%
1999	48,110	98.0%
1998	49,070	102.8%
1997	47,750	96.2%
1996	49,620	
1995		
1994		
1993		
1992		



DAY	ADT	% OF AADT
SUN	48,045	107.1%
MON	42,376	94.5%
TUE	41,065	91.6%
WED	41,816	93.3%
THU	42,307	94.4%
FRI	46,204	103.0%
SAT	52,050	116.1%
AVG WEEKDAY	41,891	93.4%
AVG WEEKEND	50,048	111.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	6.9%
---	------

PERCENT HIGH DIRECTION IS OF DHV	52.9%
----------------------------------	-------


ATR 0331209

SR-562 (SUNSET RD) 161 M. (0.1mi) E. OF SR-605 (PARADISE RD)


MONTH	MADT	% OF AADT
JANUARY	36,218	96.8%
FEBRUARY	37,950	101.4%
MARCH	38,849	103.8%
APRIL	39,354	105.2%
MAY	37,083	99.1%
JUNE	37,661	100.6%
JULY	35,914	96.0%
AUGUST	37,471	100.1%
SEPTEMBER	36,406	97.3%
OCTOBER	37,111	99.2%
NOVEMBER	36,150	96.6%
DECEMBER	38,872	103.9%



YEAR	AADT	% OF PREVIOUS YEAR
2001	37,420	98.1%
2000	38,135	98.8%
1999	38,585	105.8%
1998	36,455	102.0%
1997	35,730	105.8%
1996	33,765	94.8%
1995	35,615	106.4%
1994	33,460	115.7%
1993	28,930	105.2%
1992	27,490	105.5%



DAY	ADT	% OF AADT
SUN	19,568	52.3%
MON	41,373	110.6%
TUE	43,064	115.1%
WED	43,169	115.4%
THU	43,302	115.7%
FRI	44,741	119.6%
SAT	26,723	71.4%
AVG WEEKDAY	42,727	114.2%
AVG WEEKEND	23,146	61.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.3%
PERCENT HIGH DIRECTION IS OF DHV	57.7%


ATR 0331309

US-95, 0.8 KM (0.5 MI) N. OF SR-164 (NIPTON RD.)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	6,251	91.0%
FEBRUARY	6,938	101.0%
MARCH	7,486	109.0%
APRIL	7,371	107.3%
MAY	6,142	89.4%
JUNE	5,785	84.2%
JULY	5,737	83.5%
AUGUST	6,101	88.8%
SEPTEMBER	6,605	96.1%
OCTOBER	8,094	117.8%
NOVEMBER	8,087	117.7%
DECEMBER	7,838	114.1%



HISTORICAL RECORD		
	AADT	% OF PREVIOUS YEAR
2001	6,870	110.4%
2000	6,225	98.7%
1999	6,305	105.7%
1998	5,965	100.0%
1997	5,965	103.2%
1996	5,780	104.6%
1995	5,525	100.0%
1994	5,525	107.6%
1993	5,135	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	7,224	105.2%
MON	6,512	94.8%
TUE	6,520	94.9%
WED	6,686	97.3%
THU	6,825	99.3%
FRI	7,674	111.7%
SAT	6,647	96.8%
AVG WEEKDAY	6,636	96.6%
AVG WEEKEND	6,936	101.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.9%
PERCENT HIGH DIRECTION IS OF DHV	59.0%


ATR 0331509

US-93, 0.97 KM (0.6 MI) E. OF THE WB OFF-RAMP TO US-95


MONTH	MADT	% OF AADT
JANUARY	29,480	91.7%
FEBRUARY	31,850	99.1%
MARCH	35,007	108.9%
APRIL	35,098	109.2%
MAY	33,635	104.7%
JUNE	33,577	104.5%
JULY	33,649	104.7%
AUGUST	33,697	104.9%
SEPTEMBER	29,415	91.5%
OCTOBER	30,604	95.2%
NOVEMBER	29,911	93.1%
DECEMBER	29,711	92.5%



HISTORICAL RECORD		
YEAR	AADT	PREVIOUS YEAR
2001	32,135	99.6%
2000	32,250	100.9%
1999	31,965	103.5%
1998	30,895	102.9%
1997	30,015	77.3%
1996	38,825	103.9%
1995	37,355	147.4%
1994	25,335	103.0%
1993	24,605	
1992		



DAY	ADT	% OF AADT
SUN	29,029	90.3%
MON	32,013	99.6%
TUE	31,771	98.9%
WED	32,468	101.0%
THU	33,129	103.1%
FRI	35,825	111.5%
SAT	30,719	95.6%
AVG WEEKDAY	32,345	100.7%
AVG WEEKEND	29,874	93.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.6%
PERCENT HIGH DIRECTION IS OF DHV	55.5%


ATR 0331609

SR-163 (DAVIS DAM RD.) 0.8 KM (0.5 MI) E. OF US-95


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	4,550	86.8%
FEBRUARY	5,172	98.6%
MARCH	5,503	104.9%
APRIL	5,693	108.6%
MAY	4,635	88.4%
JUNE	4,398	83.9%
JULY	4,525	86.3%
AUGUST	4,886	93.2%
SEPTEMBER	5,592	106.6%
OCTOBER	6,197	118.2%
NOVEMBER	6,088	116.1%
DECEMBER	5,684	108.4%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2000	5,244	108.8%
1999	4,820	97.1%
1998	4,965	98.8%
1997	5,025	102.9%
1996	4,885	101.0%
1995	4,835	104.9%
1994	4,610	97.5%
1993	4,730	108.4%
1992	4,365	
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	5,694	108.6%
MON	4,943	94.3%
TUE	4,979	94.9%
WED	5,086	97.0%
THU	5,118	97.6%
FRI	5,929	113.1%
SAT	4,956	94.5%
AVG WEEKDAY	5,032	95.9%
AVG WEEKEND	5,325	101.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	13.6%
PERCENT HIGH DIRECTION IS OF DHV	66.2%


ATR 0331809

SR-160 25 KM (16 MI) W. OF SR-159


MONTH	MADT	% OF AADT
JANUARY	6,572	90.3%
FEBRUARY	6,862	94.3%
MARCH	7,611	104.5%
APRIL	7,803	107.2%
MAY	7,306	100.4%
JUNE	7,339	100.8%
JULY	7,128	97.9%
AUGUST	7,274	99.9%
SEPTEMBER	7,245	99.5%
OCTOBER	7,557	103.8%
NOVEMBER	7,505	103.1%
DECEMBER	7,144	98.1%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	7,280	100.6%
2000	7,235	102.9%
1999	7,030	110.5%
1998	6,360	
1997		
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	5,731	78.7%
MON	7,311	100.4%
TUE	7,616	104.6%
WED	7,620	104.7%
THU	7,767	106.7%
FRI	8,243	113.2%
SAT	6,664	91.5%
AVG WEEKDAY	7,579	104.1%
AVG WEEKEND	6,198	85.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.8%
PERCENT HIGH DIRECTION IS OF DHV	69.9%


ATR 0331909

SR-599 (RANCHO RD.) 0.1 MI. N. OF SR-574 (CHEYENNE RD.)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	26,379	96.2%
FEBRUARY	27,032	98.5%
MARCH	27,789	101.3%
APRIL	27,567	100.5%
MAY	27,489	100.2%
JUNE	28,044	102.2%
JULY	27,202	99.2%
AUGUST	27,543	100.4%
SEPTEMBER	27,509	100.3%
OCTOBER	28,097	102.4%
NOVEMBER	27,634	100.7%
DECEMBER	26,910	98.1%



HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	
2001	27,435	98.8%
2000	27,775	97.1%
1999	28,610	
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	20,484	74.7%
MON	27,976	102.0%
TUE	28,493	103.9%
WED	28,961	105.6%
THUR	29,442	107.3%
FRI	31,177	113.6%
SAT	25,496	92.9%
AVG WEEKDAY	28,718	104.7%
AVG WEEKEND	22,990	83.8%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.3%
PERCENT HIGH DIRECTION IS OF DHV	66.0%


ATR 0332009

SR-564 (LAKE MEAD DR.) 0.16 KM (0.1 MI) W. OF LORIN L PKWY


MONTH	MADT	% OF AADT
JANUARY	2,184	67.3%
FEBRUARY	2,555	78.7%
MARCH	3,437	105.9%
APRIL	3,640	112.2%
MAY	4,200	129.4%
JUNE	3,962	122.1%
JULY	3,969	122.3%
AUGUST	3,812	117.5%
SEPTEMBER	3,699	114.0%
OCTOBER	2,997	92.4%
NOVEMBER	2,513	77.4%
DECEMBER	1,965	60.6%



YEAR	AADT	% OF PREVIOUS YEAR
2001	3,245	86.4%
2000	3,755	
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY	ADT	% OF AADT
SUN	3,879	119.5%
MON	2,974	91.6%
TUE	2,873	88.5%
WED	2,919	90.0%
THU	2,947	90.8%
FRI	3,353	103.3%
SAT	3,764	116.0%
AVG WEEKDAY	2,928	90.2%
AVG WEEKEND	3,822	117.8%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	15.7%
---	-------

PERCENT HIGH DIRECTION IS OF DHV	69.2%
----------------------------------	-------


ATR 0352109

SR-159 (CHARLESTON BLVD.) 0.3 KM (0.2 MI) W. OF CAMPBELL DR.


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	32,511	90.3%
FEBRUARY	35,135	97.6%
MARCH	36,918	102.5%
APRIL	36,481	101.3%
MAY	35,292	98.0%
JUNE	35,563	98.7%
JULY	35,320	98.1%
AUGUST	36,581	101.6%
SEPTEMBER	36,086	100.2%
OCTOBER	38,153	105.9%
NOVEMBER	37,629	104.5%
DECEMBER	36,481	101.3%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	36,015	91.5%
2000	39,345	97.6%
1999	40,315	97.6%
1998	41,310	100.1%
1997	41,256	102.1%
1996	40,420	100.8%
1995	40,095	98.4%
1994	40,765	106.8%
1993	38,170	104.1%
1992	36,660	106.7%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	19,887	55.2%
MON	39,573	109.9%
TUE	41,429	115.0%
WED	41,115	114.2%
THU	41,507	115.2%
FRI	41,980	116.6%
SAT	26,597	73.8%
AVG WEEKDAY	40,906	113.6%
AVG WEEKEND	23,242	64.5%




PERCENT DESIGN VOLUME (DHV) IS OF ANNUAL AVERAGE	10.3%
PERCENT HIGH DIRECTION IS OF DHV	52.4%

ATR 0352209


US-93 .48 KM (.3 MI) S OF LAKE SHORE DR.

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	*	0.0%
FEBRUARY	*	0.0%
MARCH	*	0.0%
APRIL	14,333	108.4%
MAY	14,356	108.6%
JUNE	14,955	113.1%
JULY	15,403	116.5%
AUGUST	15,087	114.1%
SEPTEMBER	11,159	84.4%
OCTOBER	12,309	93.1%
NOVEMBER	10,755	81.3%
DECEMBER	10,675	80.7%




* NEW STATION NO DATA

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2001	13,225	
2000		
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	15,141	114.5%
MON	12,306	93.1%
TUE	11,752	88.9%
WED	12,019	90.9%
THU	12,594	95.2%
FRI	14,795	111.9%
SAT	14,226	107.6%
AVG WEEKDAY	12,168	92.0%
AVG WEEKEND	14,684	111.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.1%
PERCENT HIGH DIRECTION IS OF DHV	56.7%

ATR 0352309


SR-607 (EASTERN AVE.) .24 KM (.15 MI) S. OF SR-159 (CHARLESTON BLVD.)

MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	34,197	96.3%
FEBRUARY	36,316	102.3%
MARCH	36,379	102.5%
APRIL	36,713	103.4%
MAY	34,981	98.6%
JUNE	35,279	99.4%
JULY	*	0.0%
AUGUST	35,897	101.1%
SEPTEMBER	35,835	101.0%
OCTOBER	35,663	100.5%
NOVEMBER	34,417	97.0%
DECEMBER	34,770	98.0%




* NO DATA DUE TO CONSTRUCTION

HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	35,495	
2000		
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	24,819	69.9%
MON	37,152	104.7%
TUE	38,213	107.7%
WED	38,712	109.1%
THU	37,991	107.0%
FRI	39,983	112.6%
SAT	31,594	89.0%
AVG WEEKDAY	38,017	107.1%
AVG WEEKEND	28,207	79.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.4%
---	------

PERCENT HIGH DIRECTION IS OF DHV	58.5%
----------------------------------	-------

ATR 0352609


SR-140 (MESQUITE BLVD) .64 KM (0.4 MI) E. OF SR-170 (BUNKERVILLE RD)

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	*	0.0%
FEBRUARY	*	0.0%
MARCH	*	0.0%
APRIL	*	0.0%
MAY	14,520	102.9%
JUNE	14,064	99.7%
JULY	13,390	94.9%
AUGUST	13,896	98.5%
SEPTEMBER	14,107	100.0%
OCTOBER	14,447	102.4%
NOVEMBER	14,380	101.9%
DECEMBER	14,077	99.8%




* NEW STATION NO DATA

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2001	14,110	
2000		
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	12,066	85.5%
MON	13,997	99.2%
TUE	13,658	96.8%
WED	14,045	99.5%
THU	14,290	101.3%
FRI	15,940	113.0%
SAT	14,776	104.7%
AVG WEEKDAY	13,998	99.2%
AVG WEEKEND	13,421	95.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 9.7%

PERCENT HIGH DIRECTION IS OF DHV 56.6%


ATR 0521109

US-50, 0.9 KM (0.57 MI) E. OF THE NV/CA STATELINE


MONTH	MADT	% OF AADT
JANUARY	27,875	88.3%
FEBRUARY	28,649	90.7%
MARCH	30,654	97.1%
APRIL	28,366	89.8%
MAY	31,026	98.2%
JUNE	35,298	111.8%
JULY	39,217	124.2%
AUGUST	39,192	124.1%
SEPTEMBER	33,648	106.5%
OCTOBER	30,761	97.4%
NOVEMBER	26,806	84.9%
DECEMBER	27,462	87.0%



YEAR	AADT	% OF PREVIOUS YEAR
2001	31,580	97.7%
2000	32,330	104.0%
1999	31,100	100.6%
1998	30,905	96.4%
1997	32,065	99.7%
1996	32,170	97.1%
1995	33,115	99.0%
1994	33,450	99.0%
1993	33,800	98.4%
1992	34,350	100.9%



DAY	ADT	% OF AADT
SUN	29,497	93.4%
MON	30,586	96.9%
TUE	30,532	96.7%
WED	30,764	97.4%
THU	31,430	99.5%
FRI	34,338	108.7%
SAT	33,909	107.4%
AVG WEEKDAY	30,828	97.6%
AVG WEEKEND	31,703	100.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 10.1%

PERCENT HIGH DIRECTION IS OF DHV 52.3%


ATR 0531109

US-395, 6.7 KM (4.2 MI) N. OF THE NV/CA STATELINE


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	4,787	75.0%
FEBRUARY	4,806	75.3%
MARCH	5,698	89.2%
APRIL	6,118	95.8%
MAY	6,847	107.2%
JUNE	7,338	114.9%
JULY	7,873	123.3%
AUGUST	8,071	126.4%
SEPTEMBER	7,309	114.5%
OCTOBER	6,581	103.1%
NOVEMBER	5,963	93.4%
DECEMBER	5,220	81.8%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	6,385	102.2%
2000	6,245	102.7%
1999	6,080	104.9%
1998	5,795	101.6%
1997	5,705	98.9%
1996	5,770	98.0%
1995	5,885	102.5%
1994	5,740	105.1%
1993	5,460	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	6,183	96.8%
MON	6,200	97.1%
TUE	6,047	94.7%
WED	6,266	98.1%
THU	6,372	99.8%
FRI	7,254	113.6%
SAT	6,368	99.7%
AVG WEEKDAY	6,221	97.4%
AVG WEEKEND	6,276	98.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.9%
PERCENT HIGH DIRECTION IS OF DHV	57.5%


ATR 0531209

SR-88 (WOODFORDS RD.) 0.8 KM (0.5 MI) N. OF THE NV/CA STATELINE


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	2,736	76.6%
FEBRUARY	2,748	77.0%
MARCH	3,149	88.2%
APRIL	3,128	87.6%
MAY	3,762	105.4%
JUNE	4,212	118.0%
JULY	4,437	124.3%
AUGUST	4,617	129.3%
SEPTEMBER	4,018	112.5%
OCTOBER	4,080	114.3%
NOVEMBER	3,110	87.1%
DECEMBER	2,863	80.2%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	3,570	106.7%
2000	3,345	101.1%
1999	3,310	108.5%
1998	3,050	94.7%
1997	3,220	107.3%
1996	3,000	99.8%
1995	3,005	103.8%
1994	2,895	105.9%
1993	2,735	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	3,654	102.4%
MON	3,301	92.5%
TUE	3,361	94.1%
WED	3,335	93.4%
THU	3,536	99.0%
FRI	3,930	110.1%
SAT	3,885	108.8%
AVG WEEKDAY	3,383	94.8%
AVG WEEKEND	3,770	105.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	13.9%
PERCENT HIGH DIRECTION IS OF DHV	56.9%

ATR 0531309


SR-756 (CENTERVILLE RD.) .32 KM (.2 MI) N. OF DRESSLERVILLE RD.

MONTH	MADT	% OF AADT
JANUARY	*	0.0%
FEBRUARY	*	0.0%
MARCH	*	0.0%
APRIL	*	0.0%
MAY	*	0.0%
JUNE	*	0.0%
JULY	*	0.0%
AUGUST	9,255	107.5%
SEPTEMBER	8,991	104.4%
OCTOBER	8,647	100.4%
NOVEMBER	8,207	95.3%
DECEMBER	7,951	92.3%




* NEW STATION NO DATA

YEAR	AADT	% OF PREVIOUS YEAR
2001	8,610	
2000		
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY	ADT	% OF AADT
SUN	6,838	79.4%
MON	8,803	102.2%
TUE	8,790	102.1%
WED	9,134	106.1%
THU	9,030	104.9%
FRI	9,567	111.1%
SAT	8,109	94.2%
AVG WEEKDAY	8,939	103.8%
AVG WEEKEND	7,474	86.8%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.8%
PERCENT HIGH DIRECTION IS OF DHV	61.0%


ATR 0711209

I-80 2.7 KM. (1.7 MI) E. OF THE US-93 INTERCHANGE E. OF WELLS


MONTH	MADT	% OF AADT
JANUARY	3,660	71.6%
FEBRUARY	3,555	69.5%
MARCH	4,193	82.0%
APRIL	4,712	92.1%
MAY	5,443	106.4%
JUNE	6,382	124.8%
JULY	6,546	128.0%
AUGUST	6,793	132.8%
SEPTEMBER	6,309	123.3%
OCTOBER	5,404	105.7%
NOVEMBER	4,627	90.5%
DECEMBER	3,762	73.5%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	5,115	96.4%
2000	5,305	103.1%
1999	5,145	105.1%
1998	4,895	101.7%
1997	4,815	103.5%
1996	4,650	100.5%
1995	4,625	101.5%
1994	4,555	103.4%
1993	4,405	97.2%
1992	4,530	101.1%



DAY	ADT	% OF AADT
SUN	5,406	105.7%
MON	4,563	89.2%
TUE	4,921	96.2%
WED	5,205	101.8%
THU	5,360	104.8%
FRI	5,148	100.6%
SAT	5,205	101.8%
AVG WEEKDAY	5,012	98.0%
AVG WEEKEND	5,306	103.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.9%
---	-------

PERCENT HIGH DIRECTION IS OF DHV	55.2%
----------------------------------	-------


ATR 0721109

US-93, 15 METERS (50 FT) N. OF THE CONTACT MAINT. STATION


MONTH	MADT	% OF AADT
JANUARY	1,495	73.1%
FEBRUARY	1,536	75.1%
MARCH	2,052	100.3%
APRIL	2,061	100.8%
MAY	2,050	100.2%
JUNE	2,378	116.3%
JULY	2,522	123.3%
AUGUST	2,540	124.2%
SEPTEMBER	2,169	106.1%
OCTOBER	2,180	106.6%
NOVEMBER	1,977	96.7%
DECEMBER	1,600	78.2%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	2,045	100.7%
2000	2,030	99.8%
1999	2,035	102.3%
1998	1,990	103.9%
1997	1,915	104.6%
1996	1,830	98.9%
1995	1,850	98.9%
1994	1,870	104.5%
1993	1,790	100.6%
1992	1,780	104.7%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,107	103.0%
MON	1,817	88.9%
TUE	1,905	93.2%
WED	2,066	101.0%
THU	2,035	99.5%
FRI	2,132	104.3%
SAT	2,265	110.8%
AVG WEEKDAY	1,956	95.6%
AVG WEEKEND	2,186	106.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 12.5%

PERCENT HIGH DIRECTION IS OF DHV 62.4%


ATR 0731109

SR-227 (LAMOILLE HWY.) 3.9 KM (2.4 MI) E. OF PINION RD.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	11,646	92.0%
FEBRUARY	12,221	96.5%
MARCH	12,409	98.0%
APRIL	12,964	102.4%
MAY	13,280	104.9%
JUNE	13,591	107.3%
JULY	12,948	102.2%
AUGUST	13,195	104.2%
SEPTEMBER	13,070	103.2%
OCTOBER	12,991	102.6%
NOVEMBER	12,208	96.4%
DECEMBER	11,474	90.6%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2001	12,665	97.4%
2000	13,000	98.5%
1999	13,200	99.3%
1998	13,290	97.5%
1997	13,635	107.2%
1996	12,715	107.4%
1995	11,835	107.8%
1994	10,980	108.8%
1993	10,095	106.9%
1992	9,440	108.8%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	8,913	70.4%
MON	13,087	103.3%
TUE	13,524	106.8%
WED	13,641	107.7%
THU	13,681	108.0%
FRI	14,191	112.0%
SAT	11,628	91.8%
AVG WEEKDAY	13,483	106.5%
AVG WEEKEND	10,271	81.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.2%
PERCENT HIGH DIRECTION IS OF DHV	75.5%


ATR 0752109

SR-535 (IDAHO ST) 182 METERS (600 FT) E. OF CONVENTION CENTER DR.


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	16,627	89.5%
FEBRUARY	18,038	97.1%
MARCH	18,057	97.2%
APRIL	18,873	101.6%
MAY	19,304	103.9%
JUNE	21,150	113.9%
JULY	19,944	107.4%
AUGUST	20,138	108.4%
SEPTEMBER	18,990	102.2%
OCTOBER	18,206	98.0%
NOVEMBER	17,067	91.9%
DECEMBER	16,498	88.8%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	18,575	95.2%
2000	19,505	97.4%
1999	20,025	98.4%
1998	20,355	87.0%
1997	23,395	95.4%
1996	24,520	98.8%
1995	24,810	101.0%
1994	24,565	99.4%
1993	24,715	104.4%
1992	23,675	102.8%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	11,988	64.5%
MON	18,868	101.6%
TUE	19,352	104.2%
WED	19,563	105.3%
THU	20,022	107.8%
FRI	22,621	121.8%
SAT	17,606	94.8%
AVG WEEKDAY	19,451	104.7%
AVG WEEKEND	14,797	79.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.3%
PERCENT HIGH DIRECTION IS OF DHV	51.6%


ATR 0752209

I-80 1.6 KM (1.0 MI) W. OF THE EAST ELKO INTERCHANGE


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	8,041	81.1%
FEBRUARY	8,175	82.5%
MARCH	8,815	88.9%
APRIL	9,555	96.4%
MAY	10,402	104.9%
JUNE	11,565	116.6%
JULY	11,666	117.7%
AUGUST	12,020	121.2%
SEPTEMBER	11,074	111.7%
OCTOBER	10,272	103.6%
NOVEMBER	9,303	93.8%
DECEMBER	8,079	81.5%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2001	9,915	97.8%
2000	10,135	100.4%
1999	10,095	101.8%
1998	9,915	99.1%
1997	10,005	105.0%
1996	9,530	105.6%
1995	9,025	
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	8,671	87.5%
MON	9,499	95.8%
TUE	10,141	102.3%
WED	10,298	103.9%
THU	10,504	105.9%
FRI	10,643	107.3%
SAT	9,642	97.2%
AVG WEEKDAY	10,111	102.0%
AVG WEEKEND	9,157	92.3%



PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE

9.6%


PERCENT HIGH DIRECTION IS OF DHV

57.2%


ATR 0752309

I-80 1.3 KM (0.8 MI) W. OF SR-756 (W CARLIN INTERCHANGE)


MONTH	MADT	% OF AADT
JANUARY	5,095	74.4%
FEBRUARY	5,058	73.9%
MARCH	5,705	83.3%
APRIL	6,281	91.8%
MAY	7,139	104.3%
JUNE	8,412	122.9%
JULY	8,656	126.5%
AUGUST	8,852	129.3%
SEPTEMBER	8,118	118.6%
OCTOBER	7,279	106.3%
NOVEMBER	6,296	92.0%
DECEMBER	5,260	76.8%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	6,845	96.6%
2000	7,085	99.0%
1999	7,155	111.8%
1998	6,400	99.8%
1997	6,415	103.6%
1996	6,190	106.2%
1995	5,830	
1994		
1993		
1992		



DAY	ADT	% OF AADT
SUN	6,719	98.2%
MON	6,284	91.8%
TUE	6,772	98.9%
WED	7,057	103.1%
THU	7,255	106.0%
FRI	7,142	104.3%
SAT	6,693	97.8%
AVG WEEKDAY	6,842	100.0%
AVG WEEKEND	6,706	98.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.9%
PERCENT HIGH DIRECTION IS OF DHV	55.6%


ATR 0921109

US-95 20.3 KM (12.6 MI) NW. OF THE NYE/ESMERALDA COUNTY LINE


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	1,491	75.9%
FEBRUARY	1,563	79.5%
MARCH	2,052	104.4%
APRIL	2,088	106.3%
MAY	2,107	107.2%
JUNE	2,227	113.3%
JULY	2,120	107.9%
AUGUST	2,170	110.4%
SEPTEMBER	2,215	112.7%
OCTOBER	2,070	105.3%
NOVEMBER	1,935	98.5%
DECEMBER	1,522	77.5%



HISTORICAL RECORD		
	% OF PREVIOUS	
YEAR	AADT	YEAR
2001	1,965	100.8%
2000	1,950	100.5%
1999	1,940	105.1%
1998	1,845	100.3%
1997	1,840	107.0%
1996	1,720	101.5%
1995	1,695	104.6%
1994	1,620	102.2%
1993	1,585	95.8%
1992	1,655	101.8%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,058	104.7%
MON	1,874	95.4%
TUE	1,815	92.4%
WED	1,933	98.4%
THU	1,995	101.5%
FRI	2,181	111.0%
SAT	1,886	96.0%
AVG WEEKDAY	1,904	96.9%
AVG WEEKEND	1,972	100.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.7%
PERCENT HIGH DIRECTION IS OF DHV	56.4%

ATR 0921209


US-95 121 METERS (400 FT) S. OF SR-266 (LIDA RD)

MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	1,542	76.0%
FEBRUARY	1,616	79.6%
MARCH	2,126	104.7%
APRIL	2,156	106.2%
MAY	2,147	105.8%
JUNE	2,257	111.2%
JULY	2,143	105.6%
AUGUST	2,308	113.7%
SEPTEMBER *	2,160	106.4%
OCTOBER	2,129	104.9%
NOVEMBER	2,049	100.9%
DECEMBER	1,709	84.2%




* SEPTEMBER MADT ESTIMATED

HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	2,030	102.3%
2000	1,985	98.5%
1999	2,015	105.5%
1998	1,910	100.3%
1997	1,905	106.4%
1996	1,790	100.6%
1995	1,780	102.0%
1994	1,745	134.2%
1993	1,300	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,198	108.3%
MON	1,913	94.2%
TUE	1,782	87.8%
WED	1,947	95.9%
THU	2,039	100.4%
FRI	2,249	110.8%
SAT	1,905	93.8%
AVG WEEKDAY	1,920	94.6%
AVG WEEKEND	2,052	101.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 12.7%

PERCENT HIGH DIRECTION IS OF DHV 54.7%


ATR 131109

I-80 244 METERS (800 FT) E. OF THE E. WINNEMUCCA INTERCHANGE


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	5,247	74.7%
FEBRUARY	5,243	74.7%
MARCH	6,026	85.8%
APRIL	6,517	92.8%
MAY	7,215	102.8%
JUNE	8,480	120.8%
JULY	8,694	123.8%
AUGUST	8,970	127.8%
SEPTEMBER	8,285	118.0%
OCTOBER	7,544	107.5%
NOVEMBER	6,639	94.6%
DECEMBER	5,367	76.5%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	7,020	97.1%
2000	7,230	97.4%
1999	7,420	98.7%
1998	7,515	99.5%
1997	7,555	103.6%
1996	7,290	105.0%
1995	6,945	104.4%
1994	6,650	102.4%
1993	6,495	100.6%
1992	6,455	98.7%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	6,738	96.0%
MON	6,627	94.4%
TUE	7,097	101.1%
WED	7,256	103.4%
THU	7,401	105.4%
FRI	7,353	104.7%
SAT	6,660	94.9%
AVG WEEKDAY	7,095	101.1%
AVG WEEKEND	6,699	95.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.6%
PERCENT HIGH DIRECTION IS OF DHV	55.2%


ATR 1321209

US-95 0.3 KM (0.2 MI) N. OF SR-293 (N. OF OROVADA)


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	938	68.7%
FEBRUARY	1,002	73.4%
MARCH	1,269	93.0%
APRIL	1,310	96.0%
MAY	1,385	101.5%
JUNE	1,612	118.1%
JULY	1,664	121.9%
AUGUST	1,735	127.1%
SEPTEMBER	1,522	111.5%
OCTOBER	1,444	105.8%
NOVEMBER	1,374	100.7%
DECEMBER	1,134	83.1%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	1,365	102.2%
2000	1,335	95.7%
1999	1,395	106.9%
1998	1,305	102.8%
1997	1,270	102.4%
1996	1,240	95.8%
1995	1,295	99.6%
1994	1,300	100.8%
1993	1,290	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,386	101.5%
MON	1,255	91.9%
TUE	1,313	96.2%
WED	1,369	100.3%
THU	1,416	103.7%
FRI	1,468	107.5%
SAT	1,354	99.2%
AVG WEEKDAY	1,338	98.0%
AVG WEEKEND	1,370	100.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.6%
PERCENT HIGH DIRECTION IS OF DHV	52.6%

ATR 1321309


I-80 12.3 KM. (1.05 MI) W. OF SR-305

MONTH	MADT	% OF AADT
JANUARY	*	0.0%
FEBRUARY	*	0.0%
MARCH	*	0.0%
APRIL	*	0.0%
MAY	*	0.0%
JUNE	*	0.0%
JULY	*	0.0%
AUGUST	*	0.0%
SEPTEMBER	*	0.0%
OCTOBER	*	0.0%
NOVEMBER	6,054	93.0%
DECEMBER	4,998	76.8%




* NEW STATION NO DATA

YEAR	AADT	% OF PREVIOUS YEAR
2001	6,510	
2000		
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



ESTIMATED AADT NEW STATION

DAY	ADT	% OF AADT
SUN	5,581	85.7%
MON	4,796	73.7%
TUE	5,415	83.2%
WED	5,910	90.8%
THU	5,744	88.2%
FRI	5,669	87.1%
SAT	5,568	85.5%
AVG WEEKDAY	5,466	84.0%
AVG WEEKEND	5,575	85.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 12.7%

PERCENT HIGH DIRECTION IS OF DHV 55.0%


ATR 172109

US-93 1.6 KM (1.0 MI) S. OF SR-319 TO PANACA


MONTH	MADT	% OF AADT
JANUARY	985	77.9%
FEBRUARY	1,066	84.3%
MARCH	1,223	96.7%
APRIL	1,214	96.0%
MAY	1,425	112.6%
JUNE	1,344	106.2%
JULY	1,403	110.9%
AUGUST	1,450	114.6%
SEPTEMBER	1,435	113.4%
OCTOBER	1,389	109.8%
NOVEMBER	1,171	92.6%
DECEMBER	1,067	84.3%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	1,265	99.6%
2000	1,270	101.6%
1999	1,250	104.6%
1998	1,195	103.0%
1997	1,160	102.2%
1996	1,135	102.7%
1995	1,105	102.8%
1994	1,075	110.3%
1993	975	103.7%
1992	940	102.7%



DAY	ADT	% OF AADT
SUN	1,050	83.0%
MON	1,261	99.7%
TUE	1,253	99.1%
WED	1,287	101.7%
THU	1,318	104.2%
FRI	1,441	113.9%
SAT	1,237	97.8%
AVG WEEKDAY	1,280	101.2%
AVG WEEKEND	1,144	90.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.4%
PERCENT HIGH DIRECTION IS OF DHV	53.0%


ATR 173109

SR-318 7.3 KM (4.5 MI) N. OF SR-375 N. OF HIKO


MONTH	MADT	% OF AADT
JANUARY	760	82.6%
FEBRUARY	792	86.1%
MARCH	1,092	118.7%
APRIL	1,021	111.0%
MAY	935	101.6%
JUNE	895	97.3%
JULY	852	92.6%
AUGUST	879	95.5%
SEPTEMBER	858	93.3%
OCTOBER	1,144	124.3%
NOVEMBER	967	105.1%
DECEMBER	835	90.8%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	920	103.4%
2000	890	101.7%
1999	875	97.8%
1998	895	109.8%
1997	815	105.8%
1996	770	101.3%
1995	760	104.8%
1994	725	105.1%
1993	690	95.2%
1992	725	105.1%



DAY	ADT	% OF AADT
SUN	1,047	113.8%
MON	806	87.6%
TUE	818	88.9%
WED	884	96.1%
THU	908	98.7%
FRI	1,000	108.7%
SAT	970	105.4%
AVG WEEKDAY	854	92.8%
AVG WEEKEND	1,009	109.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	15.3%
PERCENT HIGH DIRECTION IS OF DHV	62.5%


ATR 193109

SR-208 61 METERS (200 FT) W. OF SR-339 (NORDYKE RD.)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	1,064	80.3%
FEBRUARY	1,145	86.4%
MARCH	1,361	102.7%
APRIL	1,361	102.7%
MAY	1,496	112.9%
JUNE	1,533	115.7%
JULY	1,488	112.3%
AUGUST	1,550	117.0%
SEPTEMBER	1,490	112.5%
OCTOBER	1,476	111.4%
NOVEMBER	1,309	98.8%
DECEMBER	1,154	87.1%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2001	1,325	100.0%
2000	1,325	100.4%
1999	1,320	98.9%
1998	1,335	100.0%
1997	1,335	100.4%
1996	1,330	100.8%
1995	1,320	107.3%
1994	1,230	108.8%
1993	1,130	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,229	92.8%
MON	1,338	101.0%
TUE	1,390	104.9%
WED	1,407	106.2%
THU	1,392	105.1%
FRI	1,492	112.6%
SAT	1,333	100.6%
AVG WEEKDAY	1,382	104.3%
AVG WEEKEND	1,281	96.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.9%
PERCENT HIGH DIRECTION IS OF DHV	57.5%


ATR 1931209

SR-339 (NORDYKE RD) 61 METERS (200 FT) W. OF SR-208


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	893	79.7%
FEBRUARY	962	85.9%
MARCH	1,082	96.6%
APRIL	1,113	99.4%
MAY	1,222	109.1%
JUNE	1,240	110.7%
JULY	1,197	106.9%
AUGUST	1,271	113.5%
SEPTEMBER	1,226	109.5%
OCTOBER	1,206	107.7%
NOVEMBER	1,089	97.2%
DECEMBER	964	86.1%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	1,120	103.7%
2000	1,080	99.5%
1999	1,085	98.6%
1998	1,100	106.3%
1997	1,035	92.8%
1996	1,115	99.1%
1995	1,125	108.2%
1994	1,040	114.9%
1993	905	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	987	88.1%
MON	1,094	97.7%
TUE	1,156	103.2%
WED	1,168	104.3%
THU	1,147	102.4%
FRI	1,222	109.1%
SAT	1,079	96.3%
AVG WEEKDAY	1,141	101.9%
AVG WEEKEND	1,033	92.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.5%
PERCENT HIGH DIRECTION IS OF DHV	58.5%


ATR 1931309

SR-208 61 METERS (200 FT) E. OF SR-399 (NORDYKE RD)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	284	72.8%
FEBRUARY	324	83.1%
MARCH	426	109.2%
APRIL	387	99.2%
MAY	423	108.5%
JUNE	438	112.3%
JULY	437	112.1%
AUGUST	460	117.9%
SEPTEMBER	421	107.9%
OCTOBER	402	103.1%
NOVEMBER	351	90.0%
DECEMBER	316	81.0%



HISTORICAL RECORD		
	% OF PREVIOUS	
YEAR	AADT	YEAR
2001	390	105.4%
2000	370	102.8%
1999	360	98.6%
1998	365	101.4%
1997	360	109.1%
1996	330	113.8%
1995	290	98.3%
1994	295	92.2%
1993	320	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	368	94.4%
MON	384	98.5%
TUE	384	98.5%
WED	384	98.5%
THU	388	99.5%
FRI	413	105.9%
SAT	403	103.3%
AVG WEEKDAY	385	98.7%
AVG WEEKEND	386	98.8%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	13.8%
PERCENT HIGH DIRECTION IS OF DHV	57.6%

ATR 233109


SR-376 .80 KM (.5 MI) N OF US-6

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	*	0.0%
FEBRUARY	*	0.0%
MARCH	*	0.0%
APRIL	*	0.0%
MAY	*	0.0%
JUNE	*	0.0%
JULY	*	0.0%
AUGUST	*	0.0%
SEPTEMBER	*	0.0%
OCTOBER	521	102.2%
NOVEMBER	454	89.0%
DECEMBER	447	87.6%




* NEW STATION NO DATA

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2001	510	
2000		
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	401	78.6%
MON	469	92.0%
TUE	484	94.9%
WED	505	99.0%
THU	521	102.2%
FRI	526	103.1%
SAT	412	80.8%
AVG WEEKDAY	495	97.0%
AVG WEEKEND	407	79.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.4%
---	-------

PERCENT HIGH DIRECTION IS OF DHV	53.1%
----------------------------------	-------


ATR 2521109

US-395 1.05 KM (0.65 MI) S. OF CARSON/WASHOE CO. LINE


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	28,479	87.2%
FEBRUARY	29,640	90.8%
MARCH	32,121	98.4%
APRIL	32,236	98.7%
MAY	33,268	101.9%
JUNE	35,235	107.9%
JULY	35,541	108.9%
AUGUST	36,992	113.3%
SEPTEMBER	34,124	104.5%
OCTOBER	33,340	102.1%
NOVEMBER	30,837	94.4%
DECEMBER	29,970	91.8%



HISTORICAL RECORD		
	% OF PREVIOUS	
YEAR	AADT	YEAR
2001	32,650	100.9%
2000	32,355	100.3%
1999	32,250	103.4%
1998	31,195	101.8%
1997	30,655	103.8%
1996	29,530	101.6%
1995	29,075	105.5%
1994	27,560	105.2%
1993	26,200	101.9%
1992	25,700	104.5%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	25,178	77.1%
MON	32,414	99.3%
TUE	34,118	104.5%
WED	34,286	105.0%
THU	34,994	107.2%
FRI	37,184	113.9%
SAT	30,366	93.0%
AVG WEEKDAY	33,953	104.0%
AVG WEEKEND	27,772	85.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.5%
PERCENT HIGH DIRECTION IS OF DHV	53.6%


ATR 2521209

US-50 5.5 KM (3.4 MI) W. OF US-395 S. OF CARSON CITY


MONTH	MADT	% OF AADT
JANUARY	9,250	74.9%
FEBRUARY	9,444	76.4%
MARCH	10,882	88.1%
APRIL	10,596	85.8%
MAY	13,546	109.6%
JUNE	14,647	118.6%
JULY	16,067	130.0%
AUGUST	16,456	133.2%
SEPTEMBER	14,085	114.0%
OCTOBER	12,824	103.8%
NOVEMBER	10,625	86.0%
DECEMBER	9,854	79.8%



YEAR	AADT	% OF PREVIOUS YEAR
2001	12,355	106.6%
2000	11,595	104.5%
1999	11,095	103.6%
1998	10,710	100.4%
1997	10,670	101.0%
1996	10,560	100.6%
1995	10,500	98.6%
1994	10,645	102.4%
1993	10,395	98.9%
1992	10,510	104.4%



DAY	ADT	% OF AADT
SUN	11,693	94.6%
MON	11,969	96.9%
TUE	12,142	98.3%
WED	12,273	99.3%
THU	12,315	99.7%
FRI	13,200	106.8%
SAT	12,902	104.4%
AVG WEEKDAY	12,175	98.5%
AVG WEEKEND	12,298	99.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.7%
PERCENT HIGH DIRECTION IS OF DHV	57.1%


ATR 2522109

SR-530 (WILLIAMS ST) 160 METERS (0.1 MI) E. OF ROOP ST.


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	22,716	90.6%
FEBRUARY	23,810	95.0%
MARCH	25,016	99.8%
APRIL	24,876	99.2%
MAY	26,356	105.2%
JUNE	26,380	105.2%
JULY	26,192	104.5%
AUGUST	26,308	105.0%
SEPTEMBER	26,264	104.8%
OCTOBER	25,931	103.5%
NOVEMBER	23,682	94.5%
DECEMBER	23,252	92.8%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	25,065	98.4%
2000	25,460	98.7%
1999	25,805	99.8%
1998	25,865	100.0%
1997	25,865	103.2%
1996	25,055	97.3%
1995	25,750	105.1%
1994	24,495	109.8%
1993	22,310	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	17,940	71.6%
MON	25,350	101.1%
TUE	26,295	104.9%
WED	26,455	105.5%
THU	26,716	106.6%
FRI	29,095	116.1%
SAT	23,606	94.2%
AVG WEEKDAY	26,204	104.5%
AVG WEEKEND	20,773	82.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.8%
PERCENT HIGH DIRECTION IS OF DHV	50.7%


ATR 2522209

SR-513 (5TH ST) 43 M. (140 FT) W. OF SALIMAN RD.


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	7,988	92.2%
FEBRUARY	8,490	98.0%
MARCH	8,896	102.7%
APRIL	8,799	101.5%
MAY	9,065	104.6%
JUNE	8,838	102.0%
JULY	8,805	101.6%
AUGUST	8,851	102.1%
SEPTEMBER	8,876	102.4%
OCTOBER	8,814	101.7%
NOVEMBER	8,330	96.1%
DECEMBER	8,227	94.9%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	8,665	99.1%
2000	8,740	
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	5,913	68.2%
MON	9,000	103.9%
TUE	9,449	109.0%
WED	9,624	111.1%
THU	9,359	108.0%
FRI	10,006	115.5%
SAT	7,304	84.3%
AVG WEEKDAY	9,358	108.0%
AVG WEEKEND	6,609	76.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.6%
PERCENT HIGH DIRECTION IS OF DHV	59.2%

ATR 2522309


SR-525 (AIRPORT RD) 46 M (150 FT) N. OF NYE

MONTH	MADT	% OF AADT
JANUARY	*	0.0%
FEBRUARY	*	0.0%
MARCH	*	0.0%
APRIL	*	0.0%
MAY	*	0.0%
JUNE	*	0.0%
JULY	*	0.0%
AUGUST	*	0.0%
SEPTEMBER	*	0.0%
OCTOBER	3,709	98.6%
NOVEMBER	3,774	100.4%
DECEMBER	3,795	100.9%




* NEW STATION NO DATA

YEAR	AADT	% OF PREVIOUS YEAR
2001	3,760	
2000		
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY	ADT	% OF AADT
SUN	2,891	76.9%
MON	3,889	103.4%
TUE	3,927	104.4%
WED	4,047	107.6%
THU	3,936	104.7%
FRI	4,170	110.9%
SAT	3,457	91.9%
AVG WEEKDAY	3,950	105.0%
AVG WEEKEND	3,174	84.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.7%
---	-------

PERCENT HIGH DIRECTION IS OF DHV	53.9%
----------------------------------	-------

ATR 2711309


I-80 1.5 KM (0.8 MI) W. OF THE SR-396 (W LOVELOCK INTERCHANGE)

MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	5,482	72.2%
FEBRUARY	5,476	72.1%
MARCH	6,408	84.4%
APRIL	7,062	93.0%
MAY	7,727	101.8%
JUNE	9,443	124.4%
JULY	10,806	142.4%
AUGUST	*	0.0%
SEPTEMBER	*	0.0%
OCTOBER	*	0.0%
NOVEMBER	*	0.0%
DECEMBER	*	0.0%




* NO DATA DUE TO CONSTRUCTION

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2001	7,590	100.0%
2000	7,590	99.0%
1999	7,665	104.3%
1998	7,350	102.3%
1997	7,185	103.4%
1996	6,950	102.0%
1995	6,815	101.2%
1994	6,735	100.4%
1993	6,710	
1992		



2001 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	7,255	95.6%
MON	6,385	84.1%
TUE	6,863	90.4%
WED	6,763	89.1%
THU	7,073	93.2%
FRI	7,246	95.5%
SAT	6,628	87.3%
AVG WEEKDAY	6,771	89.2%
AVG WEEKEND	6,942	91.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.9%
---	-------

PERCENT HIGH DIRECTION IS OF DHV	52.7%
----------------------------------	-------

ATR 291109


SR-431 (VIRGINIA CITY RD) .32 KM (.2 M) N. OF B. ST

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	*	0.0%
FEBRUARY	*	0.0%
MARCH	2,891	113.8%
APRIL	2,655	104.5%
MAY	2,860	112.6%
JUNE	2,860	112.6%
JULY	3,007	118.4%
AUGUST	3,026	119.1%
SEPTEMBER	3,371	132.7%
OCTOBER	2,701	106.3%
NOVEMBER	2,252	88.7%
DECEMBER	1,845	72.6%




* NEW STATION NO DATA

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2001	2,540	
2000		
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



2001 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,654	104.5%
MON	2,549	100.4%
TUE	2,535	99.8%
WED	2,661	104.8%
THU	2,622	103.2%
FRI	2,834	111.6%
SAT	3,253	128.1%
AVG WEEKDAY	2,592	102.0%
AVG WEEKEND	2,954	116.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 14.6%

PERCENT HIGH DIRECTION IS OF DHV 56.0%


ATR 311109

I-80 1.46 KM (0.9 MI) E. OF THE VISTA INTCH.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	21,707	83.9%
FEBRUARY	22,389	86.5%
MARCH	24,964	96.5%
APRIL	26,177	101.1%
MAY	27,222	105.2%
JUNE	29,275	113.1%
JULY	28,018	108.3%
AUGUST	29,398	113.6%
SEPTEMBER	28,193	108.9%
OCTOBER	26,540	102.6%
NOVEMBER	24,374	94.2%
DECEMBER	22,332	86.3%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	25,880	102.4%
2000	25,285	107.5%
1999	23,510	
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	20,281	78.4%
MON	26,489	102.4%
TUE	26,928	104.0%
WED	27,123	104.8%
THU	27,920	107.9%
FRI	29,369	113.5%
SAT	23,068	89.1%
AVG WEEKDAY	27,115	104.8%
AVG WEEKEND	21,675	83.8%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.2%
PERCENT HIGH DIRECTION IS OF DHV	55.2%

ATR 311209


I-80 1.6 KM (1.0 MI) E. OF THE NV/CA STATELINE

MONTH	MADT	% OF AADT
JANUARY	23,194	82.9%
FEBRUARY	22,104	79.0%
MARCH	25,950	92.8%
APRIL	26,870	96.1%
MAY	29,518	105.6%
JUNE	31,329	112.0%
JULY	34,212	122.3%
AUGUST *	34,504	123.4%
SEPTEMBER *	31,390	112.2%
OCTOBER	29,724	106.3%
NOVEMBER	24,343	87.0%
DECEMBER	22,431	80.2%




* MADT ESTIMATED

YEAR	AADT	% OF PREVIOUS YEAR
2001	27,965	98.5%
2000	28,385	104.0%
1999	27,305	107.4%
1998	25,435	99.1%
1997	25,675	104.4%
1996	24,585	101.0%
1995	24,345	103.4%
1994	23,540	103.1%
1993	22,825	100.1%
1992	22,800	103.2%



DAY	ADT	% OF AADT
SUN	32,742	117.1%
MON	26,007	93.0%
TUE	24,465	87.5%
WED	24,605	88.0%
THU	25,944	92.8%
FRI	32,043	114.6%
SAT	32,740	117.1%
AVG WEEKDAY	25,255	90.3%
AVG WEEKEND	32,741	117.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.1%
---	-------

PERCENT HIGH DIRECTION IS OF DHV	55.7%
----------------------------------	-------

ATR 3112109


I-80 0.8 KM (0.5 MI) W. OF THE US-395 INTERCHANGE

MONTH	MADT	% OF AADT
JANUARY	107,481	91.2%
FEBRUARY	113,084	96.0%
MARCH	119,156	101.1%
APRIL	118,925	100.9%
MAY	120,283	102.1%
JUNE	122,586	104.0%
JULY	115,235	97.8%
AUGUST *	122,260	103.8%
SEPTEMBER	124,293	105.5%
OCTOBER	120,802	102.5%
NOVEMBER	115,089	97.7%
DECEMBER	110,399	93.7%




*MADT ESTIMATED

YEAR	AADT	% OF PREVIOUS YEAR
2001	117,835	101.1%
2000	116,530	101.8%
1999	114,465	102.2%
1998	111,960	101.1%
1997	110,765	101.9%
1996	108,655	103.4%
1995	105,070	105.9%
1994	99,205	103.4%
1993	95,955	105.3%
1992	91,100	106.9%



DAY	ADT	% OF AADT
SUN	90,087	76.5%
MON	118,586	100.6%
TUE	122,001	103.5%
WED	124,428	105.6%
THU	125,295	106.3%
FRI	131,737	111.8%
SAT	107,078	90.9%
AVG WEEKDAY	122,578	104.0%
AVG WEEKEND	98,583	83.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	8.3%
---	------

PERCENT HIGH DIRECTION IS OF DHV	53.2%
----------------------------------	-------

ATR 3112209


I-80 0.80 KM (0.50 MI) E. OF SR-445 INTCH. (PYRAMID HWY)

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	65,917	88.5%
FEBRUARY	69,411	93.2%
MARCH	74,104	99.5%
APRIL	75,342	101.1%
MAY	75,697	101.6%
JUNE	80,025	107.4%
JULY *	78,425	105.3%
AUGUST	80,615	108.2%
SEPTEMBER	77,902	104.6%
OCTOBER	76,004	102.0%
NOVEMBER	71,467	95.9%
DECEMBER	69,007	92.6%




* ESTIMATED MADT

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2001	74,495	103.0%
2000	72,350	
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	50,705	68.1%
MON	76,078	102.1%
TUE	79,909	107.3%
WED	81,274	109.1%
THU	81,790	109.8%
FRI	85,766	115.1%
SAT	63,427	85.1%
AVG WEEKDAY	79,763	107.1%
AVG WEEKEND	57,066	76.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	8.7%
PERCENT HIGH DIRECTION IS OF DHV	52.3%

ATR 3112309


US-395 0.5 KM (0.3 MI) N. OF SR-430 INTCH. (S VIRGINIA ST)

MONTH	MADT	% OF AADT
JANUARY	*	0.0%
FEBRUARY	*	0.0%
MARCH	*	0.0%
APRIL	*	0.0%
MAY	*	0.0%
JUNE	*	0.0%
JULY	*	0.0%
AUGUST	*	0.0%
SEPTEMBER	85,976	115.1%
OCTOBER	83,686	112.0%
NOVEMBER	79,361	106.2%
DECEMBER	78,651	105.3%




* DATA MISSING DUE TO CONSTRUCTION

YEAR	AADT	% OF PREVIOUS YEAR
2001	74,700	103.7%
2000	72,020	103.5%
1999	69,605	109.8%
1998	63,395	107.2%
1997	59,155	112.1%
1996	52,765	126.5%
1995	41,705	105.4%
1994	39,560	104.4%
1993	37,895	
1992		



2001 AADT ESTIMATED

DAY	ADT	% OF AADT
SUN	57,402	76.8%
MON	84,751	113.5%
TUE	86,387	115.6%
WED	89,794	120.2%
THU	88,962	119.1%
FRI	93,815	125.6%
SAT	72,318	96.8%
AVG WEEKDAY	87,474	117.1%
AVG WEEKEND	64,860	86.8%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.5%
---	------

PERCENT HIGH DIRECTION IS OF DHV	54.9%
----------------------------------	-------


ATR 3121109

US-395 0.5 KM (0.3 MI) S. OF THE NV/CA STATELINE


MONTH	MADT	% OF AADT
JANUARY	6,279	73.0%
FEBRUARY	6,305	73.3%
MARCH	7,622	88.6%
APRIL	8,042	93.5%
MAY	9,200	107.0%
JUNE	10,373	120.6%
JULY	10,557	122.8%
AUGUST	10,910	126.9%
SEPTEMBER	9,661	112.3%
OCTOBER	8,994	104.6%
NOVEMBER	8,144	94.7%
DECEMBER	7,098	82.5%



YEAR	AADT	% OF PREVIOUS YEAR
2001	8,600	101.0%
2000	8,515	98.8%
1999	8,620	99.5%
1998	8,660	100.5%
1997	8,620	101.9%
1996	8,460	94.7%
1995	8,935	104.9%
1994	8,515	105.1%
1993	8,105	91.0%
1992	8,910	118.6%



DAY	ADT	% OF AADT
SUN	8,993	104.6%
MON	8,043	93.5%
TUE	7,851	91.3%
WED	7,993	92.9%
THU	8,162	94.9%
FRI	9,697	112.8%
SAT	9,452	109.9%
AVG WEEKDAY	8,012	93.2%
AVG WEEKEND	9,223	107.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.6%
PERCENT HIGH DIRECTION IS OF DHV	60.7%

ATR 3121209


US-395 0.97 KM (0.6 MI) N. OF SR-430 INTCH. (PANTHER & N VIRGINIA ST)

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	*	0.0%
FEBRUARY	*	0.0%
MARCH	*	0.0%
APRIL	*	0.0%
MAY	*	0.0%
JUNE	*	0.0%
JULY	*	0.0%
AUGUST	*	0.0%
SEPTEMBER	*	0.0%
OCTOBER	58,699	100.7%
NOVEMBER	57,677	99.0%
DECEMBER	55,259	94.8%




* DATA MISSING DUE TO CONSTRUCTION

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2001	58,285	106.6%
2000	54,660	103.9%
1999	52,610	101.6%
1998	51,770	101.8%
1997	50,835	107.2%
1996	47,430	100.9%
1995	47,005	103.1%
1994	45,580	104.9%
1993	43,450	102.6%
1992	42,335	105.0%



2001 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	42,970	73.7%
MON	59,345	101.8%
TUE	59,439	102.0%
WED	62,375	107.0%
THU	61,357	105.3%
FRI	62,828	107.8%
SAT	51,468	88.3%
AVG WEEKDAY	60,629	104.0%
AVG WEEKEND	47,219	81.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 9.6%

PERCENT HIGH DIRECTION IS OF DHV 61.5%


ATR 3122109

SR-667 (KIETZKE LANE) 240 METERS (0.15 MI.) W. OF GALETTI WAY


MONTH	MADT	% OF AADT
JANUARY	13,819	91.3%
FEBRUARY	14,442	95.4%
MARCH	15,025	99.2%
APRIL	15,159	100.1%
MAY	15,207	100.4%
JUNE	15,778	104.2%
JULY	16,676	110.1%
AUGUST	15,331	101.3%
SEPTEMBER	15,598	103.0%
OCTOBER	15,255	100.8%
NOVEMBER	14,804	97.8%
DECEMBER	14,592	96.4%



YEAR	AADT	% OF PREVIOUS YEAR
2001	15,140	104.1%
2000	14,540	96.6%
1999	15,045	104.2%
1998	14,435	99.9%
1997	14,450	104.2%
1996	13,870	99.9%
1995	13,890	100.8%
1994	13,775	103.0%
1993	13,380	101.1%
1992	13,240	97.9%



DAY	ADT	% OF AADT
SUN	10,664	70.4%
MON	15,382	101.6%
TUE	16,018	105.8%
WED	16,158	106.7%
THU	16,372	108.1%
FRI	17,470	115.4%
SAT	13,919	91.9%
AVG WEEKDAY	15,983	105.6%
AVG WEEKEND	12,292	81.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 12.0%

PERCENT HIGH DIRECTION IS OF DHV 64.2%


ATR 3122209

SR-651 (N MCCARRAN BLVD) 240 METERS (0.15 MI) N. OF MAE ANNE DR.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	21,332	90.8%
FEBRUARY	22,504	95.8%
MARCH	23,472	99.9%
APRIL	23,703	100.9%
MAY	24,500	104.3%
JUNE	24,046	102.4%
JULY	23,195	98.8%
AUGUST	24,078	102.5%
SEPTEMBER	24,748	105.4%
OCTOBER	23,989	102.1%
NOVEMBER	23,694	100.9%
DECEMBER	22,551	96.0%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2001	23,485	102.8%
2000	22,850	103.3%
1999	22,115	107.3%
1998	20,615	100.3%
1997	20,560	102.8%
1996	20,005	104.5%
1995	19,150	103.0%
1994	18,585	109.1%
1993	17,030	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	19,967	85.0%
MON	23,340	99.4%
TUE	23,972	102.1%
WED	24,417	104.0%
THU	24,400	103.9%
FRI	25,451	108.4%
SAT	22,843	97.3%
AVG WEEKDAY	24,032	102.3%
AVG WEEKEND	21,405	91.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.9%
PERCENT HIGH DIRECTION IS OF DHV	57.4%


ATR 3122309

SR-663 (ODDIE BLVD) 160 METERS (0.1 MI) W. OF SR-668 (ROCK BLVD)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	12,067	92.7%
FEBRUARY	12,565	96.5%
MARCH	13,123	100.8%
APRIL	12,948	99.5%
MAY	13,388	102.9%
JUNE	13,179	101.3%
JULY	13,170	101.2%
AUGUST	14,275	109.7%
SEPTEMBER	13,144	101.0%
OCTOBER	13,035	100.2%
NOVEMBER	12,644	97.1%
DECEMBER	12,663	97.3%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2001	13,015	102.2%
2000	12,735	97.7%
1999	13,035	104.6%
1998	12,460	104.3%
1997	11,950	106.8%
1996	11,190	103.3%
1995	10,830	96.8%
1994	11,190	97.7%
1993	11,455	
1992		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	10,285	79.0%
MON	13,041	100.2%
TUE	13,476	103.5%
WED	13,414	103.1%
THU	13,566	104.2%
FRI	14,654	112.6%
SAT	12,681	97.4%
AVG WEEKDAY	13,374	102.8%
AVG WEEKEND	11,483	88.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.4%
PERCENT HIGH DIRECTION IS OF DHV	56.6%


ATR 3122409

SR-28 (NORTH SHORE RD) 320 METERS (0.2 MI) W. OF LAKE SHORE BLVD.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	11,871	84.6%
FEBRUARY	12,420	88.5%
MARCH	13,087	93.2%
APRIL	12,031	85.7%
MAY	13,668	97.4%
JUNE	15,941	113.5%
JULY	18,750	133.5%
AUGUST	19,075	135.9%
SEPTEMBER	15,122	107.7%
OCTOBER	13,349	95.1%
NOVEMBER	11,167	79.5%
DECEMBER	11,997	85.4%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2001	14,040	99.7%
2000	14,080	103.1%
1999	13,655	99.3%
1998	13,755	96.9%
1997	14,190	99.4%
1996	14,280	101.1%
1995	14,120	97.3%
1994	14,515	104.7%
1993	13,860	101.2%
1992	13,695	101.9%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	12,906	91.9%
MON	13,622	97.0%
TUE	13,707	97.6%
WED	13,689	97.5%
THU	14,066	100.2%
FRI	15,555	110.8%
SAT	14,734	104.9%
AVG WEEKDAY	13,771	98.1%
AVG WEEKEND	13,820	98.4%



PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.6%
---	-------


PERCENT HIGH DIRECTION IS OF DHV	53.3%
----------------------------------	-------

ATR 3122509


SR-648 (GLENDALE AVE) 160 METERS (0.1 MI) W. OF 21ST. ST.

MONTH	MADT	% OF AADT
JANUARY	16,013	91.5%
FEBRUARY	16,347	93.4%
MARCH	17,486	99.9%
APRIL *	17,605	100.6%
MAY	18,240	104.2%
JUNE	18,630	106.4%
JULY	18,230	104.1%
AUGUST	17,924	102.4%
SEPTEMBER	17,388	99.3%
OCTOBER	18,841	107.6%
NOVEMBER	17,096	97.7%
DECEMBER	16,244	92.8%


* ESTIMATED MADT



YEAR	AADT	% OF PREVIOUS YEAR
2001	17,505	98.1%
2000	17,835	95.8%
1999	18,610	97.9%
1998	19,010	99.1%
1997	19,190	104.9%
1996	18,300	102.8%
1995	17,800	102.2%
1994	17,410	101.8%
1993	17,100	
1992		



DAY	ADT	% OF AADT
SUN	7,218	41.2%
MON	19,150	109.4%
TUE	20,459	116.9%
WED	20,419	116.6%
THU	20,857	119.1%
FRI	22,133	126.4%
SAT	11,318	64.7%
AVG WEEKDAY	20,221	115.5%
AVG WEEKEND	9,268	52.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.5%
PERCENT HIGH DIRECTION IS OF DHV	59.6%


ATR 3122609

SR-430 (S VIRGINIA ST) 0.24 KM (0.15 MI) N. OF GENTRY WAY


MONTH	MADT	% OF AADT
JANUARY	29,388	88.7%
FEBRUARY	31,375	94.6%
MARCH	32,622	98.4%
APRIL	32,918	99.3%
MAY	33,191	100.1%
JUNE	34,069	102.8%
JULY	34,548	104.2%
AUGUST	35,464	107.0%
SEPTEMBER	33,670	101.6%
OCTOBER	33,307	100.5%
NOVEMBER	33,315	100.5%
DECEMBER	33,930	102.4%



YEAR	AADT	% OF PREVIOUS YEAR
2001	33,150	103.4%
2000	32,075	110.4%
1999	29,060	95.0%
1998	30,600	106.8%
1997	28,650	91.2%
1996	31,410	95.4%
1995	32,915	100.1%
1994	32,870	97.3%
1993	33,780	
1992		



DAY	ADT	% OF AADT
SUN	28,109	84.8%
MON	32,049	96.7%
TUE	32,220	97.2%
WED	32,416	97.8%
THU	33,498	101.0%
FRI	37,574	113.3%
SAT	36,183	109.1%
AVG WEEKDAY	32,546	98.2%
AVG WEEKEND	32,146	97.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	8.9%
---	------

PERCENT HIGH DIRECTION IS OF DHV	52.4%
----------------------------------	-------

ATR 3122809


SR-430 (N VIRGINIA ST) 61 M (200 FT) N. OF N. McCARRAN BLVD

MONTH	MADT	% OF AADT
JANUARY	*	0.0%
FEBRUARY	*	0.0%
MARCH	*	0.0%
APRIL	*	0.0%
MAY	19,619	100.9%
JUNE	19,413	99.8%
JULY	19,437	100.0%
AUGUST	20,524	105.5%
SEPTEMBER	20,621	106.0%
OCTOBER	20,026	103.0%
NOVEMBER	18,728	96.3%
DECEMBER	17,194	88.4%




* NEW STATION NO DATA

YEAR	AADT	% OF PREVIOUS YEAR
2001	19,445	
2000		
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



DAY	ADT	% OF AADT
SUN	14,211	73.1%
MON	20,736	106.6%
TUE	21,066	108.3%
WED	21,472	110.4%
THU	21,150	108.8%
FRI	21,421	110.2%
SAT	16,061	82.6%
AVG WEEKDAY	21,106	108.5%
AVG WEEKEND	15,136	77.8%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.0%
PERCENT HIGH DIRECTION IS OF DHV	65.4%

ATR 3122909


I-80 152 M (500 FT) W OF THISBE THE DAM INTERCHANGE

MONTH	MADT	% OF AADT
JANUARY	*	0.0%
FEBRUARY	*	0.0%
MARCH	*	0.0%
APRIL	20,340	90.2%
MAY	21,939	97.2%
JUNE	23,126	102.5%
JULY	22,004	97.5%
AUGUST	24,000	106.4%
SEPTEMBER	23,031	102.1%
OCTOBER	20,978	93.0%
NOVEMBER	20,020	88.7%
DECEMBER	18,606	82.5%




* NO DATA NEW STATION

YEAR	AADT	% OF PREVIOUS YEAR
2001	22,560	
2000		
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		



ESTIMATED AADT

DAY	ADT	% OF AADT
SUN	18,549	82.2%
MON	20,864	92.5%
TUE	22,121	98.1%
WED	21,731	96.3%
THU	22,877	101.4%
FRI	24,524	108.7%
SAT	20,453	90.7%
AVG WEEKDAY	21,898	97.1%
AVG WEEKEND	19,501	86.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.0%
---	------

PERCENT HIGH DIRECTION IS OF DHV	63.9%
----------------------------------	-------


ATR 3171209

SR-431 (MT ROSE HWY) 7.7 KM (4.8 MI) W. OF US-395 S. OF RENO


MONTH	MADT	% OF AADT
JANUARY	8,893	91.1%
FEBRUARY	9,086	93.0%
MARCH	9,689	99.2%
APRIL	8,729	89.4%
MAY	9,738	99.7%
JUNE	10,490	107.4%
JULY	11,206	114.8%
AUGUST	12,130	124.2%
SEPTEMBER	9,912	101.5%
OCTOBER	9,382	96.1%
NOVEMBER	8,324	85.2%
DECEMBER	9,617	98.5%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	9,765	105.5%
2000	9,260	106.2%
1999	8,720	104.4%
1998	8,350	105.3%
1997	7,930	108.1%
1996	7,335	106.8%
1995	6,870	106.0%
1994	6,480	113.5%
1993	5,710	97.3%
1992	5,870	116.9%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	8,507	87.1%
MON	9,557	97.9%
TUE	9,885	101.2%
WED	9,978	102.2%
THU	10,132	103.8%
FRI	10,671	109.3%
SAT	9,635	98.7%
AVG WEEKDAY	9,888	101.3%
AVG WEEKEND	9,071	92.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.7%
PERCENT HIGH DIRECTION IS OF DHV	63.1%


ATR 3321109

US-93, 0.81 KM (0.5 MI) NORTH OF McGILL


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	1,156	77.3%
FEBRUARY	1,193	79.8%
MARCH	1,630	109.0%
APRIL	1,530	102.3%
MAY	1,506	100.7%
JUNE	1,623	108.6%
JULY	1,578	105.6%
AUGUST	1,579	105.6%
SEPTEMBER	1,561	104.4%
OCTOBER	1,822	121.9%
NOVEMBER	1,509	100.9%
DECEMBER	1,245	83.3%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2001	1,495	100.7%
2000	1,485	97.1%
1999	1,530	105.9%
1998	1,445	100.7%
1997	1,435	106.7%
1996	1,345	128.1%
1995	1,050	107.7%
1994	975	82.3%
1993	1,185	96.3%
1992	1,230	100.8%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,559	104.3%
MON	1,380	92.3%
TUE	1,402	93.8%
WED	1,479	98.9%
THU	1,507	100.8%
FRI	1,570	105.0%
SAT	1,565	104.7%
AVG WEEKDAY	1,442	96.5%
AVG WEEKEND	1,562	104.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 12.7%

PERCENT HIGH DIRECTION IS OF DHV 59.4%


ATR 3321409

US-6, 9.7 KM (6.0 MI) E. OF AULTMAN ST. IN ELY


MONTH	MADT	% OF AADT
JANUARY	657	54.3%
FEBRUARY	673	55.6%
MARCH	726	60.0%
APRIL	1,054	87.1%
MAY	1,350	111.6%
JUNE	1,632	134.9%
JULY	1,782	147.3%
AUGUST	1,717	141.9%
SEPTEMBER	1,656	136.9%
OCTOBER	1,479	122.2%
NOVEMBER	1,028	85.0%
DECEMBER	738	61.0%



YEAR	AADT	% OF PREVIOUS YEAR
2001	1,210	100.8%
2000	1,200	98.8%
1999	1,215	103.0%
1998	1,180	102.6%
1997	1,150	107.0%
1996	1,075	96.0%
1995	1,120	106.2%
1994	1,055	102.4%
1993	1,030	
1992		



DAY	ADT	% OF AADT
SUN	1,269	104.9%
MON	1,148	94.9%
TUE	1,154	95.4%
WED	1,183	97.8%
THU	1,186	98.0%
FRI	1,269	104.9%
SAT	1,352	111.7%
AVG WEEKDAY	1,168	96.5%
AVG WEEKEND	1,311	108.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	13.9%
PERCENT HIGH DIRECTION IS OF DHV	56.1%


ATR 3321509

US-50, 1.3 KM (0.8 MI) W. OF THE ROAD TO RUTH W. OF ELY


MONTH	MADT	% OF AADT
JANUARY	328	49.7%
FEBRUARY	327	49.5%
MARCH	403	61.1%
APRIL	570	86.4%
MAY	752	113.9%
JUNE	863	130.8%
JULY	896	135.8%
AUGUST	978	148.2%
SEPTEMBER	879	133.2%
OCTOBER	872	132.1%
NOVEMBER	641	97.1%
DECEMBER	394	59.7%



YEAR	AADT	% OF PREVIOUS YEAR
2001	660	103.9%
2000	635	96.9%
1999	655	100.8%
1998	650	89.0%
1997	730	105.8%
1996	690	88.5%
1995	780	
1994		
1993		
1992		




DAY	ADT	% OF AADT
SUN	621	94.1%
MON	639	96.8%
TUE	628	95.2%
WED	646	97.9%
THU	696	105.5%
FRI	730	110.6%
SAT	649	98.3%
AVG WEEKDAY	652	98.8%
AVG WEEKEND	635	96.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	14.6%
PERCENT HIGH DIRECTION IS OF DHV	56.6%

*25



*25

82



CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0001 HRLY 01	SR-529 (US-395-Carson St), .2 mi N of US-50. 30900	32150	33500	35800	36400	38100	39800	38900	43500	43500*
0002 HRLY 01	SR-518 (Synder Av), 300' E of SR-529 (Carson St). 2270	2665	2150	2330	2400	2300	2600	2300	2120	2400
0004 HRLY 01	Fairview Ln, 200' E of California St. 8780		8440	7600	6850	6400	6350	6300	6900	
0005 HRLY 01	SR-529 (Carson St), .1 mi S of SR-520 (Stewart St). 37800	38000	38600	40940	42500	43000	42400*	43000	45000	45000*
0006 HRLY 01	SR-520 (Stewart St), 245' S of Wright Wy. 7910	7630	8060	8675	8750	9100	9250	9300	9600	9200
0007 HRLY 01	SR-529 (Carson St), 150' S of Eighth St. 31700	32400	32700	33280	34200	34700	34800*	34100	35000	36800
0008 HRLY 01	SR-513 (E Fifth St), 197' E of SR-529 (Carson St). 6190	6900	6390	6760	6800	7000	6600	7300	7400	7900
0009 HRLY 00	SR-520 (Stewart St), 320' S of SR-513 (E Fifth St). 12000	10350	11100	12600	12700	12700	12800	12900	13500	13500*
0010 HRLY 00	SR-513 (E Fifth St), .1 mi W of Roop St. 6700	7415	6750	7850	8100	8300	8100	8600	8700	8700*
0011 HRLY 01	SR-520 (Stewart St), 110' S of Third St. 12000	11050	11200	13320	13400	13400	12200	13100	13500	13500*
0012 HRLY 01	SR-529 (Carson St), 150' N of Fourth St. 31350	30550	31145	34040	34800	35100	33800	34300	36500	34800
0013 HRLY 01	SR-513 (W Fifth St), 70' E of Nevada St. 5875	6150	5715	5885	5750	5450	5450	5950	5700	5500

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0014 HRLY 01	SR-529 (Carson St), 75' N of Proctor St. 31100	30300	32260	34280	34900	35200	36400	34700	34500	33600
0015 HRLY 01	SR-511 (W Washington St), 150' W of SR-529 (N Carson St). 4405	4780	5260	5100	4800	5000	4500	4450	4250	3800
0016 HRLY 00	SR-529 (Carson St), 150' N of Ann St. 33900	33700	34200	36800	36900	36900	38800	37500	39000	39000*
0017 HRLY 00	SR-530 (William St), 40' W of Fall St. 12750	13300	14100	14790	15400	15300	15000	14400	14200	13900*
0019 HRLY 00	SR-520 (Stewart St), 310' S of SR-530 (E William St). 9420	9115	9840	11360	11700	11400	11700	12000	12200	12200*
0020 HRLY 00	SR-530 (William St), 200' E of Anderson St. 19150	19950	21000	22700	23600	23000	23000	21900	22100	21000
0021 HRLY 01	SR-529 (Carson St), .1 mi S of SR-516 (Winnie Ln). 35300	34300	35900	38620	39200	40000	41700	41400	40000	38600
0022 HRLY 01	SR-516 (Winnie Ln), 130' W of SR-529 (Carson St). 9210	9140	8900	8525	7700	7200	7250	7200	7300	7300
0025 HRLY 01	SR-530 (William St), 200' W of Humboldt Ln. 26350	27500	30300	29290	30600	30800	30300	28900	29100	28000
0026 HRLY 01	Airport Rd, 170' W of the Airport Entrance Rd. 7380	7885	7860	8570	9400	9900	10300	9500	11400	11000
0027 HRLY 01	US-50 (William St), .2 mi E of mp 13 E of Airport Rd. 18200	20000	21850	23050	24200	24600	26200	25100	25100*	21000
0028 HRLY 00	US-50 (William St), 200' W of Deer Run Rd. 16800	17300	19200	19530	19200	21300	22300	21500	23000	23000*

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0029 HRLY 01	Deer Run Rd, .1 mi S of US-50. 1515		1590	1520	1450	1700	1930	2400	2400*	
0031 HRLY 01	Pinion Hills Dr, 150' E of County Rd to Mexican Dam. 600	520	770	650	700	700	650	580		
0032 HRLY 01	SR-513 (Carson River Rd), mp 3 825	850	865	900	990	1000	1000	850	980	
0033 HRLY 01	SR-513 (E Fifth St), .1 mi E of Edmonds Dr. 3470	3530	3745	3660	3800	3850	4250	4100	4300	3800
0034 HRLY 01	N Edmonds Dr, 150' N of SR-513 (E Fifth St). 12000	11760	11300	11800	11600	11900	12800	12000		
0035 HRLY 01	Edmonds Dr, .7 mi S of SR-513 (E Fifth St). 11600	11370	9500	10100	10100	9600	9900	10000		
0036 HRLY 01	SR-513 (E Fifth St), .2 mi E of Saliman Rd. 4785	5130	5310	5350	5300	5800	6500	6500	7050	6900
0037 HRLY 01	SR-512 (W King St), 117' W of Carville Dr & 92' E of Pittman Place. 1540	1630	1545	1565	2100	2000	1900	2050	2200	2300
0038 HRLY 01	SR-516 (Ormsby Bl), 195' N of SR-512 (King St). 1185	1250	1300	1090	1200	1200	1150	1350	1450	1400
0040 HRLY 01	N Ormsby Bl, .3 mi N of SR-516 (Winnie Ln). 5010	3940	3100	3050	3200	3600	3500	3800		
0042 HRLY 01	SR-516 (Ormsby Bl), .1 mi N of SR-511 (W Washington St). 1830	1975	1935	1775	1900	1750	1700	1900	1950	2000
0043 HRLY 01	SR-512 (Division St), 150' N of W Third St. 4115	4115	4000	4510	4900	4500	4000	4900	5200	5200

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0044 HRLY 99	US-50, at the Carson-Lyon County line. 15400	16545	17900	18330	19500	21000	21000	20800	20800*	20800*
0045 HRLY 01	Saliman Rd, 225' S of Sonoma St.								3500	3400
0046 HRLY 01	Roop St, 130' N of Corbett St.		13490	13800	14100	14500	15400	14400	15000	
0047 HRLY 01	Winnie Ln, 140' W of Lone Mountain Dr.								6450	8300
0048 HRLY 01	College Pk, 250' E of Ormsby Bl.				4100	4650	5600	4750	5400	
0049 HRLY 01	Timberline Rd, .3 mi W of Combs Canyon Rd.								950	980
0050 HRLY 01	Sonoma St, 300' W of Silver Sage Dr.								2400	2300
0051 HRLY 01	Silver Sage Dr, 420' N of Koontz Ln.								7800	8100
0052 HRLY 01	E Nye Ln, 200' E of (SR-525) Airport Rd.								1500	1400
0053 HRLY 01	Mountain St, 150' N of SR 516 (Winnie Ln).								2250	2100
0054 HRLY 01	Mountain St, 80' S of Long St.								4450	4600
0055 HRLY 01	Longview Wy, 260' S of Ash Canyon Rd.							0	700	700*

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0056 HRLY 01	SR-516 (Winnie Ln), .1 mi W of Mountain St. 5125	5330	5255	5700	4000	3600	3350	3800	3800	4100
0057 HRLY 01	SR-516 (Winnie Ln), 500' E of Mountain St. 6445	6555	6430	6175	5100	4600	4300	4400	4700	4900
0058 HRLY 01	Little Ln, 185' E of Oregon St.								2000	2800
0059 HRLY 01	Combs Cy Rd, 290' E of Timberline Rd.								1800	1900
0060 HRLY 01	Colorado St, 285' E of Silver Sage Dr.								4050	4400
0061 HRLY 01	Northridge Dr, 300' W of Lompa Ln.								2350	2800
0062 HRLY 01	Long St, 200' E of Roop St.									7700
0063 HRLY 01	Long St, 100' E of Mountain St.								1350	1200
0064 HRLY 01	Roventini Wy, .25 mi W of Silver Sage Dr.								350	350*
0065 HRLY 01	SR-511 (Washington St), 75' E of Richmond Av. 2790	2730	2760	2510	2800	2750	2700	2750	2600	2500
0068 HRLY 01	SR-512 (King St), 120' E of Mountain St. 3210	3160	2870	3010	3200	3400	3450	3100	3250	3200
0069 HRLY 01	E Telegraph St, 345' W of Saliman Rd.								390	340

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0070 HRLY 01	Utah St, .13 mi N of Colorado St.								210	180
0073 HRLY 01	Fairview Dr, 100' W of Kansas St. 6400	6215	6300	5600	5600	5550	5500*	5900		
0074	Gardengate Wy, 348' W of Northgate Ln.								250	250*
0075 HRLY 01	Otha St, 213' N of Nye Ln.								210	220
0076 HRLY 01	Koontz Ln, 200' W of Silver Sage Dr. 6170	6400	6250	6500	6700	6600	6500			
0077 HRLY 01	Rand Av, 318' N of Long St.								1400	1400
0079 HRLY 01	Clearview Dr, 200' W of Silver Sage Dr. 5200	5700	6200	6200	6850	7100	7200			
0083 HRLY 01	SR-518 (Snyder Av), 270' E of Silver Sage Dr. 2725 3425 2650 3050 3000	2750	3150	3100	2700	2800				
0105 HRLY 01	Roop St, 100' S of Robinson St.								11300	11300*
0114 HRLY 01	Butti Wy, 175' S of Airport Rd.								3450	3500
0115	Butti Wy, 150' W of Edmonds Dr.								570	760
0116 HRLY 01	Airport Rd, 175' N of Butti Wy.						0	3300	3300*	

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0117 HRLY 01	SR-525 (Airport Rd), 325' N of North Champion St. 7935	8075	8440	8800	9900	10500	11200	9500	5600	5300
0118 HRLY 01	Graves Ln, .5 mi N of Nye Ln.								7100	7100*
0120 HRLY 01	SR-525 (Airport Rd), 150' N of Nye Ln. 6670	6900	7350	7820	8700	9200	9550	9250	4250	3900
0126 HRLY 01	Koontz Ln, 50' W of Raglan Cr.			2270	2400	2300	2300	2350	2450	2300
0127 HRLY 01	S Edmonds Dr, 100' S of Damon Rd. 6060			6500	6500	6500	6950	7250	7500	
0128 HRLY 01	Fairview Dr, 300' W of Joanne Dr. 4070		4000	4200	4050	3850	3800	4100	4100	
0130 HRLY 01	SR-531 (College Pk), 275' W of Lompa Ln. 9675	10500	10700	11600	13000	13800	14600	14400	15800	15800*
0132 HRLY 01	Hot Springs Rd, .3 mi N of US-395 in front of 400 Hotsprings Rd. 6400	7080	6850	6760	6900	7100	7050	6500	6800	6000
0133 HRLY 01	SR-512 (Kings Canyon Rd), .2 mi W of SR-516 (Ormsby Bl). 675	640	700	960	1250	1200	1200	1300	1450	1450*
0134 HRLY 01	N Ormsby Bl, .1 mi S of Combs Canyon Rd. 2070		3935	2350	2550	2250	2150	2500	2400	
0134	,									2400
0139 HRLY 01	SR-531 (College Pk), 250' E of Imperial Wy. 6380		9135	11000	12300	13100	14100	14300	14000	

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0140 HRLY 01	SR-529 (Carson St), .1 mi N of Nye Ln. 27000	27500	27800	29300	29900	34200	36200	34500	34500	33000
0141 HRLY 01	SR-529 (Carson St), 250' N of Broadleaf Ln. 25800	28000	28400	29930	29600	31100	33100	32100	32500	31000
0142 HRLY 01	SR-705 (Clear Creek Rd), .25 mi W of US-395. 415	370	340	470	470	645	540	540	540*	5900
0143 HRLY 01	SR-705 (Clear Creek Rd), .25 mi W of Industrial Rd. 265	235	215	215	215	325	260	250	220	280
0148 HRLY 00	SR-529 (Carson St), .1 mi N of Koontz Ln. 34700	34300	36165	38470	40200	41500	42600	41700	43500	43500*
0149 HRLY 01	Saliman Rd, 165' S of Robinson St. 8230	10350	11000	11450	10900	10400	10400	10200	10000	10000*
0151 HRLY 99	Lompa Ln, 250' N of Long St. 6715	6800	6445	6300	6600	7450	6700	8100*	8300	
0153 HRLY 99	Lompa Ln, .2 mi S of SR-531 (College Pk). 3910	3960	4115	4900	5300	5300	5300	5500	5100	
0157 HRLY 01	Mountain St, 75' S of Caroline St. 2755	2775	2850	2700	2500	2600	2350	2500	2700	
0158 HRLY 01	Silver Sage Dr, 50' N of Roland Av. 1715	1620	1800	1950	1700	1950	1900	1700	2000	
0160 HRLY 01	Airport Rd, 200' S of US-50. 7600	7225	7130	7500	7600	7700	7500	6750	7100	
0161 HRLY 98	Airport Rd, 400' S of Woodside Dr. 4345	3500	3400	4300	4950	4500*	4600	4250	4250*	

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0162 HRLY 01	Clearview Dr, 100' W of Edmonds Dr. 2375	2550	2270	2400	3400	3400	3550	3700	3700	
0166 HRLY 99	Nye Ln, btwn Imperial Way & Northgate Ln. 1485	1575	1485	1400	1400	1450	1500	1600	1600	
0169 HRLY 01	Graves Ln, 110' S of Sherman Ln.							7800	7700	
0170 HRLY 99	Sherman Ln, 200' E of Dori Wy. 1455	1530	1485	1350	1680	1500	1500	1350	1100	
0171 HRLY 01	Ash Canyon Rd, 270' E of Longview Wy.						1000	1150	1300	
0172 HRLY 00	US-50, .2 mi W of Airport Rd. 25300	25790	26000	26400	26700	26400	25600	25000		
0173	Graves Ln, 150' S of Gordon St.		10800	10700	10600	11000	13300	13000		
0174 HRLY 01	SR-531 (College Pk), 250' E of Emerson Dr. 6125	7800	8650	9800	9900	11200	11200*			
0175 HRLY 97	Saliman Rd, 300' N of Little Ln for S/B & 320' N for N/B. 9530	9350	8850	8950	8500	9000	10000			
0176 HRLY 01	Roop St, .3 mi S of Hot Springs Rd. 8875	9450	8300	8800	9050	9500	9300			
0177 HRLY 01	Goni Rd, .1 mi N of Hot Springs Rd. 6200	6300	6500	7750	7750*	6800	6900			
0178 HRLY 01	Arrowhead Dr, 130' W of Northgate Ln. 1840	2700	2950	2800	2800	2700	2700*			

CARSON CITY COUNTY


TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0179 HRLY 99	Arrowhead Dr, .1 mi E of Convair Dr.			3500	4250	4400	4200	4200	4400	4400
0182 HRLY 98	SR-531 (College Pk), 200' W of Research Wy.			9700	9650	11900	15500	15200	16300	15000
0183 HRLY 01	Hot Springs Rd, 320' S of College Pk.					8250	7150	10700	10700	
0184 HRLY 01	Roop St, .1 mi S of College Pk.						2800	6500	6200	


*01




NIGHTINGALE 65




JESSUP 78



U.S. 95 83




*01



FALLON AREA

94



CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0002 HRLY 01	Allen Rd, .1 mi N of Sheckler Rd.							4050	4000	3900
0003 HRLY 01	US-50, .4 mi E of the jct of US-50 & US-50A. 6650	6150	6630	7100	7650	8300	8500	8900	8700	8900
0004 HRLY 01	US-50A, .5 mi W of the jct of US-50. 4665	4420	5800	6200	6000	6100	6250	6800	6600	6400
0005 HRLY 01	US-50, .2 mi W of SR-117 (Sheckler Cutoff Rd). 7030	6750	7600	7840	8700	9400	10200	10500	10200	9800
0006 HRLY 01	SR-117 (Sheckler Cutoff Rd), .1 mi S of US-50. 1255	1250	1500	1640	1700	1800	2050	2000	1800	1800
0007 HRLY 01	US-50, .1 mi E of SR-117 (Sheckler Cutoff Rd). 7350	7200	8185	8630	9400	10000	11200	11100	10800	11000
0008 HRLY 01	US-50, 300' W of SR-715 (McLean Ln). 9120	8900	8775	10280	11700	12900	14300	13800	13900	13000
0009 HRLY 01	SR-723 (Soda Lake Rd), .1 mi N of US-50. 1265	1320	1550	1565	1700	2000	2050	2300	2150	2100
0010 HRLY 00	US-50, 100' E of SR-715 (McLean Ln). 9430	9300	10600	10675	11300	12400	13300	13000	14000	14000*
0011 HRLY 01	SR-715 (McLean Ln), 301' S of US-50. 1420	1410	1600	1865	2000	2300	2500	2550	2350	2200
0012 HRLY 01	US-50, .1 mi E of Gummow Rd. 11800	11600	13800	14200	14200	15900	17300	16900	17000	16000
0015 HRLY 01	US-50 (Williams Av), 250' E of US-95 (Taylor St). 14150	13500	14300	15000	15700	16100	15100	14800	16600	14000

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0016 HRLY 01	US-95 (S Taylor St), 150' S of US-50 (Williams Av). 9285	9000	10100	10400	11200	11100	10700	10750	11500	12000
0019 HRLY 01	US-50 (Williams Av), 300' E of Maine St. 8225	9000	8650	9100	9200	10500	9650	10300	10300	11000
0020 HRLY 01	US-95 (Maine St), 237' N of US-50 (Williams Av) 6715	7700	7275	8780	8600	7250*	7600*	7800	7700	7200
0021 HRLY 96	US-50 (Williams Av), 150' W of Sherman St. 5875	6000	6000	6565	6600	7900	7900	8400	8400*	8100
0024 HRLY 01	US-50, .1 mi E of Dolf Ln. 5000	5600	5170	5520	5400	6200	5900	6300	6300*	5700
0025 HRLY 01	US-50, .3 mi W of SR-116 (Stillwater Rd). 2485	2330	2900	3030	3150	3150	3100	3300	3600	3400
0026 HRLY 99	SR-116 (Stillwater Rd), 150' W of Harmon Rd. 1095	1080	1240	1360	1500	1525	1500	1450	1550	1400
0027 HRLY 00	US-50, 2.6 mi E of Harmon Rd. 1105	1210	1290	1075	1200	1200	1200	1300	1050	970
0028 HRLY 99	SR-116 (Stillwater Rd), .2 mi E of Harmon Rd. 1200	1270	1450	1590	1800	1800	1700	1700	1700	1600
0029 HRLY 00	US-50, 1.5 mi E of Macari Ln. 1460	1460	1470	1275	1120	1150	1150	1400	1200	1000
0030 HRLY 00	US-50, .2 mi W of SR-839 to Nevada Scheelite Mine. 1345	1340	1350	1310	1400	1450	1350	1100	1300	1200
0031 HRLY 99	SR-839 (Scheelite Mine Rd), .6 mi S of US-50. 130	160	150	160	170	180	150	170	160	180

* = DATA ADJUSTED OR ESTIMATED

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0032 HRLY 00	US-50, .1 mi W of SR-121 (Dixie Valley Rd). 970	970	980	950	1050	1100	1000	850	850	810
0033 HRLY 00	SR-121 (Dixie Valley Rd), .2 mi N of US-50 mp at SR-121/CH-2 55	40	60	40	40	45	50	70	50	40
0034 HRLY 00	US-50, 4.1 mi W of SR-361 to Gabbs. 910	910	920	910	980	1030	950	800	800	800*
0035 HRLY 99	SR-361 (Gabbs Valley Rd), .1 mi S of US-50. 235	270	165	230	220	230	240	265	220	180
0036 HRLY 01	US-50, .1 mi E of SR-361 to Gabbs. 720	710	720	765	750	790	730	740	680	630
0038 HRLY 00	Dixie Valley Rd, .2 mi N of Settlement Rd. 25			10	10	10	15	20	10	
0039 HRLY 01	SR-116 (Stillwater Rd), .2 mi W of Portugese Ln. 230	200	220	235	280	290	290	350	350*	200
0040 HRLY 01	SR-116 (Stillwater Rd), 300' E of Freeman Ln to Millen. 115	100	115	110	120	125	125	210	110	100
0043 HRLY 99	Wildes Rd, .1 mi E of Pasture Rd. 335	350	380	390	435	425	430	580	450	380
0044 HRLY 01	SR-118 (Wildes Rd), .5 mi W of SR-120 (Pasture Rd). 3480	3670	3740	4035	4300	4150	4150	5050	4650	3900
0045 HRLY 01	SR-118 (Wildes Rd), .1 mi E of Harrigan Rd. 3025	3270	3360	3605	3600	3400	3200	3900	3950	3200
0046 HRLY 01	SR-115 (Harrigan Rd), 90' S of SR-118 (Wildes Rd). 1370	1420	1810	1760	1800	1800	1750	1700	1700	1700

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0047 HRLY 01	Harrigan Rd, .1 mi N of SR-118 (Wildes Rd). 2170	2210	2485	2530	2500	2400	2050	2200	2300	2100
0049 HRLY 01	Stillwater Av, 75' E of Sherman St.							2550	2550	2200
0050 HRLY 01	Center St, 379' E of Maine St.									1100
0051 HRLY 01	Maine St, 165' S of Stillwater Av.									3900
0053 HRLY 01	US-95 (Taylor St), .2 mi N of SR-117 (Scheckler Ln). 6575	6520	7500	7500	7600	8300	8250	8300	8050	8050*
0054 HRLY 00	US-95, .2 mi S of Pasture Rd. 1930	1950	1950	1845	1600	2250	2100	2350	2350*	4400
0055 HRLY 99	Pasture Rd, .1 mi E of US-95. 80	80	100	130	130	130	130	190	120	150
0056 HRLY 99	Pasture Rd, .2 mi E of the rd to the Greenhead Hunting Club. 80	60	70	90	90	90	90	100	90	100
0058 HRLY 01	US-95, .1 mi S of SR-718 (Lone Tree Rd). 2175	2120	2290	2105	2200	2600	2400	2500	2300	2400
0059 HRLY 99	US-95, .1 mi N of SR-718 (Lone Tree Rd). 2500	2630	2620	2250	2400	3700	3850	4000	4300	4300*
0060 HRLY 99	SR-718 (Lone Tree Rd), 300' W of US-95. 415	490	460	485	475	475	475	490	500	500*
0061 HRLY 00	SR-718 (Lone Tree Rd), 300' W of Allen Rd. 415	580	560	580	555	555	555	640	650	650*

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0062 HRLY 00	SR-718 (Curry Rd), 300' N of the R.O.Wise Ranch Rd. 120	110	170	190	170	170	170	250	240	210
0063 HRLY 99	US-95, .3 mi N of SR-119 (Berney Rd). 2840	3000	3170	3675	3800	4100	4250	4500	4600	4600*
0064 HRLY 00	SR-119 (Berney Rd), .2 mi W of SR-115 (Harrigan Rd). 375	540	520	660	620	760	630	660	650	600
0065 HRLY 00	SR-115 (Harrigan Rd), .1 mi N of SR-119 (Berney Rd). 165	200	190	230	215	230	200	230	210	210*
0066 HRLY 01	SR-119 (Berney Rd), .1 mi E of SR-115 (Harrigan Rd). 440	640	620	760	710	820	720	750	750	670
0067 HRLY 00	Pasture Rd, .1 mi S of SR-119 (Berney Rd). 185	190	225	270	280	290	290	280	270	270*
0068 HRLY 00	Berney Rd, .5 mi E of Pasture Rd. 225	470	450	355	680	730	520	590	550	550
0069 HRLY 01	SR-120 (Pasture Rd), .2 mi S of SR-118 (Wildes Rd). 3495	3650	3800	4170	4250	4100	4000	4000	4000*	4000*
0070 HRLY 00	SR-720 (Union Ln), .1 mi W of SR-120 (Pasture Rd). 470	510	550	795	785	820	940	830	800	730
0071 HRLY 01	SR-120 (Pasture Rd), .1 mi N of SR-720 (Union Ln). 715	750	950	1100	900	930	800	830	930	800
0072 HRLY 00	SR-720 (Union Ln), .1 mi E of SR-115 (Harrigan Rd). 835	900	1070	1275	1200	1200	1350	1270	1250	1100
0073 HRLY 01	SR-115 (Harrigan Rd), 200' N of SR-720 (Union Ln). 470	560	665	635	625	680	600	600	600	560

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0074 HRLY 01	US-95, .3 mi S of SR-117 (Scheckler Ln). 4875	5110	5550	5175	5250	5900	5600	6000	5700	5600
0075 HRLY 01	SR-117 (Scheckler Rd), 480' E of Allen Rd. 2895	3160	3290	3805	3750	4000	4500	4800	4800	4000
0076 HRLY 01	SR-117 (Scheckler Rd), 210' W of Allen Rd. 1780	1840	2115	2370	2575	2700	3250	3250	3300	2800
0084 HRLY 01	SR-117 (Scheckler Rd), .2 mi E of St Clair Rd. 900	980	1015	1190	1200	1200	1300	1350	1200	1200
0085 HRLY 01	SR-117 (Scheckler Rd), .2 mi W of SR-715 (McLean Ln). 1210	1300	1430	1560	1700	1650	1750	2100	1600	1700
0086 HRLY 01	SR-715 (McLean Ln), 739' N of SR-117 (Scheckler Rd). 900	950	1135	1380	1450	1700	1850	2100	2000	1700
0087 HRLY 00	US-95, .7 mi N of US-50 (Williams Av). 4390	4400	4650	4955	5400	5500	5600	5750	5300	5300*
0088 HRLY 01	US-95, 100' S of SR-726 (Old River Rd). 2125	2380	2250	2380	2200	2200	2300	2250	2450	2400
0089 HRLY 01	SR-726 (Old River Rd), .2 mi E of US-95. 515	525	615	700	695	695	650	725	650	610
0090 HRLY 01	US-95, .6 mi N of SR-726 (Old River Rd). 1430	1600	1560	1410	1400	1400	1450	1400	1650	1400
0091 HRLY 01	US-95, Lovelock Cutoff (Ocala) .2 mi S of the E/B ramps of IR-80. 740	600	660	685	720	670	790	830	920	870
0092 HRLY 01	IR-80, E/B on-ramp of the US-95 Intch .1 mi E of US-95. 835	710	670	760	600	615	620	800	650	570

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0093 HRLY 01	IR-80, 1.5 mi E of US-95 Intch "Exit 83". 7100	6690	6705	6805	6880	7115	7430	7735	7600	7650
0094 HRLY 01	IR-80, W/B off-ramp of the US-95 Intch "Exit 83". 735	630	665	795	745	650	570	800	620	600
0095 HRLY 01	IR-80, W/B on-ramp of the US-95 Intch "Exit 83". 420	380	325	500	205	310	520	350	250	260
0096 HRLY 01	IR-80, E/B off-ramp of the US-95 Intch "Exit 83". 520	460	380	550	230	320	400	250	220	210
0097 HRLY 01	IR-80, .5 mi W of US-95 Intch "Exit 83". 6470	6190	6075	6335	5875	6480	7160	6735	6740	6950*
0098 HRLY 01	IR-80, W/B off-ramp of the Jessup Intch "Exit 78". 25	25	35	30	30	30	25	40	30	20
0099 HRLY 01	Airport Rd, .15 mi E of US-95. (Fallon)							550	450	390
0100 HRLY 01	IR-80, W/B on-ramp of the Jessup Intch "Exit 78". 50	50	50	40	35	35	50	40	30	30
0101 HRLY 01	IR-80, E/B off-ramp of the Jessup Intch "Exit 78". 50	50	50	45	45	45	40	80	50	60
0102 HRLY 01	IR-80, E/B on-ramp of the Jessup Intch "Exit 78". 25	25	35	30	40	40	50	70	50	50
0104 HRLY 98	IR-80, W/B off-ramp of the Nightingale Intch "Exit 65". 100	120	50	45	75	75	55	75	60	40
0106 HRLY 99	IR-80, W/B on-ramp of the Nightingale Intch "Exit 65". 260	280	165	205	165	160	195	200	150	100

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0108 HRLY 01	IR-80, E/B on-ramp of the Nightingale Intch "Exit 65".	70	90	45	45	45	.2 mi E of the cross traffic rd.	75	60	60
0109 HRLY 01	IR-80, E/B off-ramp of the Nightingale Intch "Exit 65".	230	250	175	200	155	.2 miles W of cross traffic rd.	140	140	120
0112 HRLY 01	SR-118, .1 mi W of SR-115 (Harrigan Rd).	3225	3730	3500	3500	3550	4150	4150	3500	
0113 HRLY 00	SR-120 (Pasture Rd), .3 mi N of SR-119 (Berney Rd).	260	430	440	460	450	440	400	380	
0114	Settlement Road, in Dixie Valley, .1 mi E of SR-121.									10
0115 HRLY 01	Allen Rd., 341' S of Scheckler Rd.									2100
0116 HRLY 01	SR-720 (Union Ln), .2 mi W of SR-115 (Harrigan Rd).	715	730	745	1065	1000	1000	1150	1130	1200
0117	SR-722 (Carroll Summit Rd), 250' S of US-50.	30	30	30	30	30	30	35	35*	30
0120 HRLY 00	Portuguese Ln, .2 mi N of SR-116 (Stillwater Rd).	45	40	40	40	50	50	50	30	40
0121 HRLY 01	Harmon Rd, .1 mi N of Reservoir Rd.	135	150	140	175	205	165	160	200	250
0122 HRLY 01	Harmon Rd, .1 mi N of SR-116 (Stillwater Rd).	280	260	240	280	330	300	300	410	420
0123 HRLY 99	Harmon Rd, 100' S of SR-116 (Stillwater Rd).	405	440	455	455	540	600	530	560	510
										460

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0124 HRLY 01	SR-726 (Bafford Ln), .5 mi E of SR-726 (Old River Rd). 290	270	335	425	425	420	390	480	370	350
0125 HRLY 01	SR-723 (Soda Lake Rd), 250' S of Cox Rd. 655	750	850	855	855	920	890	1050	900	890
0126 HRLY 01	US-50 (Williams Av), .1 mi E of Allen Rd. 17400	16300	17900	19800	20200	21700	21000	20500	21600	22400*
0127 HRLY 01	IR-80, 3 mi E of the Nightingale Intch "Exit 65". 6520	6240	6105	6370	5885	6490	7175	6745	6800	6970*
0128 HRLY 01	Bench Rd, 400' N of US-50. 110	90	120	165	170	170	175	175*	180	
0129 HRLY 01	Rice Rd, .2 mi E of Gummow Dr. 1060	1200	1290	1300	1350	1350	1250	1200	1200	
0130 HRLY 97	Soda Lake Rd, 100' N of Edwards Ln. 440	480	520	520	570	540	630	630*	630*	
0132 HRLY 01	Trinity Rest Area Rd, Road into Rest Area.				280	510	335	370	315	
0133 HRLY 01	Agency Rd, 100' N of SR-116 (Stillwater Rd). 360	435	400	335	340	340	340	360	330	
0134 HRLY 01	Taylor St, 340' N of US-50 in Fallon.						4700	4500	4500	
0135 HRLY 01	Bailey St, 155' S of Center St in Fallon.						460	500	530	
0136 HRLY 01	Whitaker Ln, 59' N of Roberta Ct in Fallon.						3450	3250	3200	

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
3038 HRLY 99						Trento Ln, 224' N of US-50 in Fallon at the RxR tracks.				1000
3039 HRLY 99						Lucas Rd, .4 mi N of US-50 in Fallon at the RxR tracks.				390
3040 HRLY 99						Roberson Ln, .55 mi N of US-50 in Fallon at the RxR tracks.				890
3042 HRLY 99						Gummow Dr, 197' N of US-50 W of Fallon at the RxR tracks.				2900
3043 HRLY 99						Coleman Rd, 323' N of US-50 W of Fallon at the RxR tracks.				1300
3044 HRLY 99						Regan Pl, 117' N of Auction Rd in Fallon at the RxR tracks.				360
3046 HRLY 99						Taylor St, .2 mi N of US-50 in Fallon at the RxR tracks.				3000



*03



30*



SOUTHERN NEVADA AREA






FEDERAL AID HIGHWAY SYSTEM OF
NEVADA

2001
PREPARED BY THE NEVADA DEPARTMENT OF TRANSPORTATION


Las Vegas Urbanized Area




CENTRAL LAS VEGAS




*03




*03




BUNKERVILLE - MESQUITE



BOULDER CITY




LOGANDALE - OVERTON




LAUGHLIN

INTERSTATE 15 INTERCHANGES AND REST AREAS

03




03



INTERSTATE 15 INTERCHANGES AND REST AREAS

03

**SPEEDWAY 54
HOLLYWOOD BLVD**




APEX 58

U.S. 93 64


VALLEY OF FIRE 75

UTE 80


BYRON 84




HIDDEN VALLEY 88




MOAPA 90



GLENDALE 91




**LOGANDALE
OVERTON 93**




**WEST MESA
REST AREA**




CARP-ELGIN 100




EAST MESA 109




**RIVERSIDE
BUNKERVILLE 112**












WEST MESQUITE 120




EAST MESQUITE 122








INTERSTATE 215 (BELTWAY)
I-215 (Beltway) 34**LAS VEGAS BLVD****SUNSET RD./McCARRAN AIRPORT****WINDMILL****EASTERN****PECOS****GREEN VALLEY PKWY****VALLEY VERDE DR****STEPHANIE ST**

95 INTERCHANGES

03



95 INTERCHANGES



CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0001 HRLY 00	IR-15, S/B off-ramp of the Primm Intch "Exit 1"	4270	4580	5860	6740	5985	E of split near the cross traffic rd.	6140	6700	6200
0002 HRLY 00	IR-15, S/B on-ramp of the Primm Intch "Exit 1" N of the entrance to IR-15.	3575	3835	4180	4915	4785	5075	4665	5560	5525
0003	IR-15, S/B off-ramp of the IR-215 Intch to Las Vegas Bl.			1550	2145	2150		2590	2725	2900
0004 HRLY 99	Lost City Museum Rd, 75' W of SR-169 (Moapa Vy Rd).					115	120	110	90	90
0005 HRLY 00	IR-15, N/B off-ramp of the Primm Intch "Exit 1" 150' S of the cross traffic rd.	3055	3210	3860	4695	4700	4980	4580	5460	4225
0006 HRLY 01	IR-15, N/B on-ramp of the Primm Intch "Exit 1" 150' N of the cross traffic rd.	3750	3955	5740	6520	6195	6070	6040	6035	6400
0007 HRLY 97	SR-562 (Sunset Rd), .2 mi W of Pecos Rd.			35870	30100		33100	34500	35300	35000
0009 HRLY 00	IR-15, N/B off-ramp of the Jean Intch "Exit 12" 400' S of the cross traffic rd.	2020	2620	2820	2760	3090	2615	2470	2480	2600
0010 HRLY 99	FRCL07 (Apex Frontage Rd), 4 mi N of US-93.					1050	1200	1250	1300	1300*
0011 HRLY 01	SR-604 (Las Vegas Bl), .2 mi N of Jean.	1250	1575	1500	1500	2000	1500	1500	1500	1650
0013 HRLY 00	IR-15, N/B on-ramp of the Jean Intch "Exit 12" 300' N of SR-161.	2530	3065	3320	3815	4055	3920	3185	3530	3400
0014 HRLY 01	IR-15, S/B off-ramp of the Jean Intch "Exit 12" .1 mi N of SR-161.	3175	3445	4210	3835	4025	3890	4000	3615	3600
										3710

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0015 HRLY 01	SR-161 (Goodsprings Rd), 1 mi W of the S/B off-ramps of the Jean Intch "Exit 12". 1320	1365	1500	1660	1750	1700	1700	1900	2050	1700
0016 HRLY 01	IR-15, S/B on-ramp of the Jean Intch "Exit 12" .1 mi S of SR-161 (Goodsprings Rd) 2665	3000	3420	2900	3460	3150	3300	2695	2800	2300
0017 HRLY 00	SR-161 (Spring Rd), .1 mi W of Jean St in Good Springs. 195	185	200	310	340	440	440	380	410*	360
0018 HRLY 01	US-95, S/B Fly-over of the Ann Rd Intch from Ann Rd to Rancho Rd. 5210							5295	5650	6600
0019 HRLY 01	Durango Dr, .25 mi N of Cheyenne Av.						14000	15300	17200	20000
0020 HRLY 01	IR-15, N/B off-ramp of the Sloan Intch "Exit 25" N of "25 mph" sign E. 125	200	160	170	140	120	295	335	150	150
0021 HRLY 01	SR-604 (Las Vegas Bl), .4 mi N of the Sloan Intch "Exit 25". 1400	1630	1600	2060	1950	2090	2100	1900	1900	1900
0023 HRLY 01	SR-739 (Sloan Rd), 50' W of SR-604 (Las Vegas Bl). 665	740	940	900	1000	750	1250	1210	1100	1300
0024 HRLY 99	SR-739 (Sloan Rd), 20' W of the S/B ramp of the Sloan Intch "Exit 25". 500	555	705	830	1050	790	630	900	1150	1150*
0025 HRLY 01	IR-15, S/B off-ramp of the Sloan Intch "Exit 25". 540	795	620	635	840	675	695	385	550	660
0026 HRLY 01	IR-15, S/B on-ramp of the Sloan Intch "Exit 25" .2 mi S of SR-739. 100	190	115	140	85	85	190	215	150	150
0027 HRLY 01	IR-15, N/B on-ramp of the Sloan Intch "Exit 25" S of IR-15. 565	805	900	625	550	705	725	535	450	690

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0028 HRLY 01	IR-15, N/B off-ramp of the Henderson Intch "Exit 27". .1 mi N of the N/B lanes. 1210	1335	1755	1925	2050	1855	1835	1940	1700	1600
0029 HRLY 99	SR-146 (Saint Rose Pk), .2 mi E of the N/B ramps of SR-146 (Henderson Dr-Saint Rose Pk) Intch "7400* 4455	5535	6965	6935	7950	8100	9000	7700	7400	7400*
0030 HRLY 00	SR-146 (Saint Rose Pk), .3 mi E of SR-604 (Las Vegas Bl). 5895	6170	7765	7500	7800	7700	8400	7300	6800	6800*
0031 HRLY 00	SR-604 (Las Vegas Bl), .2 mi N of SR-146 (Saint Rose Pk) 1690	1975	2200	2510	2750	3050	3400	3500	3000	3100
0032 HRLY 01	IR-15, N/B on-ramp of the SR-146 (Henderson Dr-Saint Rose Pk) Intch "Exit 27". 910	1220	1705	1510	1610	1460	1440	1265	1500	1800
0033 HRLY 00	IR-15, S/B off-ramp of the IR-215 Intch to IR-215 E/B. 1620	16815		28840			34530	33730	43000	43000*
0034 HRLY 00	IR-215, E/B on-ramp from Windmill Ln. 1370	1700	1505	2080	1945	1620	1385	1550	2350	3100
0035 HRLY 00	IR-15, S/B off-ramp of the SR-146 (Henderson Dr-Saint Rose Pk) Intch "Exit 27". 1185	1370	1700	1505	2080	1945	1620	1650	1900	2050
0036 HRLY 01	IR-15, S/B on-ramp of the SR-146 (Henderson Dr-Saint Rose Pk) Intch "Exit 27". 1210	1410	1800	1975	1765	1990	1800	1890	1500	1400
0037 HRLY 01	IR-15, N/B off-ramp of the Blue Diamond Intch "Exit 33" .2 mi E of the N/B lanes. 1250	1440	1840	1800	2070	2230	2185	1840	1500	1500
0038 HRLY 01	SR-160 (Pahrump Vy Rd), at the Blue Diamond Intch "Exit 33" 250' W of L.V. Bl. 11830	14400	21400	18400	18000	17200	20000	20850	22100	24000
0039 HRLY 01	SR-604 (Las Vegas Bl), .4 mi S of SR-160 (Pahrump Vy Rd). 14450	19000	26270	23460	18900	20600	25000	30100	33500	37000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0040 HRLY 99	IR-15, N/B on-ramp of the Blue Diamond Intch "Exit 33". 5300	5695	7575	7915	3600	3760	3900	5225	6500	7040
0041 HRLY 01	IR-15, minor N/B on-ramp of the Blue Diamond Intch "Exit 33". 2440	2810	3520	4800	5150	4900	4710	4825	5100	5800
0042 HRLY 00	IR-215, W/B off-ramp to Windmill Ln.					790	1220	1420	2450	3160
0043 HRLY 99	IR-15, S/B off-ramp of the Blue Diamond Intch "Exit 33". 8520	9365	11860	12380	8590	8980	9320	10915	12500	13440
0044 HRLY 99	SR-160 (Pahrump Vy Rd), .5 mi W of Industrial Rd. 7390	7310	9220	9615	11900	12800	13500	14900	14900*	15800*
0045 HRLY 01	IR-15, S/B on-ramp of the Blue Diamond Intch "Exit 33". 1240	1350	3320	3400	3640	3820	3740	2725	2400	2600
0046 HRLY 01	IR-15, N/B off-ramp of the IR-215 Intch to SR-604 (Las Vegas Bl). 550				570	630	525	500	410	
0047 HRLY 00	IR-215, E/B off-ramp to Eastern Av.				11470	7685	8560	13700	14840*	
0048 HRLY 00	IR-215, E/B off ramp to Windmill Ln.				8035	9675	7895	10300	11000	
0049 HRLY 01	SR-604 (Las Vegas Bl), .2 mi N of SR-160 (Pahrump Vy Rd) 10950	13900	14860	17080	16400	17800	21000	20800	24600	24900*
0050 HRLY 98	SR-604 (Las Vegas Bl), .3 mi N of Warm Springs Rd. 10450	14000	14800	17000	19700	18000	18500	18300	34000*	33000
0051 HRLY 99	Warm Springs Rd, Warm Springs Intch overpass of IR-15. 11300	8800		8500	11000		11500	11900	11900	12000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0052 HRLY 00	IR-15, S of the Tropicana Av Intch "Exit 37". 37400	42905	50215	67845	93235	112885	118820	130860	155500	156700*
0053 HRLY 01	IR-15, N/B off-ramp of the Tropicana Av Intch "Exit 37". 4100	4785	6400	9295	10160	11685	10485	9900	8600	9100
0054 HRLY 00	SR-593 (Tropicana Av), .1 mi E of the N/B ramps of the Tropicana Av Intch "Exit 37". 66450	96700	101500	96200	98400	100000	94000	115400	107000	107000*
0055 HRLY 01	IR-15, N/B on-ramp of the Tropicana Av Intch "Exit 37" 20100	23655	30225	30280	26465	27095	25470	26880	31000	30000
0056 HRLY 01	IR-15, N/B off-ramp of IR-215 Intch to IR-215 E/B. 1570		1660		2340		2990	2305	2600	3000
0057 HRLY 01	IR-15, S/B (right turn) off-ramp of the Tropicana Av Intch "Exit 37". 21100	8400	10800	8510	8720	8980	7375	8040	9000*	8800
0058 HRLY 00	SR-593 (Tropicana Av), 150' E of Industrial Rd. 54340	65600	66600	72900	70800	77800	78500	82170	76600	70500*
0060 HRLY 01	IR-15, S/B on-ramp of the Tropicana Av Intch "Exit 37". 3875	4650	5400	7840	10670	12270	11005	9765	9000*	9400
0061 HRLY 01	IR-15, .4 mi S of the Flamingo Rd Intch "Exit 38". 70625	86525	102120	111255	126990	143830	148940	167715	199900*	198000
0062 HRLY 00	IR-15, N/B off-ramp of the Flamingo Rd Intch "Exit 38". 7255	7430	9750	10600	15440	15650	14040	15585	12500	13500*
0063 HRLY 00	SR-592 (Flamingo Rd), 200' E of the N/B ramps of IR-15 Flamingo Rd Intch "Exit 38". 61600	60000	63300	68800	74900	81900	77000	84880	65400	65400*
0064 HRLY 00	IR-15, N/B on-ramp of the Flamingo Rd Intch "Exit 38". 19000	18550	17400	18960	21110	22345	19755	19105	20500	20500*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0065 HRLY 00	IR-15, S/B off-ramp of the Flamingo Rd Intch "Exit 38"	10845	10600	12150	11650	11790	11965	to W/B SR-592 (Flamingo Rd).		
0066 HRLY 00	IR-15, S/B on-ramp of the Flamingo Rd Intch "Exit 38" 200' W of the N/B on-ramp.	6400	8245	10000	10900	15510	14930	13670	13180	13400*
0067 HRLY 01	IR-15, .3 mi S of the Spring Mtn Rd Intch "Exit 39".	96815	109390	123120	131105	139810	159905	162480	182385	204000*
0068	Spring Mountain Rd, 350' E of Industrial Rd.	46700		45930	43000		41900	35500	37100	37100*
0069 HRLY 00	Spring Mountain Rd, 75' E of Highland Dr.	52000	53000	59000	58000	54300	52900	45000	46800	74000
0070 HRLY 01	IR-15, N/B on-ramp of the Spring Mtn Rd Intch "Exit 39" 75' S of IR-15.	13400	10000	12100	11900	9640	9880	9475	9475	10500
0071 HRLY 00	IR-215, W/B on-ramp from Windmill Ln.						9480	10385	7820	11500
0072 HRLY 01	IR-15, S/B off-ramp of the Spring Mtn Rd Intch "Exit 39" 75' S of IR-15.	13800	17350	18900	18600	17420	17860	17100	19135	8000*
0073 HRLY 01	SR-591 (Spring Mtn Rd), 150' W of the S/B off-ramp of the IR-15 Spring Mtn Rd "Exit 39".	54700		53000	52200	50800		43000	48900	52500
0074 HRLY 01	IR-15, .5 mi N of the Spring Mtn Rd Intch "Exit 39".	124015	142390	161665	169030	173720	195055	195455	217575	227000*
0075 HRLY 00	IR-15, N/B off-ramp of the Sahara Av Intch "Exit 40"	11900	12785	14650	15325	17235	16755	16070	16325	19300
0077 HRLY 00	IR-15, N/B on-ramp of the Sahara Av Intch "Exit 40"	19400	19785	18800	20380	18100	18620	17260	18975	19200
										19200*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0078 HRLY 00							22585	34620	45835	77700	95075*
0079 HRLY 00	IR-215, btwn Windmill Ln & Eastern Av. 17330		S/B off-ramp of the Sahara Av Intch "Exit 40" 17235	18500	20060	9445	9600	9405	9835	9500	9500*
0080 HRLY 01	SR-589 (Sahara Av), .2 mi W of SR-599 (Rancho Rd) 62400	57000	58850	61950	64700	60000	59500	59900	50500	49000	
0081 HRLY 00	IR-15, S/B on-ramp of the Sahara Av Intch "Exit 40" 8770	10830	12400	13660	15550	16135	15475	16015	18900*	18900*	
0082 HRLY 00	IR-215, E/B on-ramp from Eastern Av.						1605	5260	9500	12000	
0083 HRLY 00	IR-15, N/B off-ramp of the Charleston Bl Intch "Exit 41" 3840	4555	5325	5280	5790	5115	4735	5015	5200	5700*	
0084 HRLY 99	SR-159 (Charleston Bl), 250' E of the Charleston Bl Intch "Exit 41" E of Grand Central Pk. 44000	48000	46600	45580	47000	47000	40000	45200	46000	46000*	
0085 HRLY 00	IR-15, N/B off-ramp of the Charleston Bl Intch "Exit 41" 5925	4135	4890	5060	5500	5930	5940	6860	6800*	6800*	
0086 HRLY 00	IR-215, W/B off-ramp to Eastern Av.						1910	5195	9800	11000	
0087 HRLY 00	Martin Luther King Bl, 175' N of SR-159 (Charleston Bl). 24400		23200	21500	22100		18500	18500	22000	22000*	
0088 HRLY 00	IR-15, S/B off-ramp of the Charleston Intch "Exit 41" 10245	9565	9250	8980	9165	7370	7420	6215	8400	8400*	
0090 HRLY 00	IR-215, W/B on-ramp from Eastern Av.				11115		7290	8325	12360	14000	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0091 HRLY 00	IR-15, S/B on-ramp of the Charleston Bl Intch "Exit 41" 7435	7690	9450	10205	10475	12175	12370	16135	13400	13400*
0092	IR-15, btwn Charleston Bl Intch "Exit 41" & Las Vegas Ex Intch "Exit 42". 142690	157930	170600	177320	183120	194860	194415	211245	221000	212600*
0093 HRLY 01	IR-15, S/B on-ramp loop, of the Downtown Ex Intch from M.L.K. Bl. 0								4300	5300
0094 HRLY 01	US-95, N/B on-ramp of the Downtown Ex Intch "Exit 42" from N/B IR-15. 22000	24630	28090	28330	29180	30655	29150	33225	42000	39050
0095 HRLY 01	US-95, S/B on-ramp of the Downtown Ex Intch "Exit 42" from N/B IR-15. 23000	23810	25400	26060	26840	24895	23455	23000	23000	20500
0096 HRLY 01	US-95, btwn Downtown Ex Intch & Casino Center Intch 136685	143525	155195	156920	161895	166535	164465	159780	169200	171580
0097 HRLY 01	IR-15, N/B on-ramp of the Downtown Ex Intch "Exit 42" from N/B US-95. 7645	8400	9155	9170	9445	10555	11500	10765	11500	11500*
0098	IR-15, .1 mi N of the Downtown Ex Intch "Exit 42". 82950	91985	94485	102405	105955	114900	121330	130470	127500*	131550*
0099 HRLY 98	US-95, N/B on-ramp of the Downtown Ex Intch "Exit 42" from S/B IR-15. 9400	9370	9850	10580	10895	10430	11795	15235	13000*	13000*
0100 HRLY 01	IR-15, N/B off-ramp of the Downtown Ex Intch to M.L.K. Bl. 0								2900	3600
0102 HRLY 01	IR-15, S/B on-ramp of the Downtown Ex Intch "Exit 42" from S/B US-95. 24685	25895	30430	30700	31620	33200	35620	43950	45500	41000
0103 HRLY 01	IR-15, S/B on-ramp of the Downtown Ex Intch "Exit 76A" from N/B US-95. 23000	25500	27540	26645	26415	28035	26665	27000	28000	23500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0104 HRLY 01	IR-15, S/B off-ramp of the Downtown Ex Intch to M.L.K. Bl.								4000	4100
0105 HRLY 01	US-95, S/B on-ramp loop of the Downtown Ex Intch "Exit 42" from S/B IR-15. 7900	8125	8415	8230	8475	8110	9770	9700	12000	11000
0106 HRLY 01	IR-15, N/B on-ramp loop of the Downtown Ex Intch from S/B US-95. 8000	7995	7925	7840	8075	7730	8740	10700	10500	11000
0107 HRLY 01	US-95, S/B off-ramp of the Casino Center Dr Intch "Exit 75-A" 12510	12000	12400	12095	12170	11170	9900	10360	12100	13580*
0108 HRLY 01	IR-215, E/B on-ramp from Stephanie St.									40130
0109 HRLY 00	IR-215, W/B on-ramp from Pecos Rd.						11370	19585	4600	5400
0110 HRLY 00	4th St, 300' N of Stewart St. 11000	9535	11550	9845	10700	11000	11000	11000	10800	10000
0111 HRLY 00	SR-602 (Casino Center Dr), 250' S of SR-579 (Bonanza Rd). 4015	3480	3600	3260	3500	3800	3750	4000	4000*	3200
0112 HRLY 01	US-95, N/B on-ramp of the Casino Center Dr Intch "Exit 75-A". 11425	11320	11490	10990	11060	11670	11085	11255	10800	13000
0113 HRLY 01	US-95, btwn Las Vegas Bl "Exit 74-A" & Casino Center Dr "Exit 75-B". 110750	120205	126195	133855	138665	149695	144080	138165	146300*	145000*
0114 HRLY 01	SR-610 (Lamb Bl), at the cattle guard S of IR-15. 665	655	630	775	980	940	1550	1550	1150	1300
0115 HRLY 01	IR-15, N/B off-ramp of the Apex Intch "Exit 58". 385	390	360	305	335	565	495	870	390	410

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0116 HRLY 01	SR-604 (Las Vegas Bl), .8 mi S of N/B ramps of the Apex Intch "Exit 58". 1650	1655	1970	1925	2265	2000	1550	1650	1550	1400
0117 HRLY 00	IR-15, N/B on-ramp of the Apex Intch "Exit 58". 710	720	795	725	795	835	590	655	610	430*
0118 HRLY 01	IR-215, W/B on-ramp of IR-215 Intch to N/B IR-15. 1570			21100	28180	33065	36030	41000	37000*	
0119 HRLY 01	IR-15, S/B off-ramp of the Apex Intch "Exit 58". 630	635	705	625	645	650	550	520	500	430
0120 HRLY 99	FRCL07, .1 mi N of the S/B ramps of Apex Intch "Exit 58". 1200			1350	1510	1700	2450	2100	2000	
0121 HRLY 00	IR-215, E/B off-ramp to Pecos Rd.					11790	19820	4300	4900	
0122 HRLY 01	IR-15, S/B on-ramp of the Apex Intch "Exit 58". 415	445	545	460	545	590	555	770	470	460
0123 HRLY 01	IR-15, N/B off-ramp of the US-93 Intch "Exit 63". 710	600	1020	1345	1590	1815	2085	1740	1500	1300
0125 HRLY 01	IR-15, N/B on-ramp of the US-93 Intch "Exit 58". 175	165	185	245	200	215	215	170	180	190
0126 HRLY 01	IR-215, E/B off-ramp of the Warm Springs Rd Intch to Airport Co. 11725			12765	13970	11920	16100	17000		
0127 HRLY 01	IR-15, S/B off-ramp of the US-93 Intch "Exit 58". 165	175	155	240	265	240	250	180	190	190
0128	Frehner Rd, .5 mi E of Statz St.					95	100	140	360	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0129 HRLY 01										
	IR-215, btwn Las Vegas Bl Intch & Warm Springs Rd-Airport Co Intch.									
				46315	68175	80335	82215	117500	134000	
0130 HRLY 01	IR-15, S/B on-ramp of the US-93 Intch "Exit 58".	800	595	1075	1155	1815	1840	1895	1400	1380
0131 HRLY 00	IR-215, btwn Airport Co & Warm Springs Rd.				23635	47310	58515	61530	91700	107200*
0132	IR-215, E/B off-ramp to Decatur Bl.									1900
0133 HRLY 01	IR-15, N/B off-ramp of the Valley of Fire Intch "Exit 64"	445	495	540	700	730	710	890	790	700
0134 HRLY 01	Valley of Fire Rd, 4.8 mi S of IR-15 Valley of Fire Intch "Exit 75".	260	320	340	675	705	685	700	590	460
0135 HRLY 01	IR-15, N/B on-ramp the Valley of Fire Intch "Exit 75".	300	350	280	570	605	590	765	490	450
0136 HRLY 01	IR-15, S/B off-ramp of the Valley of Fire Intch "Exit 75".	215	205	225	295	340	330	535	335	350
0137 HRLY 01	IR-15, S/B on-ramp of the Valley of Fire Intch "Exit 75".	360	350	385	545	565	550	675	570	440
0138 HRLY 00	IR-15, N/B off-ramp of the Ute Intch "Exit 80".	10	10	10	10	50	50	50	60	70
0139 HRLY 00	IR-15, N/B on-ramp of the Ute Intch "Exit 80".	10	10	10	10	55	55	55	60	70
0140	IR-215, W/B on-ramp from Decatur Bl.									2100

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0141 HRLY 00	IR-15, S/B off-ramp of the Ute Intch "Exit 80". 10	10	10	10	30	30	30	35	50	50
0142 HRLY 00	IR-15, S/B on-ramp of the Ute Intch "Exit 80". 10	10	10	10	30	30	30	45	50	50
0145 HRLY 00	IR-15, N/B off-ramp of the Byron Intch "Exit 84". 5	5	5	5	30	30	30	30	20	30
0146 HRLY 00	IR-15, N/B on-ramp of the Byron Intch "Exit 84". 5	5	5	5	20	20	20	30	20	30
0148 HRLY 00	IR-15, S/B off-ramp of the Byron Intch "Exit 84". 5	5	5	5	15	15	15	15	20	20
0149 HRLY 00	IR-15, S/B on-ramp of the Byron Intch "Exit 84". 5	5	5	5	15	15	25	15	20	20
0150 HRLY 01	IR-15, N/B off-ramp of the Hidden Vy Intch "Exit 88". 120	110	140	115	120	120	140	145	90	130
0151 HRLY 01	IR-15, N/B on-ramp of the Hidden Vy Intch "Exit 88". 95	110	125	105	110	110	110	125	90	120
0152 HRLY 01	IR-215, btwn Decatur Bl & IR-15.								30000	64000
0153 HRLY 01	IR-15, S/B off-ramp of the Hidden Vy Intch "Exit 88". 95	110	110	100	105	105	110	110	90	110
0154 HRLY 01	IR-15, S/B on-ramp of the Hidden Vy Intch "Exit 88". 120	110	130	115	120	120	130	150	90	130
0155 HRLY 01	IR-215, W/B off-ramp to S/B IR-15.						2245	2600	3200	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0156 HRLY 01	IR-15, N/B off-ramp of the Moapa Intch "Exit 90". 600	560	550	580	565	635	760	590	300*	610
0157 HRLY 01	FRCL19, .2 mi N of SR-168 (Glendale-Moapa Rd). 2120	2150	2135	2085	2400	2300	2405	2400	2650*	2500
0158 HRLY 01	SR-168 (Glendale-Moapa Rd), .2 mi N of the frontage rd at Glendale "Exit 91". 1775	1755	1850	1860	2250	2400	2250	2660	2850	3000
0159	N 5th St, .2 mi N of SR-601 (Main St).						4350	4450	4200	4300
0160 HRLY 01	IR-15, S/B on-ramp of the Moapa Intch "Exit 90". 650	620	620	695	630	715	905	890	700	690
0161 HRLY 01	IR-15, N/B off-ramp of the Glendale Intch "Exit 91". 160	175	170	170	170	100	270	230	100	100
0162	IR-215, E of SR-604 (Las Vegas Bl).				39575	59360	70585	72040	104300*	122300*
0163 HRLY 01	IR-15, N/B on-ramp of the Glendale Intch "Exit 91". 1040	985	970	1005	855	850	900	1005	1100	1000
0164 HRLY 01	N 5th St, .1 mi N of Craig Rd.						5300	6050	6300	6300*
0165 HRLY 00	FRCL19, 200' S of the Glendale Intch "Exit 91" cross traffic rd. 1615	1455	1280	1380	1400	1340	1350	1350	1500	1400
0166 HRLY 01	IR-15, S/B off-ramp of the Glendale Intch "Exit 91". 1050	1040	915	1030	975	965	985	950	1100	1000
0167 HRLY 01	Revere St, .1 mi N of Ann Rd.						2850	2850	2850*	5800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0168 HRLY 01	IR-15, N/B off-ramp of the Logandale Intch "Exit 93". 985	1025	1055	1085	1250	1325	1350	1395	1500	1500
0169 HRLY 01	SR-169 (Moapa Valley Rd), .3 mi S of the N/B ramps of the Logandale Intch "Exit 93". 2505	2725	2920	2810	3350	3400	3650	3700	3800	3850
0170 HRLY 01	IR-15, N/B on-ramp of the Logandale Intch "Exit 93". 290	320	390	405	435	460	460	505	500	520
0171 HRLY 01	IR-15, S/B off-ramp of the Logandale Intch "Exit 93". 310	340	380	425	455	480	460	535	500	520
0172 HRLY 01	IR-15, S/B on-ramp of the Logandale Intch "Exit 93". 1005	1045	1140	1190	1275	1350	1605	1415	1500	1500
0173 HRLY 01	Clayton St, .2 mi N of Cheyenne Av.						2350	2550	2800*	5100
0174 HRLY 01	IR-15, S/B on-ramp of the Spring Mountain Rd Intch.								12000*	12000
0175 HRLY 00	IR-15, N/B off-ramp of the Carp-Elgin Intch "Exit 100". 10	10	10	10	40	40	40	40	40	40
0176 HRLY 00	IR-15, N/B on-ramp of the Carp-Elgin Intch "Exit 100". 10	10	10	10	40	40	40	40	40	40
0177 HRLY 01	US-95, N/B off-ramp of the Ann Rd Intch to Rancho Dr "Exit 90A".					3315	3280	3000	2900	
0178 HRLY 00	IR-15, S/B off-ramp of the Carp-Elgin Intch "Exit 100". 10	10	10	10	45	45	60	55	70	70
0179 HRLY 01	US-95, N/B off-ramp of the Ann Rd Intch to Ann Rd "Exit 90B".					11120	12060	14100	14100*	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0180 HRLY 00	IR-15, S/B on-ramp of the Carp-Elgin Intch "Exit 100". 10	10	10	10	55	55	50	65	70	80
0181 HRLY 00	IR-15, N/B off-ramp of the E Mesa Intch "Exit 110". 115	115	115	115	205	205	205	280	280	300
0182 HRLY 00	IR-15, N/B on-ramp of the East Mesa Intch "Exit 109". 115	115	115	115	225	255	255	270	280	300
0183 HRLY 01	US-95, S/B on-ramp of the Ann Rd Intch from Ann Rd to US-95 "Exit 90B". 12340						14735		16900	18000
0184 HRLY 01	US-95, N/B on-ramp of the Ann Rd Intch from Ann Rd "Exit 90B". 3015						3425		4500	5100
0185 HRLY 00	IR-15, S/B on-ramp of the East Mesa Intch "Exit 109". 150	150	150	150	275	275	275	370	400	430
0186 HRLY 00	IR-15, S/B off-ramp of the East Mesa Intch "Exit 109". 150	150	150	150	310	300	300	470	400	490
0187 HRLY 00	IR-15, N/B off-ramp of the Bunkerville Rd Intch "Exit 112". 70	80	70	75	70	70	90	125	100	100
0188 HRLY 00	SR-170 (Bunkerville Rd), .9 mi S of IR-15 at the Bunkerville Rd Intch "Exit 112". 145	160	135	140	140	145	170	225	200	190
0189 HRLY 00	IR-15, N/B on-ramp of the Bunkerville Rd Intch "Exit 112". 35	30	40	45	40	40	45	50	50	65
0190 HRLY 00	IR-215, E/B on-ramp to IR-215 from SR-604 (Las Vegas Bl). 2710				3415		3760	3875	5400	5800
0191 HRLY 00	IR-15, S/B off-ramp of the Bunkerville Rd Intch "Exit 112". 35	30	40	45	40	40	45	50	50	60

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0192 HRLY 00	IR-15, S/B on-ramp of the Bunkerville Rd Intch "Exit 112". 70	80	70	75	70	70	90	115	100	110
0193 HRLY 00	SR-144 (Mesquite Bl), .4 mi W of SR-170 (Bunkerville Rd). 5100	5520	5625	6130	8200	7500	7500*	7400	7200	7400*
0194 HRLY 01	SR-144 (Mesquite Bl), .4 mi E of SR-170 (Bunkerville Rd). 7780	8625	9060	9875	12400	13000	13000*	15800	16000	15500
0195 HRLY 00	SR-144 (Mesquite Bl), .1 mi E of Arrowhead Rd. 8050	8635	10400	11335	14400	15600	15500	18300	18600	18500
0196 HRLY 01	US-95, S/B off-ramp of the Ann Rd Intch to Ann Rd "Exit 90B". 200	0	0	800	820	840	2365	2605	3300	3300
0197 HRLY 00	SR-170 (Bunkerville Rd), .8 mi S of SR-144 (Mesquite Bl). 2780	3080	3235	3525	3600	3700	3800	3650	3750	3500
0198 HRLY 99	Main St, .1 mi South of SR-170 (Bunkerville Rd) 200	0	0	800	820	840	950	950*	950*	950*
0199 HRLY 01	IR-15, 1 mi S of Moapa Intch "Exit 90". 11620	12935	12680	13570	13250	13920	14925	15730	16700	17850
0200 HRLY 01	SR-604 (N Las Vegas Bl), .2 mi N of the main gate to Nellis Air Force Base. 9715	9700	10800	12590	16100	17000	15700	16600	16900*	16900*
0201 HRLY 01	SR-604 (Las Vegas Bl), .1 mi S of Penatentiary Rd. 4585	4250	4400	4545	4950	5200	3500	3700	3500*	3500*
0202 HRLY 01	US-93, .6 mi N of US-93 Intch "Exit 64". 1390	1160	1120	1475	1300	1450	1450	1400	1650	1700
0203 HRLY 98	Horizon Ridge Pk, .1 mi W of Green Valley Pk. 						6650	6650	10100	14000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0204	SR-168 (Moapa Valley Rd), 7 mi E of US-93. 240	255	245	200	230	230	230	220	220*	190
0205 HRLY 01	SR-168 (Moapa Valley Rd), 1 mi N of the county rd to Moapa. 890	950	920	920	1050	1050	1050	1050	1090	1200
0206 HRLY 00	Lake Mead Bl, .4 mi W of Rampart Rd. 14360			16000	21800	24000	24000	22300	20000	
0207 HRLY 01	SR-169 (Logandale Rd), 200' S of the Mormon Church. 3530	4500	4320	4090	4400	4700	4800	4850	4950	5000
0208 HRLY 00	Stewart Av, .2 mi W of Lamb Bl. 14940			15900	15700	15200	15100	15600	15000	
0210 HRLY 01	SR-169 (Moapa Valley Bl), 200' S of Virginia St in Overton. 4400	4245	4290	4250	4700	5000	5050	5550	5700	5400
0211 HRLY 00	SR-169 (Moapa Valley Bl), 100' N of the rd to the Lost City Museum. 1310	1770	1260	1170	1350	1350	1350	1400	1470	1400
0213 HRLY 00	SR-169 (Moapa Valley Bl), 100' S of the rd to the Lost City Museum. 970	1310	1010	930	1300	1290	1330	1350	1360	1300
0214 HRLY 98	SR-169 (Moapa Valley Bl), 1.2 mi N of the county rd to Overton Beach. 750	930	750	865	780	755	910	890	840	800
0215 HRLY 98	Valey of Fire Rd, .2 mi W of the county rd to Overton Beach. 390		440	460	450	460	460	320	300	
0216 HRLY 00	IR-215, W/B off-ramp of the Pecos Intch. 1625	1740	1700	1900	1490	1500	1800	1700	1750*	1400
0217 HRLY 01	Callville Bay Rd., .2 mi NE of SR-147 (Lake Mead Bl). 1625									

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0218 HRLY 01	Lake Mead Bl, .9 mi N of the Rd to Callville Bay. 1710	1710	1690	1780	1500	1600	1900	2000	2050	1650
0219 HRLY 01	Lake Mead Bl, .2 mi N of SR-564 (Lake Mead Dr) and Boulder Beach Rd. 1770	2050	1990	2120	1850	1850	2200	2350	2600	1920
0220	Decatur Bl, .1 mi S of SR-160 (Pahrump Vy Rd).						400	400	1900	1900*
0221 HRLY 00	US-93, 3.5 mi S of the NV-AZ Stateline at Hoover Dam. 6355	7475	7900	8500	8900	9400	8800	8400	8200	7100*
0223	Boulder Beach Rd, .6 mi N of US-93.				3850	2700	3500	3950	3000	2800
0224	Boulder Beach Rd, .1 mi N of the Lake Mead Fish Hatchery Rd. 2400	2270	2150	2100		2150	2700	2100	2100*	
0225 HRLY 01	US-93, .25 mi N of Boulder Beach Rd. 12300	12600	12900	13600	13800	13900	14000	15100	16500	15000
0226 HRLY 99	US-93, .4 mi N of the S Jct of Nevada Hw in Boulder City. 11200	11600	12050	13600	13700	14300	15000	15900	15400	15000
0227 HRLY 99	Nevada Hw, .1 mi N of Fifth St. 15780		15500	15500	13000	12600	14300	13000	13000	
0228 HRLY 01	US-93, .2 mi N of Industrial Rd in Boulder City. 12500	12100	12800	14400	14500	15000	16200*	16900	16800*	18000
0229 HRLY 00	IR-15, N/B off-ramp of the Spring Mountain Rd Intch "Exit 39". 37345							14500	15500*	
0230 HRLY 01	US-95, 1.7 mi N of the Railroad Pass Intch. 27500	30800	32800	31900	35365	37345	37900	38295	38500	38000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0231 HRLY 00	SR-165 (Nelson Rd), .2 mi E of US-95. 220	220	195	190	200	205	190	150	175	180
0232 HRLY 00	IR-15, N/B off-ramp of the Speedway-Hollywood Intch "Exit 54".				345	900		1000	1660	2240*
0233 HRLY 00	IR-15, N/B on-ramp of the Speedway-Hollywood Intch "Exit 54".				70	45	75	110		520
0234 HRLY 01	IR-15, S/B off-ramp of the Speedway-Hollywood Intch "Exit 54".				70	60	100	130		360
0235 HRLY 01	US-95, .1 mi S of SR-164. 6485	6115	6625	6265	6250	6450	6400	7350	6850	7400*
0236 HRLY 00	Cottonwood Cove Rd, 1 mi E of US-95 & .2 mi E of the rd to Searchlight Cemetery.	540	580	425	470	490		510	570	580
0237 HRLY 00	SR-164 (Nipton Rd), 1.1 mi W of US-95. 895	850	850	820	970	800	790	820	820	820*
0238 HRLY 00	SR-164 (Nipton Rd), 18.6 mi W of Searchlight at the NV/CA Stateline. 980	710	755	660	890	710	700	670	735	735*
0239 HRLY 01	IR-15, S/B on-ramp of the Speedway-Hollywood Intch "Exit 54".				270	555	1060	1850		2500
0240 HRLY 00	Speedway Bl, .2 mi W of Hollywood Bl.				385	880	1200	3100		2900
0241 HRLY 97	Hollywood Bl, 100' S of Speedway Bl.				370	730	1050	1150		1150*
0242 HRLY 01	US-95, NV-CA Stateline 1 mi S of SR-163 (Laughlin Hw) 2030	2070	2140	2105	2450	2200	2400	2450	3050*	3100

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0243 HRLY 01	SR-582 (Boulder Hw), .2 mi S of SR-564 (Lake Mead Dr). 41100	39000	47750	27980	28200	28300	26500	27500	29200*	27000
0244 HRLY 01	SR-564 (Lake Mead Dr), 600' E of SR-582 (Boulder Hw). 17900	19000	22250	25515	28200	28800	30500	31800	33000	33000
0245 HRLY 01	SR-564 (Lake Mead Dr), .2 mi W of SR-582 (Boulder Hw). 28900	30700	33750	30250	25000	26100	28000	30000	32500	31000
0246 HRLY 01	SR-146 (Lake Mead Dr), .2 mi W of the S/B off-ramp of the US-95 Ex. 9150	11100	13735	21100	22900	27200	29000	32900	46500	55000
0247 HRLY 01	SR-582 (Boulder Hw), .4 mi N of SR-564 (Lake Mead Dr) in Henderson. 28100	32200	36400	28410	29300	32400	32000	32000	33000*	34000
0248 HRLY 00	SR-582 (Boulder Hw), .25 mi N of Water St. 33300	35900	42575	32985	34600	36100	36000	34500	35500	36000
0249 HRLY 01	SR-562 (Sunset Rd), .1 mi W of SR-582 (Boulder Hw) in Henderson. 13450	15900	18920	16420	18400	19000	19000	19400	19400*	19400*
0250 HRLY 00	Sunset Rd, .2 mi E of Green Vy Pk. 30100	30300	30700	32560	34800	36800	39500	38700	37500	34000
0251 HRLY 98	Green Valley Pk, .1 mi S of SR-562 (Sunset Rd). 32300	32500	30100	30700	29000	30700	32000*	32000	30000	30000
0252 HRLY 00	Green Valley Pk, .1 mi N of SR-146 (Lake Mead Dr). 8150	11900	13900	14000	14000	14000	14000	23800	25000	25000
0253 HRLY 97	Sunset Rd, .1 mi W of Green Vy Pk. 38600	38900	29900	31440	32600	33600	37500	36800	37000	33000
0254 HRLY 01	SR-562 (Sunset Rd), .2 mi W of Eastern Av. 28700	28600	31000	34050	32000	34300	37000	38800	39000	35000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0255 HRLY 99	SR-562 (Sunset Rd), 500' E of Las Vegas Bl. 19500	20000	22350	24700	23000	21400	22000	23700	22300	21000
0256 HRLY 98	SR-582 (Boulder Hw), .8 mi S of Whitney Av at the Whitney Wash Bridge. 23700	27400	27660	24630	24200	26700	26800	27100	27400	32000
0258 HRLY 00	SR-582 (Boulder Hw), .25 mi N of SR-593 (Tropicana Av). 27000	28800	28700	26485	25900	28300	28100	29400	31500	29000
0259 HRLY 01	SR-593 (Tropicana Av), .1 mi W of SR-582 (Boulder Hw). 10450	11600	11570	10600	11200	12600	13500	15100	17000	18000
0260 HRLY 01	SR-593 (Tropicana Av), .1 mi E of SR-605 (Paradise Rd). 54300	56900	61100	67700	61200	62200	63500	81000	70000	75000
0261 HRLY 00	Paradise Rd, 400' S of SR-592 (Flamingo Rd). 30500	37100	37500	40000	40000	42500	47500	41300	40500	43000
0262 HRLY 01	SR-593 (Tropicana Av), .25 mi W of SR-605 (Paradise Rd). 63000	73100	72500	80350	74500	75700	82500	89900	92000	79000
0263 HRLY 00	Paradise Rd, .2 mi S of SR-593 (Tropicana Av). 25580		31300		31300		33000	34100	35000*	35000*
0264 HRLY 98	SR-604 (Las Vegas Bl), S of Hacienda Av North of Russell Rd. 34300						35500	35500	35000	38000
0265 HRLY 01	Davis Dam Rd, .1 mi N/E of SR-163. 575		520		550		570	470	500	520
0266 HRLY 99	SR-593 (Tropicana Av), .1 mi W of Koval Ln. 50400	58500	62800	69600	64100	65100	71000	95000	97000	88000
0267 HRLY 01	SR-604 (Las Vegas Bl), 400' N of SR-593 (Tropicana Av). 47800	54400	57100	62000	63600	64000	67000	65700	67000	63000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0268 HRLY 01	SR-604 (Las Vegas Bl), .1 mi S of SR-593 (Tropicana Av). 46900	59200	62200	67500	50100	52200	54000	54000	55000*	50000
0269 HRLY 01	SR-593 (Tropicana Av), 450' E of Valley View Bl. 44400	52700	54100	58530	60200	61600	63500	63000	58500	53000
0270 HRLY 00	SR-604 (Las Vegas Bl), .1 mi N of SR-592 (Flamingo Rd). 51300	54600	57300	57900	68400	69900	73000	61200	59500*	57000*
0271 HRLY 98	SR-582 (Boulder Hw), 100' N of SR-612 (Nellis Bl). 36500	26000	26320	25530	25000	26900	26600	27900	25900	26000
0272 HRLY 01	SR-610 (Lamb Bl), .1 mi N of SR-582 (Boulder Hw). 32790	32800	33200	33100	37100	32000	30000	30000	30000	30000
0273 HRLY 01	SR-582 (Boulder Hw), .2 mi N of the US-95 ramps at "Exit 69". 35145	36400	36740	40950	41500	42600	40200	40300	36500	36000
0274 HRLY 01	SR-589 (Sahara Av), .2 mi E of Mojave Rd. 42200	35600	38300	34900	36600	39400	42000	41700	41500*	45000
0275 HRLY 00	SR-589 (Sahara Av), .2 mi W of SR-606 (Maryland Pk). 48100	52800	56670	56500	53700	56000	52500	54600	55000	52700*
0276 HRLY 01	SR-589 (Sahara Av), 300' E of SR-605 (Paradise Rd). 53400	57700	61800	61200	58200	60600	60000	60100	60500*	51000
0277 HRLY 00	Paradise Rd, 300' S of SR-589 (Sahara Av). 37200	37900	37200	36730	35800	33000	34000	37100	37000	37000*
0278 HRLY 01	SR-605 (Paradise Rd), 450' N of SR-589 (Sahara Av). 18700	21300	19400	19000	17700	18100	19000	19000	19000	19000
0279 HRLY 00	SR-589 (Sahara Av), 100' E of SR-604 (Las Vegas Bl). 57300	61900	62750	57280	57300	62700	65000	64900	66500	63800*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0280 HRLY 00	Adams Bl, E of Utah St.						1150	1150	1100	1200
0281 HRLY 01	Jones Bl, 25' N of Oleta Av.						1600	1600	1900	1900*
0282 HRLY 01	Jones Bl, .1 mi N of Ann Rd.						5850	5850	10000	11000
0285 HRLY 00	Utah St, S of Adams Bl.						1900	1950	2000	2100
0286 HRLY 01	SR-589 (Sahara Av), .2 mi W of SR-604 (Las Vegas Bl) in median. 64700 70000 69900 65500 71100 75000 76000						76300	75000	72000*	
0287 HRLY 01	SR-604 (Las Vegas Bl), .25 mi S of Main St & 200' N of Cincinnati Av. 44500 45400 46800 41430 42900 44900 47500						45600	45500	47000	
0288 HRLY 00	SR-604 (Las Vegas Bl), .1 mi S of Charleston Bl. 34215 36365 37780 37765 39300						37100	36000	35300	32000
0289	US-95, btwn the Rancho Dr Intch "Exit 77" & Martin L King Bl Intch "Exit 76". 130635 136370 148630 155065 158865 165555 167840 181550							195700*	199430*	
0290 HRLY 01	SR-604 (Las Vegas Bl), .2 mi N of Main St & 150' S of Oakey Bl. 35000 37200 35300 36780 38300 40100 46000						45100	41000	39000	
0291 HRLY 00	SR-599 (Rancho Rd), 275' S of Pinto Ln. 27400 25300 27000 30000						30800	33500	31000	30500
0292	Jones Bl, .2 mi N of Centennial Pk.						4450	4450	6700	6700*
0293 HRLY 00	Arizona St, E of Nevada Hw.						3150	2800	2800	2900

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0294 HRLY 98	Paradise Rd, .6 mi S of SR-562 (Sunset Rd)				N of IR-215 ramps.					
					9550	10500	11800	13800	12000	
0295 HRLY 00	SR-159 (Charleston Bl), 300' E of Rancho Rd.									
	37400	36200	38100	37640	40500	41300	39000	43600	43500	43500*
0296 HRLY 00	SR-601 (S Main St), 200' N of Utah Av.									
	25000	20300	22700	20485	22500	21700	21200*	20800	20800*	21000
0297 HRLY 00	SR-601 (S Main St), 250' N of Clark Av.									
	26000	23400	24870	19560	21500	22300	22000	23100	21500	21500*
0298 HRLY 98	SR-159 (Charleston Bl), 100' W of 4th St for W/B & 150' W for E/B.									
	31700	29700	37400	34760	34300	36000	36600	34100	37000	37000*
0299 HRLY 98	SR-604 (Las Vegas Bl), 150' N of Bonneville Av.									
	28300	29900	30550	30890	34000	32100	31000	30400	27500	28000
0300 HRLY 01	SR-159 (Charleston Bl), 100' W of S 6th St.									
	30450	30900	33500	32030	32500	34600	31000	32200	34000	34000*
0301 HRLY 96	SR-159 (Charleston Bl), .2 mi W of SR-607 (Eastern Av).									
	28700	29000	30050	34560	36200	34000	31000	33500	34000	32000
0302	SR-582 (Fremont St), .1 miles E of Bruce St.									
	17800	17800	18190	17330	17900	17500	16500	16600	14500	14000
0303 HRLY 01	Tenaya Wy, .1 mi N of Desert Inn Rd.									
							1700	1700	1500	1200
0304 HRLY 98	SR-604 (Las Vegas Bl), 200' N of Fremont St.									
	27700	27500	29260	33040	36200	32800	32000	31400	31500	31000
0305 HRLY 00	George Crockett Rd., .3 mi E of Gilespie St.									
				2345	2550	2695	2350	2600	2600*	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0306 HRLY 99	Airport Connector Rd, N/B off-ramp of the McCarran Connector Intch to Sunset Rd.			5245	5910	5700	6500	7650	8700	8300
0307 HRLY 99	SR-602 (Casino Center Dr), 100' S of E Ogden St.	11600	14300	11500	10200	9700	10300	10000	9700	
0308 HRLY 01	IR-215, W/B on-ramp of the Warm Springs-Airport Co Intch.			12355	12950	13200	15115	21300	22600	
0309 HRLY 01	IR-215, W/B off-ramp of IR-215 to Las Vegas Bl.			4030	5400	5990	6300	7800	6900	
0311 HRLY 00	SR-604 (Las Vegas Bl), 150' S of SR-579 (Bonanza Rd).	27450	27000	29100	28245	29400	30500	32000	30400	30400*
0312 HRLY 00	El Camino Wy, 300' E of Buchanan Bl.					2450	2350	2400	2400	
0313 HRLY 97	SR-604 (Las Vegas Bl), .1 mi N of SR-579 (Bonanza Rd).	18400	18700	19550	20100	20200	20200	21200	18700	21900
0315 HRLY 00	Marita Dr, 50' N of El Camino Wy.					550	510	550	550	
0316 HRLY 01	SR-601 (N Main St), .1 mi N of SR-579 (Bonanza Rd).	18250	16100	16890	15265	16000	16800	15600	16900	16700*
0317 HRLY 96	SR-579 (Bonanza Rd), 100' W of the W end of the RxR Overpass.	24200	24900	25300	25150	21000	21800	21900	24200	22900
0318 HRLY 99	SR-579 (Bonanza Rd), 400' E of Martin L King Bl.	18000	18000	21620	21200	20500	21100	22400	21900	20700*
0319 HRLY 99	SR-579 (Bonanza Rd), 350' W of Martin L King Bl.	15700	15700	16370	16050	16000	16600	17600	17600	16700*
										16700*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0321 HRLY 01	SR-599 (Rancho Rd), .1 mi N of SR-579 (Bonanza Rd).	34900	33200	32650	39180	40600	42800	46400	46700	47000	50000
0322 HRLY 00	US-95, 500' S of Valley View Bl Intch.	120715	128405	141360	147350	153135	159285	162090	178315	188400	190840*
0323 HRLY 01	US-95, btwn Decatur Bl Intch "Exit 79" & Valley View Dr Intch "Exit 78".	113220	125000	139765	147480	154080	160495	169145	183315	192600	195240
0324	Durango Dr, .1 mi N of Grand Teton Dr.								3700	4300	
0325 HRLY 01	SR-604 (Las Vegas Bl), 200' S of the N City limits of Las Vegas South of Owens Bl.	13700	13500	15700	14350	16400	16800	13700	14000	14900	15000
0326 HRLY 01	SR-601 (N Main St), .1 mi S of SR-604 (Las Vegas Bl) North of Owens Av.	14700	13000	14180	12380	14000	12000*	11300*	8950	12300	12000
0327 HRLY 00	Industrial Rd, 300' E of Yucca St.							1050	1150	1300	1300*
0328 HRLY 01	SR-604 (Las Vegas Bl), 100' S of SR-147 (Lake Mead Bl).	24000	21500	25270	22830	22800	21600	20700	20200	22800	24000
0329 HRLY 01	SR-147 (Lake Mead Bl), 150' E of SR-604 (Las Vegas Bl).	26000	28600	32000	32245	31900	30500	34400	36800	37000	35000
0330 HRLY 01	SR-604 (Las Vegas Bl), .1 mi N of SR-147 (Lake Mead Bl).	25200	23500	28150	26100	26200	25800	24300	20600	26300	27000
0331 HRLY 01	SR-147 (Lake Mead Bl), 300' W of SR-604 (Las Vegas Bl).	30200	32800	36800	39100	38800	37100	37800	37700	36500	39000
0332 HRLY 01	Lake Mead Bl, 150' W of N Bangle St.			18790	19900	21500	24400	26600	25300	22000	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0333 HRLY 98	SR-147 (Lake Mead Bl), 200' E of Pecos Bl. 20300	22700	23700	24670	26500	26600	27000	29100	29300	30000
0334 HRLY 00	SR-604 (Las Vegas Bl), .2 mi N of Pecos Bl. 18300	16700	16150	17515	18500	19000	17500	17500	19000	19200
0335 HRLY 99	SR-604 (Las Vegas Bl), 400' S of SR-610 (Lamb Bl). 12800	11300	12770	13840	12700	13200	12300	13400	12500	15000
0336 HRLY 96	SR-604 (Las Vegas Bl), .3 mi S of SR-612 (Nellis Bl). 9950	8800	9960	10825	11500	11500	10600	11200	10300	12600
0337 HRLY 99	SR-610 (Lamb Bl), .1 mi S of SR-604 (Las Vegas Bl). 10600				12100	11800	13200	12700	12500	
0338 HRLY 00	SR-610 (Lamb Bl), 300' N of SR-147 (Lake Mead Bl). 17185		17530	18900	21000	20900	23500	20300	19900	
0339 HRLY 96	SR-147 (Lake Mead Bl), .1 mi W of SR-610 (Lamb Bl). 19550	21000	21200	22085	22600	23100	22200	26000	26000	26500
0340 HRLY 00	SR-147 (Lake Mead Bl), .1 mi E of SR-610 (Lamb Bl). 18500	20400	20830	22970	20500	24300	23400	26700	23100	25000
0341 HRLY 99	SR-147 (Lake Mead Bl), .1 mi E of Mt Hood St. 9200	11100	11700	12015	11400	13100	11650	16200	14300	15300
0342 HRLY 98	SR-610 (Lamb Bl), 1000' N of Owens Av. 23400				25800	25700	26300	25200	24000	
0343 HRLY 96	SR-610 (Lamb Bl), 300' S of Owens Av. 23120		25160	26000	29300	29400	31400	30400	30000	
0344	E Bonanza Rd, .3 mi W of SR-610 (Lamb Bl). 25100		25850	26100	26400	24700	23200	23100	22000	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0345	SR-610 (Lamb Bl), .1 mi N of Sherrill Av. 29100 32100 35000	36920	37500	40400	40500	40900	42500	39000		
0346	SR-610 (Lamb Bl), .25 mi N of Sahara Av & 50' N of Cleveland St. 28430 28400	28500	30000	31100	30500	27000				
0347 HRLY 01	SR-589 (Sahara Av), .25 mi W of Arville St. 47150 49500 53000	56165	57800	58200	59000	59400	50500	50500		
0348 HRLY 98	SR-589 (Sahara Av), .2 mi E of Rainbow Bl & 200' W of Torrey Pines Dr. 30650 30500 38200	47100	43800	47000	47500	50600	45500	45000		
0349 HRLY 00	SR-595 (Rainbow Bl), .2 mi N of SR-589 (Sahara Av). 42900 38700 46900	47650	50400	57600	60000	63200	58500*	56000		
0350 HRLY 01	SR-595 (Rainbow Bl), 150' S of Laredo St South of SR-589 (Sahara Av). 46100 41500 45700	46430	49800	49400	53700	51900	52500	51000		
0351 HRLY 01	SR-595 (Rainbow Bl), 200' N of SR-593 (Tropicana Av). 22400 23000 27000	27920	30500	31700	32600	34200	39000	34000		
0352 HRLY 01	SR-593 (Tropicana Av), 200' E of SR-595 (Rainbow Bl). 23450 25500 29850	34900	37300	39600	46000	47400	36500	40000		
0353	SR-595 (Rainbow Bl), .1 mi S of SR-593 (Tropicana Av). 8050 8300 9700	19080	23400	24100	24100	25300	33500	33500*		
0354 HRLY 01	SR-595 (Rainbow Bl), .7 mi N of SR-160 (Pahrump Vy Rd). 4935 5200 6500	7375	8550	9250	9250	8300	7050	7900		
0355 HRLY 99	SR-610 (Lamb Bl), .4 mi S of SR-573 (Craig Rd). 5615 6500 7700	8540	9300	9500	9800	9750	10600	10300		
0356 HRLY 98	Charleston Bl, .2 mi W of Durango Dr. 17300 15000 14870	13635	15800	18100	21000	23000	27700	31000		

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0357	Alexander Rd, .2 mi E of Pecos Rd.						2250	2250	4000	4000
0358 HRLY 01	SR-159 (Blue Diamond Rd), .1 mi N of county rd to Red Rock Canyon. 2175	2345	2160	2260	2300	2400	2600	2650	2850	3100
0359 HRLY 01	SR-159 (Blue Diamond Rd), 50' N of SR-160 (Pahrump Vy Rd). 1275	1585	1470	1655	1700	1750	1950	2850	2150	2250
0360 HRLY 01	SR-160 (Pahrump Vy Rd), .3 mi W of SR-159 to Blue Diamond. 3500	3900	4480	4850	5300	6050	6350	8300	7700	6900*
0361 HRLY 00	SR-160 (Pahrump Vy Rd), E of SR-159 to Blue Diamond.							9000	8750	9800*
0363 HRLY 01	SR-599 (Rancho Rd), 300' N of Vegas Dr. 28100	26200	28655	36625	38600	40300	40100	39900	38500	40000
0364 HRLY 01	Lake Mead Bl, .5 mi E of SR-599 (Rancho Rd). 12375			14700		15500	16600	21800	20800	22000
0365 HRLY 00	Fairway Dr, E of Manchia Dr.						650	650	550	530
0366 HRLY 01	SR-599 (Rancho Rd), 50' S of SR-573 (Craig Rd). 20250	21000	22460	18940	19170	21400	22100	22600	21200	22000
0367 HRLY 99	US-95, .5 mi S of the Snow Mountain Intch. 5775	6535	5620	6870	5700	5950	6300	6340	7200	7070*
0368 HRLY 01	SR-157 (Charleston Park Rd), ?? mi W of US-95. 2260	2530	2800	2560	2700	2900	2450	3150	2750	3200
0369 HRLY 98	SR-157 (Charleston Park Rd), 1.6 mi W of SR-158 in the Deer Creek Camp Area. 1225	1340	1500	1445	1550	1580	1350	1750	1450	1800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0370 HRLY 99	SR-158 (Deer Creek Rd), .6 mi N of SR-157 (Charleston Park Rd).	460	500	570	720	775	840	530	970	700	850
0371 HRLY 99	SR-158 (Deer Creek Rd), 450' S of SR-156 (Lee Canyon Rd).	275	300	370	435	465	500	320	550	350	450
0372 HRLY 01	SR-156 (Lee Canyon Rd), 2 mi W of SR-158 to the Deer Creek Camp Area.	375	410	595	650	695	770	430	900	500	600
0373 HRLY 01	SR-156 (Deer Creek Rd), .6 mi W of US-95.	280	315	520	520	560	580	360	560	400	480
0374 HRLY 01	US-95, 5.9 mi N of SR-156 to Lee Canyon.	4375	5175	4690	4930	4100	4200	4400	4300	5200	4900
0375 HRLY 01	US-95, .1 mi N of mp 129.	3465	3635	3170	3355	3250	3400	3480	3490	3700	3800
0377 HRLY 01	SR-607 (Civic Center Dr), 250' S of Ferguson Av .3 mi North of Carey Av.	13000	12800	14100	14130	13200	13400	13500	12500	14700	14000
0378 HRLY 01	IR-15, 1 mi N of the Craig Rd Intch "Exit 48".	11925	12905	13665	14630	15030	16695	18045	20180	21500	23000
0379 HRLY 00	IR-15, S/B off-ramp of the Craig Rd Intch "Exit 48".	510	665	1000	1080	1150	1440	1400	1535	1650	1650*
0380 HRLY 00	SR-573 (Craig Rd), 300' W of the IR-15 Craig Rd Intch "Exit 48".	15300	16800	20420	24045	28100	29300	33300	35400	41500	41500*
0381 HRLY 00	IR-15, S/B on-ramp of the Craig Rd Intch from E/B Craig Rd, "Exit 48".	3225	3500	3540	3635	4385	7030	9000	9870	10000	10000
0382 HRLY 00	IR-15, N/B off-ramp of the Craig Rd Intch "Exit 48".	10215	10980	11445	11750	13840	17910	19970	20960	21000	21000*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0383 HRLY 01	IR-15, N/B on ramp of the Craig Rd Intch "Exit 48". 555	650	1500	1680	2035	2350	2090	2860	2850	2700
0384 HRLY 98	Airport Connector Rd, W/B on-ramp of the McCarran Co Intch from Sunset Rd. 3070			4650	3300	3800	5700	6400	6000	
0385 HRLY 01	SR-573 (Craig Rd), 300' E of IR-15 Craig Rd Intch "Exit 48". 23600	24800	28900	32040	39800	41300	43900	44800	46000	43000
0386 HRLY 00	Pecos Rd, .3 mi S of SR-573 (Craig Rd). 4735			5250	5850	6250	6400	7750	8400	
0387 HRLY 01	IR-15, .6 mi N of the Cheyenne Av Intch "Exit 46". 31630	33770	33650	35160	38585	47845	53670	56765	57000	58580
0388 HRLY 01	IR-15, S/B off-ramp of the Cheyenne Av Intch "Exit 46". 1300	1595	1890	1840	2045	2250	2500	2590	2850*	2400
0389 HRLY 01	SR-574 (Cheyenne Av), 350' E of Losee Rd. 27500	28900	30500	33980	30800	34000	35800	35800	56000	57500
0390 HRLY 98	IR-15, S/B on-ramp of the Cheyenne Av Intch "Exit 46". 11160	12750	13590	14340	15010	13530	13500	13985	15350*	20430*
0391 HRLY 01	IR-15, N/B off-ramp of the Cheyenne Av Intch "Exit 46". 11030	12100	12100	14585	13950	13215	13420	13905	15350	18180
0392 HRLY 00	SR-574 (Cheyenne Av), 200' W of SR-607 (Civic Center Dr). 29375	30000	32800	31570	33200	32300	33700	33300	41500	44000
0393 HRLY 01	Hidden Well Rd, E of Bermuda Rd. 1910				2160	2285	3010	3500	2900	
0394 HRLY 01	IR-15, N/B on-ramp of the Cheyenne Av Intch "Exit 46". 2160	2030	2050	1870	1565	2140	2475	2565	2850*	2400*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0396 HRLY 01	US-95, S/B on-ramp to the US-95-Rancho Dr Intch "Exit 77". 10600	9870	10325	10815	10560	11035	10900	11800	13600	13400
0397 HRLY 01	US-95, N/B off-ramp of the US-95-Rancho Dr Intch "Exit 77". 10300	9590	10360	10850	11205	11260	10670	11465	13400	14000
0398 HRLY 98	US-95, N/B on-ramp of the US-95-Rancho Dr Intch "Exit 77". 5115	5300	6030	6880	8300	8265	8160	10200	9900	9010
0399 HRLY 98	US-95, S/B off-ramp of the US-95-Rancho Dr Intch "Exit 77", 400' W of Rancho Rd. 5865	3195	6485	7200	7735	7760	7660	9650	9800	9800
0400 HRLY 01	IR-215, E/B off-ramp of the Warm Springs-Airport Co Intch to Warm Springs Rd.			6805	15260		14560	12060	12500	13300
0401 HRLY 01	SR-599 (Rancho Rd), N of the Rancho Rd Intch "Exit 77". 39000	37500	38700	45650	46800	48800	52000	50100	52000	49000
0402 HRLY 00	SR-599 (Rancho Rd), 100' N of W Mesquite Av. 26300	27500	28525	37980	38600		38900	41500	41100	40000
0403 HRLY 01	SR-592 (Flamingo Rd), 500' W of Spencer St. 55600	56200	60200	57450	62700		61700	58000	58500	57000
0404 HRLY 02	SR-592 (Flamingo Rd), 400' E of Pecos Bl. 43500	50600	53000	48570	49600		53400	55000	53900	53500
0405 HRLY 02	SR-592 (Flamingo Rd), 300' E of Mountain Vista St. 22300	28200	27875	28095	30300		30000	30900	30500	30000
0406 HRLY 99	SR-573 (Craig Rd), .2 mi E of SR-599 (Rancho Rd). 11750	13200	13240	19385	21000		21300	22200	22500	22700
0407 HRLY 00	SR-573 (Craig Rd), btwn Nellis Bl & Salmon Dr. 19900	20500	21935	23085	24000		26700	26000	26900	27400
										27000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0408	US-95, N/B off-ramp of the Downtown Ex Intch to M.L.K. Av. 5000	5065	5600	5240	5540	5285	4115	4450	5500*	5500*
0409 HRLY 00	US-95, S/B on-ramp (from M.L.K. Bl) of the Downtown Ex Intch. 4090	4145	5050	4960	5835	6115	6425	6425	4500	4200
0410 HRLY 98	SR-582 (Boulder Hw), btwn SR-589 (Sahara Av) & St Louis Av. 31300	28600	32000	29610	29100	30700	29000	29100	27000	26000
0412 HRLY 01	IR-15, N/B off-ramp of the "D" St & Washington St Intch "Exit 44". 4750	5895	6440	6225	7780	7460	7780	8550	8600	5700
0413 HRLY 01	Ft Apache Rd, 400' N of Cheyenne Av.						5400	5900	7300	7400
0414	Hualpai Wy, 25' N of Ann Rd.									170
0416 HRLY 99	SR-578 (Washington St), 150' E of the N/B ramps of IR-15 12835	13175	14120	13330	13500	13600	15800	15500	17500	18000
0417 HRLY 01	IR-15, N/B on-ramp of "D" St & Washington St Intch "Exit 44". 2015	1825	1940	1875	2115	2115	2235	2490	2600	2500
0418 HRLY 01	Town Center Dr, .1 mi N of Alta Dr.						7900	7900	14700	16000
0419 HRLY 01	IR-15, S/B off-ramp of the "D" St & Washington St Intch "Exit 44". 2090	1915	1880	1850	2040	2040	2160	2405	2800	2200
0420 HRLY 00	El Capitan Wy, 100' N of Alexander Rd.								900	870
0421 HRLY 01	Buffalo Dr, 25' N of Oleta Av (N of SR-160). 						130	130	130	150

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0422 HRLY 01	Rainbow Bl, .3 mi N of Ann Rd.						2250	2250	2700	4300
0423 HRLY 01	IR-15, S/B on-ramp of the "D" St & Washington Av Intch "Exit 44". 5135 5385 4585 6005 6935 6935 7235						8830	8300	6700	
0424	IR-15, N of the "D" & Washington St Intch "Exit 44". 77170 84445 87280 93900 95395 104660					110710	117985	116000*	123850*	
0425 HRLY 01	IR-15, N/B off-ramp of the Lake Mead Bl Intch "Exit 45" Wye to E/B Lake Mead Bl. 9635 10420 11750 11000 8985 10490					11015	11920	11000	11000	
0426 HRLY 00	SR-147 (Lake Mead Bl), One-Way E/B section E of the IR-15 Lake Mead Bl Intch "Exit 45". 17500 17300 20500 19640 20500 22400					22500	22500	23200	20100	
0427 HRLY 00	IR-15, N/B off-ramp of the Lake Mead Bl Intch "Exit 45" to W/B Lake Mead Bl. 3675 4470 4850 4700 6725 6750					7575	8570	7900	6190*	
0430 HRLY 01	IR-15, N/B on-ramp of the Lake Mead Bl Intch "Exit 45". 1290 1290 1230 1290 1205 1490					1615	1675	1800	1900	
0431 HRLY 00	IR-15, S/B on-ramp from Lola Av at Lake Mead Bl Intch "Exit 45". 11800 12600 13080 15425 12400 13630					12940	13560	14000	12000	
0432 HRLY 01	IR-15, S/B off-ramp of the Lake Mead Bl Intch "Exit 45". 1165 1130 1175 940 1275 1420					1600	1660	1700	1900	
0433 HRLY 01	IR-15, S/B on-ramp Lake Mead Bl Intch "Exit 45". 4155 4380 4675 4630 5830 6500					6780	7770	6600	5700	
0435 HRLY 01	IR-15, S of the W Mesquite Intch "Exit 120" .2 mi N of mp-119. 10840 12095 11240 12655 12065 12555					12650	14145	15700	16545	
0436 HRLY 00	IR-15, N/B off-ramp of the W Mesquite Intch "Exit 120". 1770 1970 1460 1585 1580 1750					1690	1985	2000	1700	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0437 HRLY 01	IR-15, N/B on-ramp of the W Mesquite Intch "Exit 120". 1530	1500	1290	1425	1750	1675	1540	1740	1700	1600
0438 HRLY 01	IR-215, E/B on-ramp of the Warm Springs-Airport Co Intch from Warm Springs Rd. 180	790	1110	1405	2700	2800				
0439 HRLY 01	IR-15, S/B off-ramp of the W Mesquite Intch "Exit 120". 1255	1295	1100	1335	1845	2075	1855	1930	1830	1900
0440 HRLY 01	IR-15, S/B on-ramp of the W Mesquite Intch "Exit 120" 400' W of the cross traffic rd. 1190	1360	1150	1375	1480	1290	1290	1365	1330	1330
0441 HRLY 01	IR-15, North of W Mesquite Intch "Exit 120" at mp 121. 10665	11530	12000	12455	12600	13265	13065	14465	15900	17055
0442 HRLY 01	IR-15, N/B off-ramp of the E Mesquite Intch "Exit 122". 665	715	1080	1030	1220	1270	1385	1830	2050	2000
0443 HRLY 01	Sandhill Rd, 100' W of the N/B ramps of E Mesquite Intch "Exit 122". 5340	6625	7980	9200	11700	13400	14000	16500	18800	20000
0444 HRLY 01	IR-15, N/B on-ramp of the E Mesquite Intch "Exit 122". 1930	2360	2655	2860	3070	3475	4350	4440	3910	3700
0445 HRLY 01	IR-215, W/B off-ramp of the Warm Springs-Airport Co Intch to Warm Springs Rd. 460	955	1260	1400	2500	2600				
0446 HRLY 00	IR-15, S/B off-ramp of the E Mesquite Intch "Exit 122". 1790	2100	2210	2885	2755	3305	3940	3905	3230	3500
0447 HRLY 01	IR-15, S/B on-ramp of the E Mesquite Intch "Exit 122". 800	830	1240	1300	1065	1980	2165	2265	2250	2300
0448 HRLY 01	Adams Bl, 300' W of Buchanan Bl.						5800	6350	6500	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0449 HRLY 99	US-95, S/B off-ramp of the Decatur Bl Intch "Exit 79" under S/B lanes of Decatur Bl. 4735	5545	6035	6445	7565	7965	8265	8000	7700	7800
0450 HRLY 99	US-95, S/B on-ramp of the Decatur Bl Intch "Exit 79" .2 mi from Decatur Bl. 11550	11550	11450	11215	10400	9665	9105	9800	10800	11000
0451 HRLY 99	US-95, N/B off-ramp of the Decatur Bl Intch "Exit 79" .2 mi from Decatur Bl. 9735	9355	10600	10370	9430	8695	8645	9300	9640	10000
0452 HRLY 99	US-95, N/B on-ramp of the Decatur Bl Intch "Exit 79" 350' W of Decatur Bl. 5640	7035	7000	7470	7400	7795	8085	9250	9400	9400
0453 HRLY 01	IR-15, S of the IR-215 Intch. 41555	44935	51950	54690	46425	47590	48040	53020	60900	65080
0454 HRLY 99	Nevada Hw, 200' N of Park St. 3470	3600	4060	3800	3850	3500	3400	3900	3700	
0455 HRLY 00	Nevada Hw, .4 mi S of US-93 (Truck Route). 3980	3900	3315	4570	4550	4550	4200	4100	4600	4500
0456 HRLY 99	Buchanan Bl, 300' S of US-93 (Nevada Hw). 10050	9920	11000	11200	11300	10500	8100	8300		
0457 HRLY 01	Valley Dr, .2 mi N of Gowan Rd.					2150	2150	2400	2000	
0458 HRLY 00	Adams Bl, 300' E of Buchanan Bl. 7300	8350	8350	8800	8500	9100	9400	9800		
0459 HRLY 00	Adams Bl, 300' E of Av "G". 4600	5120	5000	5000	4700	4800	5000	5300		
0460 HRLY 00	Adams Bl, 300' W of Utah St. 3300	3500	3500	3450	3400	3750	3550	3800		

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0461 HRLY 00	Utah St, 150' S of Av "I". 4125	3820	3850	3780	4050	3700	3900	3400	3700	3800
0462 HRLY 98	Utah St, 150' N of Av "I". 2800			2750	2700	2550	2700	1400*	1450	1600
0463 HRLY 00	Park St, 300' E of Nevada Hw. 555	580	560	650	695	815	850	850	850*	850*
0464 HRLY 98	SR-582 (Boulder Hw), .1 mi S of Major Av. 34500	37500	41400	22860	23800	27100	27100	26300	26800	26800*
0465 HRLY 99	SR-582 (Boulder Hw), .1 mi N of Major Av. 35000	36000	40950	24000	24500	27100	25500	26500	28200	27000
0466 HRLY 00	Lake Mountain Dr, N of Valencia Dr.						1600	1600	1600	1600
0467 HRLY 01	SR-582 (Boulder Hw), 200' S of SR-562 (Sunset Rd). 29400	35600	37485	28730	29900	32700	34000	32600	27000*	27000
0468 HRLY 01	SR-146 (Lake Mead Dr), .1 mi E of Van Wagenen Dr. 32900	33900	37700	26240	29400	30700	34000	36400	37500	38000
0469 HRLY 99	SR-146 (Lake Mead Dr), btwn Ivy St & Burkholder St. 16900	16800	19970	21370	23300	25200	25500	25900	27100	25000
0470 HRLY 99	SR-146 (Lake Mead Dr), 200' E of Ash St. 11500	12700	16400	17290	19200	20800	21500	22600	23700	22000
0471 HRLY 00	SR-146 (Lake Mead Dr), .2 mi W of Mohawk Dr. 6425	7490	8830	10190	10900	11200	11500	12600	14500	14000
0472 HRLY 00	Water St, 25' S of Brown St. 6010	6710	7145	6405	6800	6850	7100	7100	6900	6900

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0473 HRLY 01	Water St, .2 mi S of Victory St. 13475		13260		11700	11400	12000	11900	11100	11000
0474 HRLY 01	Water St, 200' N of Army St. 10150		9990		9900	9100	8300	8250	8250*	8100
0475	Water St, 200' N of Ocean Av. 5865		5000		4900	5000	4550	4200	4200*	4400
0476	Water St, 400' E of Ocean Av. 4700		4390		4200	4150	3450	3300	3300*	2800
0477	Major Av, 100' N of Federal St. 5850		5590		6000	6200	5700	5500	5500*	5000
0478	Pacific Av, 200' N of New Mexico Wy. 1330	1265	1550	1675		1600	1550	1300	2150	2150*
0479	Pacific Av, 100' S of Colorado St. 1465	1715	1750	1790		1700	1650	1700	2300	2300*
0480 HRLY 97	Pacific Av, 200' N of Atlantic Av. 5080	4510	6400	6395		6250	6400	6550	5850	5850*
0481	Allen Ln, 100' N of Alexander Rd.							2100	2400	2650
0482	Pacific Av, 200' N of Country Club Dr. 8060	9215	11800	7115		7300	7400	7600	7500	7500*
0483 HRLY 00	Horizon Dr, 400' W of Greenway Rd. 7690	9770	11900	11480		13000	15900	17000	18100	18500
0484 HRLY 01	Cimarron Rd, .1 mi N of SR-589 (Sahara Av).							2650	2650	6200
										6800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0485 HRLY 00	Pecos Rd, 200' S of Mary Ann Av. 17700	16500	15770	18430	19200	20200	20800	21200	22300	20000
0486 HRLY 01	Pueblo Pl, 50' N of Sausalito Dr. 115			100	180	230	220	220*	220*	220*
0487	Pueblo Pl, 100' S of Warm Springs Rd. 100		170	150	170	160	160	160*	160*	160*
0488	Pueblo Pl, 300' S of Aztec Ln. 435	425	430	430	450	500	470	470	470*	520
0489 HRLY 99	Mohawk Dr, 150' S of SR-146 (Lake Mead Dr). 930	945	900	930	950	1050	950	780	780*	770
0490 HRLY 01	SR-573 (Craig Rd), .1 mi W of driveway to Craig Ranch Golf Course. 10700	12000	13880	20380	23700	24500	27900	31800	34500	35000
0491 HRLY 99	SR-574 (Cheyenne Av), 200' E of SR-599 (Rancho Rd). 16600	17500	20245	21150	19200	20300	22300	23300	23300	26000
0492 HRLY 01	SR-574 (Cheyenne Av), .5 mi W of M.L.K. Bl. 14900	16550	21200	21660	22900	23500	24800	26800	26900	28000
0493	SR-574 (Cheyenne Av), .3 mi W of Losee Rd. 15800	18900	23300	26345	24700	27400	28900	27800	36500	37000
0494 HRLY 01	SR-574 (Cheyenne Av), .2 mi E of Civic Center Dr. 24900	25200	27600	25840	27200	26700	27900	27500	31000	32000
0495 HRLY 01	SR-574 (Cheyenne Av), .2 mi W of Pecos Bl. 20500	20335	20725	21190	22300	23900	22400	22100	26800	26000
0496 HRLY 01	SR-574 (Cheyenne Av), .2 mi E of Pecos Bl. 13150	13400	13660	14265	14600	15200	16100	16500	19000	15600

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0497	Commerce St, .2 mi N of Carey Av.						6500	6500	6500*	6500*
0498	Gowan Rd, 150' W of Buffalo Dr.						4800	4800	4300	5000
HRLY 01										
0499	Civic Center Dr, .1 mi N of SR-574 (Cheyenne Av).						7100	7100	8500	8500*
0500	Carey Av, .2 mi E of SR-599 (Rancho Rd).									
HRLY 00	6800 5600 6200 7550	6650	9800	12200	12800	12100	12000			
0501	Carey Av, 300' W of Martin L King Bl.									
HRLY 01	9100 7300 8100 9865	11400	12500	12900	13000	13400	12000			
0502	Carey Av, 300' E of Martin L King Bl.									
HRLY 00	6700 7600 8550	9400	8800	10700	11400	13400	11600			
0503	Carey Av, .2 mi W of SR-607 (Civic Center Dr).									
HRLY 01		14220 15300	15100	15000	15400	15400	15400*			
0504	SR-147 (Lake Mead Bl), .1 mi E of Bruce St.									
HRLY 01	28800 29800 34000	34610	33400	33500	34000	35200	37000	37000		
0505	SR-147 (Lake Mead Bl), .2 mi E of Civic Center Dr & 50' E of Daley St.									
HRLY 01	26500 28400 33400	33850	32700	32800	33300	35600	39000	37000		
0506	SR-147 (Lake Mead Bl), .1 mi E of Nellis Bl.									
HRLY 98	19500 23000 24260	26080	27000	29600	28700	28100	26400	28000		
0507	Vegas Dr, .2 mi W of Decatur Bl.									
HRLY 00		12150	12500	13000	12800	12300	12600	12000		
0509	Carey Av, .4 mi E of Nellis Bl.						1550	1550	2150	2800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0511 HRLY 98	Vegas Dr, .1 mi W of Martin L King Bl. 6600		11775		14100	14100	14100	13700	14000	14000*
0512 HRLY 01	Owens Av, .1 mi E of Martin L King Bl. 13300	11100	11870	13050	15600	16000	14300*	14300	16100	17000
0513 HRLY 01	Owens Av, .1 mi W of SR-601 (Main St). 11750	9740	10820	11650	14000	15300	13000	11700	14400	15000
0514 HRLY 01	Owens Av, 100' E of SR-601 (Main St). 9300		10495		11600	13200	11300	9900	11600	11000
0515 HRLY 98	Owens Av, 400' W of SR-607 (Eastern Av). 10500	10500	12300	12075	13300	15300	13000	14500	12800	13000
0516 HRLY 00	Los Feliz St, .1 mi S of SR-147 (Lake Mead Bl). 						85	85	1600	1100
0517 HRLY 99	SR-578 (Washington Av), .1 mi W of SR-604 (Las Vegas Bl). 9500	9800	10000	9015	9100	7500	11200	11100	13400	15000
0519 HRLY 98	Washington Av, .2 mi E of Bruce St. 10190		8100		7100	5150	10500	11700	13800	14000
0520 HRLY 00	E Bonanza Rd, 150' W of 11th St. 20200		21200		21800	21900	22200	22000	19700	18000
0521 HRLY 97	E Bonanza Rd, 150' E of 19th St. 		20210		23200	23000	20800	20000	20600	20600*
0522 HRLY 00	E Bonanza Rd, 300' W of Mojave Rd. 27475		29370		30000	29800	27400	27600	26900	28000
0523 HRLY 00	E Bonanza Rd, .2 mi E of Lamb Bl. 26000	26200	24830	24875	25100	25400	23700	23700	23600	24000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0524 HRLY 00	Stewart Av, 200' E of SR-601 (Main St). 10840			10500		11000	10500	10700	11500	10800
0525 HRLY 01	Mojave Rd, .2 mi N of SR-159 (Charleston Bl).						8000	8000	8800	8100
0526 HRLY 00	Marina Dr, 150' W of Ville Dr.						210	220	210	440
0528 HRLY 97	Stewart Av, 150' W of 10th St. 9660		10200		10300		10000	8900	9200	9550
0529 HRLY 01	Evans Av, .2 mi E of Civic Center Dr.						4100	4100	4350	4400
0532 HRLY 98	Ogden Av, 100' E of 4th St. 14820	15280		15800		14000	13400	13400	13400*	13400*
0533	Ogden Av, 75' E of 8th St. 8570	8225		8500		6100	5500	5500	5500*	5500*
0534 HRLY 99	Carson Av, btwn SR-601 (Main St) & First St. 2980	7480	4200		3500		3500	3450	4200	3150
0535 HRLY 01	IR-215, W/B on-ramp of the Warm Springs/Airport Co Intch from E/B Warm Springs Rd. 2435		2455		2895		2630		3300	3300
0537 HRLY 99	Carson Av, btwn 4th St & SR-604 (Las Vegas Bl). 7640	7755	8700		8600		8400	7700	7600	8100
0538 HRLY 99	Carson Av, btwn 8th St & 9th St. 4000	4060		3500	4000		3900	3500	3750	3600
0539 HRLY 98	Bridger Av, btwn SR-601 (Main St) & First St. 6940	6900	7500		7050		7750	7550	7600	8800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0541 HRLY 98	Bridger Av, btwn 3rd St & 4th St. 11250		12320	12600	8500	9350	9700	9500	11500	
0542 HRLY 98	Bridger Av, btwn 4th St & SR-604 (Las Vegas Bl). 10550	11550	9800	9100	9150	9000	8900	9750		
0543 HRLY 97	Bridger Av, btwn 6th St & 7th St. 3680		4500	3600	4600	4350	4300	4100		
0544 HRLY 99	Bonneville Av, btwn SR-601 (Main St) & First St. 1320	1380	1800	2590	6700	6800	7800	7900	7850	8100
0545 HRLY 99	Robindale Rd, 300' E of Pecos Rd.					5650	5850	6000	5400	
0546 HRLY 00	Colorado St, 50' W of Nevada Hw.					1200	1200	1150	1200	
0547 HRLY 99	Bonneville Av, btwn SR-604 (Las Vegas Bl) & 6th St. 4200	4025	5400	5900	5650	5400	5550	5700		
0549 HRLY 99	Gass Av, btwn 3rd St & 4th St. 1075	1270	1750	2100	1900	1700	1650	1800		
0551 HRLY 99	Gass Av, btwn SR-604 (Las Vegas Bl) & 7th St. 2490	2440	2650	2800	2900	2600	2600	2700		
0552 HRLY 00	SR-159 (W Charleston Bl), 300' E of Torrey Pines Dr. 27200	29200	29800	29845	33800	34300	34000	37900	34500	32000
0553 HRLY 00	SR-159 (W Charleston Bl), .1 mi W of Mohawk St. 34450	35900	36200	36900	37300	39100	39500	38800	37000	34500*
0554 HRLY 98	SR-159 (W Charleston Bl), .1 mi E of Decatur Bl. 34200	33800	34000	35190	35600	37000	36000	34000	32500	29000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0555 HRLY 96	SR-159 (E Charleston Bl), .1 mi W of Mojave Rd. 25500	27000	28000	30000	30500	31000	30000	31300	30000	27000
0556 HRLY 01	SR-159 (E Charleston Bl), .1 mi W of Sandhill Rd. 29000	26900	29400	30960	33400	34000	32000	33400	32500	28000
0557 HRLY 00	SR-159 (E Charleston Bl), .2 mi E of SR-610 (Lamb Bl). 35400	36900	41000	45090	45000	46600	44800	50100	48000	45000
0558 HRLY 99	W Oakey Bl, 300' W of SR-599 (Rancho Rd). 17070			17200		16700	13800	14600	15100	15000*
0559 HRLY 99	W Oakey Bl, E of SR-599 (Rancho Rd). 16300				15800		15900	16200	19200	19200*
0560 HRLY 01	Wyoming Av, 250' W of Industrial Rd. 19830			20100		19700	18700	18000	17400	21000
0562 HRLY 98	SR-589 (W Sahara Av), btwn Westwind Rd & Lindell Rd. 43900	45400	48000	50530	52000	52900	53000	55200	50500	48000
0563 HRLY 00	SR-589 (E Sahara Av), E of Palm St. 20700	21000	22700	20700	20900	22500	23000	24900	26500	25000
0564 HRLY 01	SR-589 (E Sahara Av), 300' E of SR-610 (Lamb Bl). 17100	17600	17330	17500	17700	22200	23900	30600	25200*	26000
0565 HRLY 98	Desert Inn Rd, .1 mi W of Paradise Rd. 9700	9800	10270				40000	41300	42000	41000
0566 HRLY 01	Desert Inn Rd, .4 mi E of Paradise Rd. 17300				31900		35000	36100	35500	34500*
0567 HRLY 98	Desert Inn Rd, 125' E of Arabella St. 32240	32850		38300	39200		38500	38900	38000	42000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0568 HRLY 01	Desert Inn Rd, .2 mi E of SR-607 (Eastern Av). 28500			31430	36600	37300	36600	37000	37000	38000
0569 HRLY 01	Desert Inn Rd, .2 mi W of Sandhill Rd & 25' E of Brentwood St. 30100		33220	34900		35600	35000	36900	35500	35000
0570 HRLY 01	Spring Mountain Rd, 150' E of Arville St. 33500	34700	38650	39460	40300	38900	33000	36800	39500	37000
0572 HRLY 98	Sands Av, 200' E of Koval Ln. 33600	38100	42400	41200	33400	32400	31000	32400	34000	34000*
0573 HRLY 01	Twain Av, 200' W of Cambridge St. 24800	24900	26700	25875	24400	24600	22500	24100	22500	20000
0574 HRLY 98	SR-592 (Flamingo Rd), .1 mi E of Decatur Bl. 49100	47600	49750	50700	52600	57500	58000	56400	51000	51000*
0575 HRLY 00	SR-592 (Flamingo Rd), 200' E of Valley View Bl. 59500	56100	63300	68280	73000	77500	78000	75900	65000	65000*
0576 HRLY 01	SR-592 (Flamingo Rd), 800' E of Koval Ln. 55600	53900	55000	52000	58700	70000	66000	66700	68500	70000
0577 HRLY 00	SR-592 (Flamingo Rd), 350' E of Palos Verdes St. 52700	56200	59800	54600	61600	65000	58500	59100	58500	59000
0578 HRLY 02	SR-592 (Flamingo Rd), 300' W of Pecos Bl. 46300	50200	55200	53580	56500	55300	55500	55500	60500	60500*
0579 HRLY 01	SR-593 (Tropicana Av), 300' W of Maryland Pk. 48400	49400	52300	54075	57300	58200	57000	60400	57500	61000
0580 HRLY 01	SR-593 (Tropicana Av), .1 mi E of Spencer St. 44700	49400	48900	50560	53600	54000	54500	61200	57000	55000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0581 HRLY 01	SR-593 (Tropicana Av), 200' W of McLeod Dr. 43300	44400	43100	47100	49900	51500	55500	58000	56000	54000*
0582 HRLY 02	SR-593 (Tropicana Av), 300' W of the S/B off-ramp of US-95. 47300	48600	51400	53375	53500	58000	58500	60300	59500	59500*
0583 HRLY 00	SR-593 (Tropicana Av), .1 mi E of N/B off-ramp of US-95. 42500	44000	40130	39780	40500	42600	42600	43200	43000	43000*
0584 HRLY 02	SR-593 (Tropicana Av), .2 mi E of Mountain Vista St. 26100	28200	26800	31260	29200	30700	31900	32600	32000	34000
0585 HRLY 99	Russell Rd, .1 mi W of Maryland Pk.				21300	22400	23000	23800	25700	28000
0586 HRLY 00	Russell Rd, 300' E of Spencer St. 29500		26350	22000	22000	23000	23500	22000	24000*	
0587 HRLY 02	Russell Rd, 150' E of Topaz St. 17100	19420	17165	18000	18000	19000	17200	17200*	18200*	
0588 HRLY 99	Russell Rd, 50' W of Palm Av. 16200		17800	19300	21500	19500	19500*	19500*		
0589 HRLY 97	Russell Rd, 250' E of Mountain Vista St. 11700	13200	14000	13390	18000	18000	19500	19200	19200*	19200*
0590 HRLY 01	SR-596 (Jones Bl), 200' N of Evergreen Av. 29950	27700	28580	30600	32000	31200	30500	33400	30500	32500
0591 HRLY 00	SR-596 (Jones Bl), 100' S of W Elton Av. 32000	29100	29570	34720	34500	33600	33000	36700	34500	34500*
0592 HRLY 00	SR-596 (Jones Bl), .1 mi N of US-95 (Las Vegas Ex). 30400	25700	24280	33525	34400	34400	34400	33300	35000	35000*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0593 HRLY 01	SR-596 (Jones Bl), .1 mi S of Vegas Dr. 25400	21700	20900	25395	26000	25700	24600	26900	26500	27000
0594	SR-596 (Jones Bl), .1 mi N of Smoke Ranch Rd. 16200	13400	13840	15330	16400	16200	16200	14900	15500*	15000
0595 HRLY 00	SR-596 (Jones Bl), .1 mi S of Gowan Rd. 9600	8000	7870	9365	9400	9500	9500	9550	9800	8900
0596 HRLY 98	Decatur Bl, .2 mi N of SR-593 (Tropicana Av). 16400	17500	18720	19100	21100	21200	23500	30500	31000	31000*
0597 HRLY 01	Decatur Bl, 250' N of SR-592 (Flamingo Rd). 28500		31050	34600		33600	34000	36200	38000	35000
0598 HRLY 01	Decatur Bl, 300' N of Spring Mtn Rd. 33390		34750		38600	39300	39000	41200	43500	41000
0600 HRLY 00	Decatur Bl, .1 mi N of SR-589 (Sahara Av). 47500		43260	43000		46400	50000	51300	45000*	46000
0601 HRLY 99	Decatur Bl, 300' N of Doe Av. 46470		50700		47900	48000	52900	46500	48000	
0602 HRLY 00	Decatur Bl, .1 mi N of SR-159 (Charleston Bl). 45750		48900	51800		48000	48000	53400	47500	47000
0604 HRLY 00	Decatur Bl, 300' S of US-95 (Las Vegas Ex). 49100		52480	52100		48300	50500	56200	51000	53000
0605 HRLY 96	Decatur Bl, .1 mi N of W Washington Av. 32185		34000		33600	36300	37500	35300	37000	35900*
0606 HRLY 00	Decatur Bl, .2 mi N of Vegas Dr. 38650		30255		31500	31900	33400	35000	33000*	32000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0607 HRLY 00	Decatur Bl, 300' S of Smoke Ranch Rd. 26860		28375		20100	20700	22700	23500	22000	25000
0608 HRLY 99	Decatur Bl, .2 mi W of Rancho Dr 11050	12000	13950	16250	16200	15800	16500	17400	17600	20000
0610	Valley View Bl, .1 mi S of SR-589 (Sahara Av). 33200	30900	30240	29360	29600	31700	31000	29900	30500	30000
0611 HRLY 99	Valley View Bl, 150' N of La Pasada Av & .25 mi N of SR-589 (Sahara Av). 27030		29130	29400	27500	27500	29600		33000	29000
0612 HRLY 00	Valley View Bl, .1 mi N of W Oakey Bl. 23740		25870		26100	24400	24500	26900	24600	27800
0614 HRLY 00	SR-599 (Rancho Rd), .4 mi S of SR-159 (Charleston Bl) btwn Laurie & Llewellynn Dr. 22000	18900	19965	21260	24300	23100	24500	22500	24300	22000
0615 HRLY 01	SR-599 (Rancho Rd), 250' S of Vegas Dr. 29700	27900	29750	35700	37000	41700	41600	42900	42000	43000
0616 HRLY 00	SR-599 (Rancho Rd), .1 mi S of Carey Av. 23350	21800	21080	32740	36400	37000	38400	40900	38900	38000
0617 HRLY 00	SR-599 (Rancho Rd), .1 mi N of Carey Av. 19650	18600	21800	29950	33000	34500	35800	35200	34900	34000*
0618 HRLY 01	SR-599 (Rancho Rd), .1 mi S of SR-574 (Cheyenne Av). 28500	27000	29900	27945	28800	28800	30000	30900	28600	29000
0619 HRLY 00	Martin L King Bl, .2 mi N of SR-159 (Charleston Bl). 15700		16150	15000	15500		13000	18800	14000	14000*
0621 HRLY 01	Martin L King Bl, 300' N of SR-579 (Bonanza Rd). 20470		21875	22200	22600		24400	26700	27200	30000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0622 HRLY 01	Martin L King Bl, .1 mi N of Owens Av. 18600		21260	26500	26600		26000*	25000	28700	30000
0623 HRLY 00	Martin L King Bl, .3 mi S of Carey 200' S of Balzar Av. 15600	18800	22900	24900		26200	27200	28800	32000	
0624 HRLY 01	Martin L King Bl, .7 mi S of SR-574 (Cheyenne Av) 150' N of Cartier Av. 3585 3600 9050 12820 18000 19700 22000 23800							25800	26000	
0625	SR-602 (Casino Center Bl), btwn Clark Av & Lewis Av. 7435 8290 7400 6700					7000	7400	7200*	7000*	
0626 HRLY 99	4th St, btwn Clark Av & Lewis Av. 6040 5910 6270 6270			5900	5400	8000	7300	6500	6500	6500*
0627 HRLY 97	4th St, 100' S of Ogden Av. 6200 6065 6870 6870			6500	7000	8300	8300	7400*	7400*	
0628 HRLY 01	Paradise Rd, 200' N of Twain Av. 37100 40700 41100 40800			42800	45000	48500	45400	45500	45000	
0629 HRLY 00	Maryland Pk, 200' N of Hacienda Av. 17900 16415		16100		16500	19500	18400	20400	18000	
0630 HRLY 01	Maryland Pk, 500' S of SR-592 (Flamingo Rd). 38500 37215 36400			38800	38000*	37000	37000	37000	36000	
0631 HRLY 99	Maryland Pk, 900' N of SR-592 (Flamingo Rd). 42400 40800 43000 43530 43900			44700	43500	42600	42000	43000		
0632 HRLY 00	Maryland Pk, 250' S of Sierra Vista Dr. 42400 41880 42200			42700	42000	42000	41400	42000		
0633 HRLY 99	Maryland Pk, .1 mi N of Desert Inn Rd. 39100 35700 43100 42990 42900				44100	43000	42000	40000	43000	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0635 HRLY 01	Maryland Pk, .1 mi N of Sahara Av btwn Exley Av & San Pedro Dr.	34700	30370	31000	31900	29000	28700	32000	30000	
0636 HRLY 00	Maryland Pk, .1 mi N of SR-159 (Charleston Bl) North of Bonneville Av.	14200	14500	15700	18200	18600	19400	19500	18700	18400*
0637 HRLY 96	Maryland Pk, .1 mi S of E Bonanza Rd.	12540	12300	11900	12500	12000	12100	11900	12000	
0638 HRLY 98	Maryland Pk, 300' N of E Bonanza Rd.	7370	7520	7300	7500	6850	7150	7900	8000	
0640 HRLY 98	Bruce St, 125' N of Todd Av.	9130	10390	9600	9300	9500	10600	10700	10000	
0641 HRLY 98	Bruce St, 300' N of E Owens Av & 100' N of E Webb Av.	6525	5795	6160	6650	6700	6750	6850	8500	7800
0643 HRLY 01	Bruce St, .1 mi N of SR-147 (Lake Mead Bl).				5350	5520	5800	5700	6700	6400
0644 HRLY 98	SR-607 (Eastern Av), .2 mi N of Patrick Ln.	35000	37720	35800	37700	39000	37900	39500	38000	
0645 HRLY 00	SR-607 (Eastern Av), 125' S of Reno Av.	26600	34440	34800	34700	33500	34400	33500	28000	
0646 HRLY 99	SR-607 (Eastern Av), 200' N of Harmon Av.	28900	29700	29300	33980	36400	35100	35500	35300	35500
0647 HRLY 02	SR-607 (Eastern Av), 300' N of SR-592 (Flamingo Rd).	29650	28700	28300	34170	35000	35300	35000	35000	31000
0648 HRLY 99	SR-607 (Eastern Av), .1 mi N of Desert Inn Rd.			29320	31900	33100	35000	34100	32000	36000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0649 HRLY 99	SR-607 (Eastern Av), .1 mi S of SR-589 30770			33300	(Sahara Av). 34500		34500	34000	33000	36000
0651 HRLY 01	SR-607 (Eastern Av), 400' S of Stewart Av. 28400	28700	30040	30200	31400	29500	29500	36000	34000	
0652 HRLY 01	SR-607 (Eastern Av), .2 mi N of Washington Av & 100' N of Theresa Av. 25600	26200	28540	28455	28700	29500	30900	31200	29300	29300*
0653 HRLY 01	SR-607 (Civic Center Dr), .1 mi N of Tonopah Av North of Perliter Av. 22000	23200	24820	24875	25100	25400	25000	25300	30500	30000
0654 HRLY 01	SR-607 (Civic Center Dr), 200' N of SR-147 (Lake Mead Bl). 15000	16400	18560	18100	18000	19200	18500	18400	21800	22000
0655 HRLY 97	Pecos Rd, .2 mi S of SR-593 (Tropicana Av) & 100' S of Villa Wy. 31900			32300	33100	33000	32700	31500	29000	
0656 HRLY 02	Pecos Rd, .2 mi N of SR-593 (Tropicana Av). 23800	27530		28300	28500	29500	27900	27500	26000	
0657 HRLY 01	Pecos-McLeod Rd, 300' S of Twain Av. 23400	20100		23300	23200	22500	21800	19300	19000	
0658 HRLY 01	McLeod Dr, 100' S of Karen Av. 13800	11500		12000	11900	12000	12500	10700	11000	
0659 HRLY 98	St Louis Av, .1 mi S of Wyoming Av. 10500	11800	13000	13600	13400	13500	14400	12800	12000	
0660 HRLY 98	Pecos Rd, 250' S of Stewart Av. 16500	15000	15500	17060	18700	19900	20000	21200	19800	19000
0662 HRLY 96	Pecos Rd, btwn Lilis Av & Glendale Av. 14100	13200	13500	14445	15100	15900	14500	14600	15600	15700

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0663 HRLY 00	Pecos Rd, .1 mi N of SR-604 (Las Vegas Bl). 10200	11850	12000	13200	12800	13900	13000	14000		
0664	SR-610 (Lamb Bl), .3 mi S of SR-159 (Charleston Bl). 30030	28700	28900	30400	30700	31500	27000			
0666 HRLY 00	SR-610 (Lamb Bl), 75' N of Carey Av. 13230	13495	15400	17800	18000	20200	18900	18000		
0668 HRLY 99	Mountain Vista St, .2 mi S of SR-593 (Tropicana Av). 22460	22895	23300	24300	23500	23200	20800	22000		
0669 HRLY 01	IR-15, from M.L.K.Bl to IR-15 N/B of the Downtown Ex Intch. 0	0	0				1200	1300		
0670 HRLY 02	SR-612 (Nellis Bl), 100' S of Harmon Av. 14950	15700	15745	16165	16700	17200	17900	18200	18200*	18200*
0671 HRLY 01	SR-612 (Nellis Bl), .2 mi N of SR-582 (Flamingo Rd). 33700	35200	35990	33850	37000	37900	38600	38600	34500	38000
0672 HRLY 01	SR-612 (Nellis Bl), 150' N of Linda Av. 29700	33300	33425	33080	34800	37800	37400	38000	36000	39000
0673 HRLY 00	SR-612 (Nellis Bl), .1 mi N of Vegas Valley Dr. 31100	36700	37485	37880	39200	40200	42800	43500	40000	39000
0675 HRLY 97	SR-612 (Nellis Bl), .2 mi S of SR-579 (E Bonanza Rd). 43800	47500	46380	44620	48600	49600	49400	49400	47500	49400*
0676 HRLY 97	SR-612 (Nellis Bl), 100' N of E Monroe Av. 37500	39600	38400	39035	40300	41900	40400	40400	37300	39000
0677 HRLY 98	SR-612 (Nellis Bl), .1 mi N of SR-147 (Lake Mead Bl). 29700	28200	30000	29000	29200	32100	32100	30400	27700	29000*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0678 HRLY 99	SR-612 (Nellis Bl), 300' S of Alto Dr. 27600	26300	26640	26800	27600	29800	29800	28700	26500	28700
0679 HRLY 98	SR-612 (Nellis Bl), 300' N of SR-574 (Cheyenne Av). 24600	22700	22700	23540	24400	25900	25900	23300	23800	25900
0680 HRLY 00	SR-612 (Nellis Bl), .1 mi S of SR-604 (N Las Vegas Bl). 14500	14200	15395	15180	16000	17000	17000	16400	17200	19900
0681 HRLY 01	SR-592 (W Flamingo Rd), .1 mi E of SR-595 (Rainbow Bl). 26000	27400	31400	35690	42300	42800	43000	41800	42500	36000
0682 HRLY 01	SR-592 (W Flamingo Rd), .3 mi W of Decatur Bl & 500' W of Edmund St. 43400	40400	43960	44800	47000	54100	53000	51500	51500	46000
0683 HRLY 01	SR-593 (Tropicana Av), .1 mi W of Decatur Bl. 38300	40400	44600	50120	54900	58200	63000	61900	56500	57000
0685 HRLY 99	Mountain Vista St, .5 mi N of SR-562 (Sunset Rd). 24850	24600	24200	21815	23600	24300	23500	24800	23700*	22000
0686 HRLY 01	Callville Bay Rd, .1 mi E of N Shore Rd to Overton. 640	670	560	550	590	590	580	630	680	
0687 HRLY 99	Needles Hw, .5 mi S of SR-163 (Laughlin Hw). 1075	1165	1090	2000	2000	2000	2000	1900	1700	1600
0688 HRLY 99	Needles Hw, .1 mi S of Bruce Woodbury Dr. 10830	11500	11600	11270	11100	11100	11000	10300	9800	9900
0689 HRLY 01	SR-163 (Laughlin Hw), .4 mi E of Needles Highway. 4585	4435	5700	5950	6000	5900	5750	5400	5700	5800
0690 HRLY 00	Davis Dam Rd, 200' E of Casino Dr. 1520	1855	1680	1010	950	850	800	800	780	810*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0691 HRLY 00	Casino Dr, .1 mi S of Davis Dam Rd. 1695	1360	1500	575	550	500	350	350	395	390*
0692 HRLY 00	Bruce Woodbury Dr, .6 mi W of Edison Dr. 10700	11100	11400	9840	10400	9900	10500	9500	8900	8900*
0693 HRLY 00	Bruce Woodbury Dr, .2 mi E of Needles Highway. 10100	10500	10800	10490	9200	8900	9000	8500	8200	8200*
0694 HRLY 96	Pecos Rd, 150' N of E Bonanza Rd. 19950	17900	17940	23515	23100	24800	23500	24000	24000	23000
0695 HRLY 01	US-95, S/B off-ramp of the RxR Pass Intch "Exit 56". 2730	2590	2955	3025	2850	3050	3495	3615	3360	3800
0696 HRLY 01	US-95, S/B on-ramp of the RxR Pass Intch "Exit 56". 355	370	395	470	420	540	560	510	470	520
0697 HRLY 98	SR-171 (Airport Co), N/B on-ramp of the Airport Co Intch. 3225				3535		4340	3630	3500	3100
0698 HRLY 01	US-95, N/B off-ramp of the RxR Pass Intch "Exit 56". 395	365	420	500	440	560	560	520	470	540
0699 HRLY 01	US-95, N/B on-ramp of the RxR Pass Intch "Exit 56". 2850	2935	3090	3370	3255	3485	3780	3745	3480*	4100
0700 HRLY 99	US-95, N/B off-ramp of the Valley View Bl Intch "Exit 77". 9655	7650	7350	7375	6670	6875	5380	6700	6300	6500
0701 HRLY 99	US-95, N/B on-ramp of the Valley View Bl Intch "Exit 77". 4415	4700	5180	5970	5355	5845	7585	7500	7420	7800
0702 HRLY 99	US-95, S/B off-ramp of the Valley View Bl Intch "Exit 77". 5400	5450	6090	6835	7225	6785	8810	8980	7700	8200

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0703 HRLY 99	US-95, S/B on-ramp of the Valley View Bl Intch "Exit 77". 7655	5905	5780	5560	4965	4545	3960	4600	4320	5100
0704 HRLY 00	IR-215, W/B on-ramp of the Warm Springs-Airport Co Intch from W/B Warm Springs Rd. 6900	6330	6950	5805	5800	6200				
0707 HRLY 01	US-95, N/B off-ramp of the Jones Bl Intch "Exit 79" 100' W of the Downtown Ex. 12885	11400	12185	11485	12470	12840	11045	10805	10800*	11000
0708 HRLY 01	US-95, N/B on-ramp of the Jones Bl Intch "Exit 79" 50' E of the Downtown Expy. 3335	4000	4615	4550	5600	5800	6605	6665	6990*	6800
0709 HRLY 99	US-95, S/B off-ramp of the Jones Bl Intch "Exit 79" 300' E of the Downtown Ex. 4110	4760	5450	6065	6615	6815	7530	7685	8000	7700
0710 HRLY 99	US-95, S/B on-ramp of the Jones Bl Intch "Exit 79" 10' W of the Downtown Ex. 11870	10360	11260	10775	10310	11000	9690	10005	11000	11000
0711 HRLY 01	SR-595 (Rainbow Bl), .2 mi N of Alta Dr. 42200	41100	44680	42300	44800	52000	53900	55100	55200	54000
0713 HRLY 01	US-95, 300' S of Lone Mtn Rd. 18960	24930	25915	29300	32920	34745	44380	48820	57200*	67780
0715 HRLY 00	US-95, .5 mi S of the Alexander Rd Overpass. 28525	36040	39810	46025	53090	56885	66080	70220	76600	85680*
0716 HRLY 01	US-95, 100' S of Cheyenne Av Intch "Exit 83". 45400	50450	56940	64580	74710	78680	92220	97035	102600*	107940
0717	IR-15, btwn Speedway "Exit 54" & Apex Rd "Exit 58". 17160						18620	19845	19330*	20460*
0718 HRLY 01	US-95, .2 mi S of Vegas Dr. 65370	68550	75585	84430	94330	95260	109910	116250	122000	123940

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0719 HRLY 00	US-95, 300' S of Summerlin/Rainbow Intch "Exit 81". 85000	103675	117600	128005	138640	146670	161145	175005	182450	183940*
0720 HRLY 00	US-95, .4 mi N of the Ann Rd Intch. 19400	23850	27090	27780	28500	29600	22985	24775	31000	41180*
0721 HRLY 01	SR-599 (Rancho Dr), North of Lone Mountain Rd. 10500	12700	11600	11950	12900	13400	16600	16400	16800	16800*
0722 HRLY 01	US-95, N/B on-ramp of the Rainbow-Summerlin Intch "Exit 81-B" .25 mi N of Rainbow Bl. 10600	8865	9500	10945	10630	11045	12135	12230	13900	13000
0723 HRLY 01	Statz St, .1 mi N of Owens Av.						2150	2200	2300	2200
0724 HRLY 01	Owens Av, .4 mi W of Hollywood Bl.						3850	3900	4400	4500
0725	Washington Av, 200' E of Hollywood Bl.						1100	1100	1250	1250*
0727 HRLY 01	IR-215, E/B on-ramp of the Warm Springs-Airport Co Intch. 8300				11180	12300	12155	17400	18000	
0728 HRLY 00	IR-15, btwn the Henderson Intch "Exit 27" & the Arden Intch "Exit 33" at mp-30. 27785	29855	34370	34795	34795	36000	36035	36620	40700	42900
0729 HRLY 01	IR-15, .1 mi N of the Glendale Intch "Exit 91" .2 mi N of mp-93.1 12300	13605	13225	14160	13715	14285	14875	15975	17800	18450
0730 HRLY 01	IR-15, 2 miles S of Valley of Fire Intch "Exit 75". 11960	13225	13135	13975	13630	14290	15245	16335	17050	18150
0731 HRLY 00	IR-15, N/B on-ramp of the Charleston Bl Intch "Exit 41". 9570	8950	9100	8400	9050	6720	6845	7085	8500	8000*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0732 HRLY 99	Grand Central Pk, btwn Charleston Bl & the N/B ramps to IR-15.	14325	12100	14300	14400	14550	14600	14700	14500	16700	16700*
0733 HRLY 00	SR-582 (Boulder Hw), .2 mi N of Gibson Rd.	24300	28800	30250	24140	23500	27100	29800	30200	31000	31000*
0734 HRLY 96	SR-147 (Lake Mead Bl), .4 mi E of Los Feliz St.	2825	2525	2500	2630	2850	2500	3100	3450	3000	3000
0735 HRLY 01	SR-573 (Craig Rd), 200' E of US-95 Ex.	16500	17800	18300	25265	28100	33000	28700*	29500	29000	28000
0736 HRLY 96	SR-574 (Cheyenne Av), .1 mi W of SR-610 (Lamb Bl).	11100	12350	12460	12885	12600	13100	13800	14000	14300	18000
0737 HRLY 97	SR-574 (Cheyenne Av), .1 mi E of SR-610 (Lamb Bl).	10700	11400	11475	11530	12400	12900	13200	13300	13800	15500
0738	SR-596 (Jones Bl), 100' S of Edna Av.	27600	23700	24700	27490	30000	28800	29500	30000	29800	29800*
0739 HRLY 00	SR-596 (Jones Bl), btwn SR-589 (Sahara Av) & O'Bannon Dr.	26050	23800	25370	26800	29200	28000	28500	29600	26700	28900
0740 HRLY 97	Warm Springs Rd, .2 mi E of SR-607 (Eastern Av).	14500	13200	16000	17800	23900	32000	29000	32000	30500	25000
0741 HRLY 00	Buchanan Bl, 300' S of Adams Bl.	4890	4755	5200	5530	5800	6200	6000	5550	6000	6100
0742 HRLY 00	Buchanan Bl, 300' S of Club House Dr in Boulder City.		2000	2420	2850	3050		2400	2400	2600	2500
0743 HRLY 00	Georgia Av, .1 mi S of Adams Bl in Boulder City.	1870	2110	2200	2400	2650	2750	2850	2300	3200	3200*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0745 HRLY 00	College Dr, .1 mi N of Horizon Dr in Henderson.	4200	4560	5250		5400	5600	5950	6300	7300
0746	West Cliff Dr, .1 mi E of Durango Dr.						8150	8150	9000	9200
0748 HRLY 01	Warm Springs Rd, 100' E of Placid & btwn Placid & Bermuda.	11750	12700	15400	17250	16100	16500	18000	18900	18000
0750 HRLY 00	IR-215, W/B off-ramp to Stephanie St.								1000	2000
0751 HRLY 00	SR-574 (Cheyenne Av), 100' E of off-ramp to US-95.	29900	32300	33500	35660	37600	39100	43300	47100	45000
0752 HRLY 96	SR-574 (Cheyenne Av), 100' W of Michael Wy.	16800	18600	19900	20995	21100	21900	26300	28300	27700
0753 HRLY 00	Lake Mead Bl, 100' E of Rainbow Bl.	13970	20200			23800	29500	29900	30800	32000
0754 HRLY 00	Lake Mead Bl, 100' W of Michael Wy.	12600	20670			26200	28500	28900	28500	27500
0755 HRLY 00	Lake Mead Bl, 50' W of Valley View Bl.	7980	16100			22000	23900	24400	24900	25200
0756	Washington Av, 100' E of Mojave Rd.				4850	7600	12400*	13700	15600	15600*
0757 HRLY 97	Washington Av, 1000' E of Sandhill Rd.				5515	9000	9700	10300	14000	13000
0758 HRLY 00	Washington Av, .1 mi W of SR-612 (Nellis Bl).		3410	3740		4850	5450	5600	7400	7800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0759 HRLY 01	Spring Mountain Rd, 17450	200' W of 20600	Torrey Pines Dr. 24680	200' W of 27200	Pines Dr. 31900	30500	25000	23200	24200	26000
0760	Spring Mountain Rd, 27100	.2 mi W of 28700	Decatur Bl. 31820	32490	33200	31800	29000	29900	31000	31000*
0761 HRLY 01	SR-607 (Eastern Av), 26000	btwn Maule Av & Helm Dr. 29620	26000	29620	30500	31400	32000	33600	34000	34000
0762 HRLY 01	SR-607 (Eastern Av), 19330	btwn Robindale Rd & Buckboard Ln. 19000	19000	20900	24000	27400	28900	28000		
0763 HRLY 98	Pecos Rd, 23700	150' N of 30000	Patrick Ln. 32700	31240	30400	30900	33000	32200	31000	26000
0764 HRLY 98	Pecos Rd, .1 mi N of 24900	Smoke Tree Ln. 22585	22585	22900	24700	25000	25400	25400	22000	
0766 HRLY 01	Koval Ln, 22400	500' S of 25500	SR-592 (Flamingo Rd). 24110	26100	28500	27000	29500	29500*	31000	
0767	Antelope Wy, 300' N of Alta Dr.								4100	3600
0770 HRLY 00	Swenson St, 21600	400' N of 26700	Demet Dr. 29400	28150	29700	30400	29000	29000	29000*	29000*
0772 HRLY 98	Swenson St, 15400	300' N of 16700	SR-583 (Tropicana Av). 23000	22000	23200	23800	22000	25200	23600	26000
0773 HRLY 96	Swenson St, 16500	600' S of 17900	SR-592 (Flamingo Rd). 18100	17330	20300	21400	21000	20500	19000	20000
0774 HRLY 01	Swenson St, 15400	200' N of 15000	SR-592 (Flamingo Rd). 17600	15330	15900	15900	16000	15900*	17100	17000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0775 HRLY 01	Swenson St, 100' S of Sierra Vista Dr. 17700	17100	18600	16200	18600	18300	20000	21500	18000	18000
0776 HRLY 01	Joe W Brown Dr, 100' N of Desert Inn Rd. 19600		17000	16700	16500	17000	15200*	15700	15700*	
0777 HRLY 99	Saint Rose Pk, .7 miles E of Eastern Av.						13600	11700	10500	
0778 HRLY 96	Green Valley Pk, 150' S of La Mesa Dr. 27000		27200	25500	26000	27000	28500	28800	29000	
0779 HRLY 01	US-95, N/B on-ramp of the Charleston Bl Intch "Exit 72". 14115	14555	15650	15575	15830	16000	15865	16590	16700*	17000
0780 HRLY 01	US-95, N/B on-ramp of the Las Vegas Bl Intch "Exit 75-B". 6965	7500	7250	7690	8575	7765	7365	8085	8100*	8200
0781 HRLY 01	US-95, S/B off-ramp of the Las Vegas Bl Intch "Exit 75-B". 7060	7630	7605	7445	8300	7365	6980	7695	7700*	7400
0782 HRLY 00	US-95, S/B on-ramp of the Las Vegas Bl Intch "Exit 75-B". 9425	9635	9450	7680	10150	10900	9980	10680	9000	8000
0783 HRLY 01	US-95, N/B off-ramp of the Las Vegas Bl Intch "Exit 75-B" 150' S of Las Vegas Bl. 9370	9315	9555	9065	9805	10365	9780	10060	8700	8800
0784 HRLY 98	US-95, btwn the Las Vegas Bl Intch "Exit 75-B" & the Eastern Intch Av "Exit 73". 117920	124125	133355	135145	141745	149830	148895	143125	148200*	146300*
0785 HRLY 00	US-95, N/B on-ramp of the Eastern Av Intch "Exit 73" 50' S of US-95. 15535	14960	15260	15310	13260	17140	15065	15435	16800	16000
0786 HRLY 01	US-95, S/B off-ramp of the Eastern Av Intch "Exit 73" 300' S of US-95. 15735	15590	16460	15760	15560	16375	14900	14160	16100	17000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0787 HRLY 01	US-95, S/B on-ramp of the Eastern Av Intch "Exit 73" 200' N of US-95. 4275	3795	4330	4185	4695	5080	4380	4680	4900	4900
0788 HRLY 01	US-95, N/B off-ramp of the Eastern Av Intch "Exit 73" 300' N of US-95. 4755	4400	5010	4770	5990	5345	5075	5010	5900	5900
0789	US-95, 500' S of Mojave Rd btwn Eastern Av Intch "Exit 73" & Charleston Bl Intch "Exit 72". 95680	101770	110975	113030	123610	126740	128385	123220	126100*	124100*
0790 HRLY 00	SR-607 (Eastern Av), 200' N of the Eastern Av Intch "Exit 73" of US-95. 43600	40300	41000	40965	46900	47100	47100	49600	53000	53000*
0791 HRLY 01	US-95, S/B off-ramp of the Charleston Bl Intch "Exit 72". 12940	13465	13575	14230	16475	16655	16505	14575	14800	15000
0792 HRLY 00	IR-15, S/B off-ramp of the Flamingo Rd Intch "Exit 38" to E/B Flamingo Rd 10000	9390	11200	10740	10870	12345	10910	14095	14000*	14000*
0795 HRLY 00	Charleston Bl, 400' E of N/B ramps of US-95. 52400	54700	58400	62040	66300	68200	65500	67000	68000	68000
0796 HRLY 01	Laughlin Bridge Rd, Nevada side of the Bridge. 38200	40450	40380	42160	41300	38800	39000	39000	38000	38500*
0797 HRLY 01	SR-582 (Boulder Hw), .2 mi S of the IR-515 ramp. 37950	38000	39730	42765	45600	47500	45100	42600	42000	41000
0798	US-95, btwn Boulder Highway & the Flamingo Rd Intch "Exit 69". 83945	88365	99260	103365	114935	118345	122765	120290	123100*	120500*
0799	US-95, btwn Boulder Highway & the Charleston Bl Intch "Exit 72". 88230	93215	103675	106510	116990	120035	123485	120295	123700*	122100*
0800 HRLY 01	US-95, N/B off-ramp of the Charleston Bl Intch "Exit 72". 9665	9415	10550	11215	11850	11970	13055	13485	13900	14000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0801 HRLY 01	US-95, S/B on-ramp of the Charleston Bl Intch "Exit 72". 9940	10050	11375	11950	13835	13980	14415	14755	15200	16000
0802 HRLY 01	IR-15, S/B on-ramp of the Craig Rd Intch from W/B Craig Rd. 7330	7700	7500	7700	8515	10000	10150	10150	9000	9300
0803 HRLY 01	US-95, N/B on-ramp of the Boulder Highway Intch "Exit 70". 9235	8890	9755	10925	11400	11155	10075	10500	11300	11000
0804 HRLY 00	US-95, N/B off-ramp of the Boulder Highway Intch "Exit 70". 6110	5640	6530	8510	9715	9840	9415	9500	10000	10000*
0805 HRLY 01	US-95, S/B on-ramp of the Boulder Highway Intch "Exit 70". 7140	6490	7690	9155	10405	10570	9825	10435	10900	9400
0806 HRLY 01	US-95, S/B off-ramp of the Boulder Highway Intch "Exit 70". 8300	8090	8880	10125	10775	10945	9885	9440	10200*	10000
0807 HRLY 01	US-95, N/B on-ramp of the Tropicana Av Intch "Exit 37". 16500	16300	16335	15955	16675	16700	16450	16330	16500	16000
0808 HRLY 01	US-95, N/B on-ramp of the Flamingo Rd Intch "Exit 38" from W/B Flamingo Rd. 3035	3150	3300	3175	3185	3275	3160	3110	3200*	3200*
0809 HRLY 01	US-95, S/B off-ramp of the Flamingo Rd Intch "Exit 38". 11200	12000	11200	11220	11005	10925	10080	10105	10300*	9900
0810 HRLY 01	US-95, S/B on-ramp of the Flamingo Rd Intch "Exit 38" from W/B Flamingo Rd. 745	860	955	1210	1555	1595	1675	1775	1750*	2400
0811 HRLY 01	US-95, N/B on-ramp of the Flamingo Rd Intch "Exit 38" from E/B Flamingo Rd. 7725	7390	7920	7600	7670	7335	6920	6800	6900	6900
0812 HRLY 01	US-95, S/B on-ramp from E/B Flamingo Rd Intch "Exit 38". 4350	4650	5375	5900	6415	6900	6855	7300	7000	6500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0813 HRLY 01	US-95, N/B off-ramp of the Flamingo Rd Intch "Exit 38". 5370	5845	6420	6500	7135	8610	8915	9450	9000	8600
0814	US-95, btwn the Flamingo Rd Intch "Exit 38" & the Tropicana Av Intch "Exit 37". 72450	77180	89590	94980	108130	113915	120050	118800	120450*	118000*
0815 HRLY 00	US-95, S/B off-ramp of the Tropicana Av Intch "Exit 37". 15700	16800	16640	16515	17345	17180	16620	16165	16500	16000*
0816	SR-146 (Lake Mead Dr), .4 mi E of Mohawk E of Henderson. 5975	6940	5600	8880	10100	10300	10500	11900	12500*	13000
0817 HRLY 00	US-95, N/B off-ramp of the Tropicana Av Intch "Exit 68". 3770	4385	4335	5920	6265	6790	7050	7710	7300	6600*
0818 HRLY 01	US-95, S/B on-ramp of the Tropicana Av Intch "Exit 68". 4085	4640	4550	5640	6135	6685	6425	7575	7000	6400
0819 HRLY 01	US-95, btwn the Tropicana Rd Intch "Exit 68" & Russell Rd Intch "Exit 65". 48105	53105	65500	74070	86560	93510	100455	101590	101750*	100000
0820 HRLY 01	US-95, N/B on-ramp of the Russell Rd Intch "Exit 65". 7565	8490	9360	9240	9315	9735	9920	9935	10000	11000
0821 HRLY 01	US-95, N/B off-ramp of the Russell Rd Intch "Exit 65". 1615	1720	2035	3210	3950	3905	4010	4045	3700	3700
0822 HRLY 01	US-95, S/B on-ramp of the Russell Rd Intch "Exit 65". 1900	2010	2295	3195	3885	3755	3895	4080	3650	3800
0823 HRLY 01	US-95, S/B off-ramp of the Russell Rd Intch "Exit 65". 5820	6575	7580	6960	7980	9045	8400	9315	9500*	11000
0824 HRLY 01	SR-594 (Russell Rd), E of the US-95 Russell Rd Intch "Exit 65". 9010	11125	12320	13650	14900	15400	16500	18900	19700	18200

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0825										84500*
	US-95, btwn the Russell Rd Intch "Exit 65" & the Sunset Rd Intch "Exit 64".									
0826										
HRLY 01	US-95, N/B on-ramp of the Sunset Rd Intch "Exit 64". 6890	7230	7785	8200	10550	12600	14500	14165	14800*	15000
0827										
HRLY 01	US-95, N/B off-ramp of the Sunset Rd Intch "Exit 64". 2255	2310	2790	5945	7155	8285	8625	8595	8300*	7700
0828										
HRLY 01	US-95, S/B off-ramp of the Sunset Rd Intch "Exit 64". 6480	7640	7665	8895	11090	13380	14160	14300	14900	15000
0829										
HRLY 00	US-95, S/B on-ramp of the Sunset Rd Intch "Exit 64". 2945	3290	3805	5940	9155	9145	9380	9520	9000	10900
0830										
HRLY 97	Sunset Rd, W of the Sunset Rd Intch "Exit 64". 19900	23700	28070	31140	38400	39300	44800	47000	44000*	44000*
0831										
	US-95, btwn the Sunset Rd Intch "Exit 64" & the Lake Mead Dr Intch "Exit 61". 30065	32500	44035	59065	71770	73840	79385	80115	77200*	73100*
0832										
HRLY 01	US-95, N/B on-ramp of the Lake Mead Dr Intch "Exit 61". 13135	15250	19760	10210	12720	13150	16430	15645	15700	15000
0833										
HRLY 01	US-95, S/B off-ramp of the Lake Mead Dr Intch "Exit 61". 16930	17250	22485	11735	15660	14385	16435	16875	17500	18000
0834										
HRLY 99	SR-146 (Lake Mead Dr), .2 mi E of the N/B ramps of the US-95 Lake Mead Dr Intch "Exit 61". 40800	49700	51580	30100	37000	38600	46000	49200	46500*	46000
0835										
HRLY 00	Paradise Rd, .2 mi N of SR-592 (Flamingo Rd). 29000	34600	34600	34790	34600	33200	36000	35000*	37200	36800
0837										
HRLY 01	SR-592 (Flamingo Rd), 750' W of SR-606 (Maryland Pk). 59300	59300	64800	59180	65400	66400	61000	61700	64500	62000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0838 HRLY 01	SR-592 (Flamingo Rd), 75' W of Hazelcrest	52200	51200	50270	54100	56700	58800	55300	55000	57000
0839 HRLY 00	SR-592 (Flamingo Rd), 200' E of the IR-515 Flamingo Rd Intch	34600	33830	32410	35000	35000	36000	32100	35000	34500*
0840 HRLY 01	IR-15, btwn the Primm Intch "Exit 1" & the Jean Intch "Exit 12".	26210	27910	31985	32740	32225	33220	34260	35195	38200
0841 HRLY 01	IR-15, btwn the Jean Intch "Exit 12" & the Sloan Intch "Exit 25".	27230	28800	33275	34730	33755	35265	35675	37165*	39800
0842 HRLY 01	IR-15, .9 mi S of the Henderson Intch "Exit 27".	28110	30010	34520	35680	34920	36440	36610	37535	40500
0843 HRLY 01	IR-15, btwn the Lamb Bl Intch "Exit 50" & Hollywood-Speedway Intch "Exit 54".	12590	13560	14295	15405	16010	17635	19595*	21730	22600
0844	IR-15, btwn the Valley of Fire Intch "Exit 75" & the Ute Intch "Exit 80".	11670	12935	12715	13595	13280	13950	14980	15800	16700*
0845	IR-15, btwn the Ute Intch "Exit 80" & Byron Intch "Exit 84".	11670	12935	12715	13595	13285	13955	14985	15790	16700*
0846	IR-15, btwn Byron Rest Area Intch "Exit 84" & the Hidden Valley Intch "Exit 88".	11670	12935	12715	13595	13275	13945	14975	15790	16700*
0847	IR-15, btwn the Moapa Intch "Exit 90" & the Glendale Intch "Exit 91".	10370	11755	11510	12295	12055	12570	13260	14250	15700*
0848	IR-15, btwn the W Mesa Rest Area & Carp-Elgin Intch "Exit 100".	10910	12195	12300	12655	12080	12550	12655	14205	15800*
0849	IR-15, btwn the Carp-Elgin Intch "Exit 100" & E Mesa Intch "Exit 109".	10910	12195	12300	12655	12070	12540	12665	14195	15800*
										16570*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0850	IR-15, btwn the E Mesa Intch 10910	12195	12300	12655	12125	12615	12740	14285	112". 15800*	16630*
0851 HRLY 01	US-95, .8 mi N of SR-163 (Laughlin-Davis Dam Hw). 5120	5100	5625	5535	5900	6550	6750	5600	6200	6700
0852 HRLY 98	SR-146, 1.3 mi W of Gibson Rd. 11850	14500	17215	21700	25100	24500	24500	36500*	43000*	
0853 HRLY 01	US-95, N/B off-ramp of the Rainbow Bl-Summerlin Pk Intch 3985	2770	3000	3000	2865	3000	2685	2680	2780	2500
0854 HRLY 01	US-95, N/B off-ramp of the Rainbow Bl-Summerlin Pk Intch 14250	8775	9550	9500	7335	7500	6575	6655	5800	5500
0855 HRLY 01	US-95, S/B off-ramp of the Rainbow Bl-Summerlin Pk Intch 130	1620	2170	3100	4400	4895	6055	8185	9100	10000
0856 HRLY 01	US-95, S/B off-ramp of the Rainbow Bl-Summerlin Pk Intch 9645	7230	8175	9050	8100	8635	9270	9560	9500	8500
0857 HRLY 01	US-95, S/B on-ramp of the Rainbow-Summerlin Intch 1400	13160	17000	19520	22095	26370	27325	32660	34200	34200*
0858 HRLY 01	US-95, E/B off-ramp (to Rainbow Bl) of the Rainbow-Summerlin Intch 750	1455	2115	2180	3360	4650	5320	6970	8500	9000
0859	Stewart St, .1 mi E of Nellis Bl.						8600	8600	12700	13000
0860	Christy Ln, 350' N of Washington Av.						3050	3050	2700	2700*
0861 HRLY 00	IR-215, W/B on-ramp from Stephanie St.								7600	11000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0862 HRLY 99	Rainbow Bl, S of the Rainbow-Summerlin Intch "Exit 81A" & N of Westcliff Dr.	59275	48800	54000	53230	56400	68300	60000	61650	62000*
0863 HRLY 01	US-95, S/B on-ramp (from Rainbow Bl) of the Rainbow-Summerlin Intch.	14000	11000	11175	11295	8910	9080	8385	8825	8880
0864 HRLY 01	US-95, S/B on-ramp (from Summerlin Pk) of the Rainbow-Summerlin Intch "Exit 81-A".	4535	3335	3705	3745	3920	4000	3310	3320	3600
0865 HRLY 98	US-95, N/B off-ramp of the Rainbow-Summerlin Intch "Exit 81-A" to Summerlin Pk.	1835	13800	17430	19610	22315	26035	30415	34590	37700
0866 HRLY 98	Summerlin Pk, .1 mi W of Rampart Bl W/B off-ramp.				16700	22500	27800	35500	43500	47000
0867 HRLY 99	SR-562 (Sunset Rd), 250' E of Gibson Rd.	18200	21200	25330	22140	29500	30200	25000	24800	24800*
0868 HRLY 97	SR-604 (Las Vegas Bl), btwn the IR-215 Intch & Sunset Rd.	20685	25160	26430	28120	25000	22000	24000	26300	28300
0869 HRLY 00	IR-215, E/B on-ramp from Pecos Rd.	0	0	0					7300	9800
0871 HRLY 01	US-95, S/B on-ramp of the Cheyenne Av Intch "Exit 83".	11235	11450	12950	14100	16795	16870	19000	20000	20000
0872 HRLY 01	US-95, N/B off-ramp of the Cheyenne Av Intch "Exit 83".	10900	10350	12700	13625	14980	15125	17950	19130	19100
0873 HRLY 01	US-95, N/B on-ramp of the Cheyenne Av Intch "Exit 83".	3075	4140	4570	4830	4760	5080	5520	6180	6500
0874 HRLY 01	US-95, S/B off-ramp of the Cheyenne Av Intch "Exit 83".	2185	3250	3950	4340	5395	5120	5290	6135	6600
										6700

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0875 HRLY 01	US-95, S/B off-ramp of the Craig Rd Intch "Exit 85". 1025	1245	980	1255	1615	1760	2115	2585	3100	3500
0876 HRLY 01	US-95, S/B on-ramp of the Craig Rd Intch "Exit 85". 6710	7625	9120	11410	12925	14240	14400	14365	13800	13000
0877 HRLY 00	US-95, N/B off-ramp of the Craig Rd Intch "Exit 85". 5085	6070	7340	8390	11015	11910	12970	12560	12300	12000*
0878 HRLY 00	US-95, N/B on-ramp of the Craig Rd Intch "Exit 85". 1205	1340	1585	1695	2155	2250	2335	2940	3600	3600*
0879 HRLY 01	IR-215, W/B on-ramp to N/B IR-15 from Las Vegas Bl. 2365		3235		3160		4040	4100	4700	4800
0880 HRLY 99	US-95, N/B off-ramp of the Wagon Wheel Dr Intch "Exit 56" to Wagon Wheel Dr. 470		510		510		570	470	520	450
0881 HRLY 01	US-95, S/B on-ramp of the Wagon Wheel Dr Intch "Exit 56" from Wagon Wheel Dr. 280		245		275		265	335	330	340
0882 HRLY 01	US-95, N/B off-ramp of the Wagon Wheel Dr Intch "Exit 56" from US-95 to Boulder Hw. 3110		3250		3155		2875	2900	3070	2700
0883 HRLY 99	US-95, S/B on-ramp of the Wagon Wheel Dr Intch "Exit 56" from Boulder Hw to IR-515. 3860		3840		4245		4160	3465	3560	3560*
0884 HRLY 99	US-95, S/B off-ramp of the Wagon Wheel Dr Intch "Exit 56" to Wagon Wheel Dr. 1460		1695		2105		2020	2120	2180	2300*
0885 HRLY 01	US-95, N/B on-ramp of the Wagon Wheel Dr Intch "Exit 56" to US-95. 1190		1525		1810		1865	1905	2200	2200
0886 HRLY 01	Wagon Wheel Dr, E of the N/B on-ramp to US-95. 3270		4000		4580		4900	4900	4900	5000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0887 HRLY 00	SR-171 (Airport Co), N of IR-215.					52145	57500	57100	86800	81200*
0888 HRLY 99	Dawson Av, W of the S/B ramps of the Wagon Wheel Dr Intch "Exit 56".	1310	1500	1700	1450		1450	1450*	1450*	1450*
0889 HRLY 99	Wagon Wheel Dr, 10' W of Appaloosa Rd.	2415	3200	3800	4150		4700	5150	4400	
0890 HRLY 01	SR-582 (Boulder Hw), .1 miles S of Magic Wy.	9340	9700	8650	9500		7900	9350	9350*	
0891 HRLY 01	SR-582 (Boulder Hw), .2 mi N of Wagon Wheel Dr.	2180	2600	1250	2200		2555	2760	2700	
0892 HRLY 97	SR-582 (Boulder Hw), .1 miles S of Roberts St.	5290	5800	4405	5650		6550	6020	5800	
0893 HRLY 01	SR-582 (Boulder Hw), .2 miles N of Horizon Dr.	17000	18600	19100	19000		19400	20200	18000	
0894 HRLY 01	US-95, S/B on-ramp of the Lake Mead Dr Intch "Exit 61".	3650	4555	5115	5255		5310	8490*	10000	
0895 HRLY 01	US-95, N/B off-ramp of the Lake Mead Dr Intch "Exit 61".	3700	4010	4440	4635		4705	8360*	7900	
0896 HRLY 01	US-95, btwn the Lake Mead Dr Intch "Exit 61" & Horizon Dr Intch "Exit 59".	44470	51955	55860	56410		57700	60850*	58000	
0897 HRLY 01	US-95, S/B off-ramp of the Horizon Dr Intch "Exit 59".	6050	8170	9070	8485		9550	10700	9700	
0898 HRLY 01	US-95, S/B on-ramp of the Horizon Dr Intch "Exit 59".	660	705	725	1115		1225	1250	1300	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0899 HRLY 01	US-95, N/B off-ramp of the Horizon Dr Intch "Exit 59".			720	775	775	1160	1315	1350	1400
0900 HRLY 99	US-95, N/B on-ramp of the Horizon Dr Intch "Exit 59".			6390	8730	9680	9570	10005	10800	9800*
0901 HRLY 01	Horizon Dr, E of the N/B ramps of IR-515.			22080	18700	20100	21000	22700	23800	25000
0902 HRLY 01	Horizon Dr, .1 mi W of the S/B ramps of IR-515.			5075	5850	6900	9600	11800	13300	15200
0903 HRLY 01	US-95, S/B off-ramp of the College Dr Intch "Exit 57".			3265	3920	3830	3970	3530	4200	4600
0904 HRLY 01	US-95, S/B on-ramp of the College Dr Intch "Exit 57".			645	665	740	730	700	800	900
0905 HRLY 01	US-95, N/B on-ramp of the College Dr Intch "Exit 57".			3190	3335	3320	3135	3435	4100*	4000
0906 HRLY 99	US-95, N/B off-ramp of the College Dr Intch "Exit 57".			710	785	875	835	830	950	950
0908 HRLY 98	College Dr, .1 mi E of the N/B ramps IR-515.			7575	8400	8600	8200	8700	9650	9650*
0909 HRLY 01	US-95, btwn the College Dr Intch "Exit 57" & Wagon Wheel Dr Intch "Exit 56".			28065	30730	33075	35090	35150	35400	34450
0911 HRLY 00	SR-562 (Sunset Rd), 400' W of Valle Verde Dr.			26300	26000	30460	30645	37300	39300	38500
0912 HRLY 01	US-95, btwn College Dr Intch "Exit 57" & Horizon Dr Intch "Exit 59" at the College Dr overhead			33165	36535	38610	40630	40685	41950*	41200

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0913 HRLY 01	SR-595 (Rainbow Bl), 150' N of Endora Dr. 37800	37600	41100	41750	44200	44700	46800	46800	49500	43000
0914 HRLY 01	SR-604 (Las Vegas Bl), 200' S of Oquendo Rd. 32200	32800	42400	37400	37000	35900	41000	41000	42500	43000
0915 HRLY 00	SR-596 (Jones Bl), 150' S of Harmon Av North of Tropicana Av. 20600	18500	19690	19970	21600	22000	23000	24700	26600	26700
0916	SR-596 (Jones Bl), N of Flamingo Rd btwn Viking Rd & Katie Av. 27300	23600	25090	27900	28400	27300	29000	28600	29200	29000
0917 HRLY 01	US-95, N/B off-ramp of the Lake Mead Bl Intch "Exit 61" to E/B Lake Mead Bl. 2655	2835	2910	2780	2675	2680	2600	2945	2900	2600
0918 HRLY 01	US-95, S/B on-ramp of the Lake Mead Bl Intch "Exit 61" from E/B Lake Mead Bl. 10300	6475	7570	8750	10425	9670	10720	11155	11400	9900
0919 HRLY 01	US-95, S/B loop on-ramp of the Lake Mead Bl Intch "Exit 61" from W/B Lake Mead Bl. 2610	4795	4960	5435	5140	4770	5655	6180	6500	6000
0920 HRLY 01	US-95, N/B loop off-ramp of the Lake Mead Bl Intch "Exit 61" to W/B Lake Mead Bl. 10730	7845	7180	8680	8715	8725	9010	10085	10300*	9500
0921 HRLY 01	US-95, N/B on-ramp of the Lake Mead Bl Intch "Exit 61" from Rainbow Bl. 4205	1980	1915	2710	3460	4370	5350	5795	5600	5700
0922 HRLY 00	US-95, S/B off-ramp of the Lake Mead Bl Intch "Exit 61" to Rock Springs Dr. 2120	1870	2060	3085	3875	4895	4945	5355	6100	6300
0923 HRLY 01	IR-15, Tropicana Av Intch "Exit 37" Flyover ramp .3 mi S of the S/B off-ramp. 21000	22650	21755	19400	18825	18765	21600		22000*	21000
0924 HRLY 00	Alta Dr, 200' E of Lorenzi St. 7100	7400	9730	9800	9900	9700	11400	10000	12000	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0925 HRLY 00	SR-163, .6 mi W of Casino Dr.						0		5230	5800*
0926 HRLY 99	Arville St, 400' N of SR-589 (Sahara Av).	8000	8210	9060	9700	8700	8950	9450	8400	8900
0927 HRLY 00	Bonanza Rd, 200' E of Sloan Ln.	7465	6580	8870	8750	9700	9250	9600	9000	9600
0928 HRLY 00	Bonanza Rd, btwn Ute Ln & Hopi Ln East of Nellis Bl.	18600	16830	19110	19300	19000	19400	19600	19400	19000
0929 HRLY 98	Bruce St, 300' S of Stewart Av.	6500	6660	6330	6700	6350	6000	6300	5400*	5500
0930	Smoke Ranch Rd, btwn the US-95 Ex & Rainbow Bl.	8300	9875	9275	10700	11100	11100	11500	11500*	12000
0931	Center St, 300' S of Maple St.	6400	6790	6400	5850	6300	5800	5600	5600*	5700
0932 HRLY 99	College Dr, .1 mi W of the US-95 S/B ramps.	2400	2950	3765	4300	5200	5950	5850	6450	6450*
0933	IR-215, btwn Pecos Rd & Green Valley Pk Intch.								76200*	98035*
0934 HRLY 96	Convention Center Dr, 250' W of Paradise Rd.	10000	12900	11745	12100	12500	13000	14200	10200	11000
0935 HRLY 01	E Desert Inn Rd, 100' E of Nellis Bl.	2325	2460	3320	3550	4050	3800	3850	3850*	4600
0936 HRLY 01	Gibson Rd, .2 miles N of SR-146 (Lake Mead Dr) in Henderson.	4445	4835	4760	5100	9500	13000	13000	13000*	14000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0937 HRLY 01	"H" St, btwn Jackson Av & Van Buren Av. 6030	6600	6445	6900	7050	6650	7600	6500	6800	
0938 HRLY 00	IR-215, W/B on-ramp from Green Valley Pk.								9500	10000
0939 HRLY 01	Highland Dr, btwn Western Av & Desert Inn Rd. 9375	11400	11200	11000	11900	13000	13000	13000	13000	13000*
0940 HRLY 01	Industrial Rd, .5 mi S of SR-160 (Pahrump Vy Rd). 1400	2000	2270	2500	2700	2700	3000	3300	4600	
0941 HRLY 01	Industrial Rd, .5 mi N of SR-160 (Pahrump Vy Rd). 2900	3250	3690	3100	3350	4150	4600	3500	4200	
0942 HRLY 01	Karen Av, 100' E of Paradise Rd. 11300	15800	13740	13200	12600	13000	13000	13600	13000	
0943 HRLY 01	Lake Mead Bl, btwn Losee Rd & IR-15. 21100	24600	28430	29800	31100	35700	38900	34500	32000	
0944 HRLY 01	Losee Rd, 50' S of Miller Av. 10440	11900	13380	14100	14900	16500	18300	18800	18800*	
0945 HRLY 01	Losee Rd, btwn the two Crestline loop Rds. 8450	9400	10900	11600	12200	14200	14600	14000	14000*	
0946 HRLY 00	Losee Rd, 200' S of Sharp Ct. 9100	10375	12320	12200	12500	12800	13500	12200	12200*	
0947	Major Av, .1 mi S of Center St. 8800	9350	9015	9200	9600	8850	8100	8100*	8900	
0948 HRLY 00	IR-215, E/B off-ramp to Green Valley Pk.							9400	9800	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0949 HRLY 00	IR-215, W/B off-ramp to Green Valley Pk.								5100	6300
0950	IR-215, E/B on-ramp from Green Valley Pk.								4800	5800
0951 HRLY 00	Michael Wy, btwn Marieta Av & Carl Av. 2360 2235 2280			2600	2550	2550	2650	2620*	3500	
0952 HRLY 01	IR-15, Spring Mountain Rd Fly-Over.								10000*	7400*
0953 HRLY 00	Mojave Rd, 200' N of Vegas Valley Dr. 6770 7260 6600			6700	6400	6300	5850	5700	5700*	
0955 HRLY 98	W Oakey Bl, btwn Torrey Pines Dr & Verdinal Dr. 5040 5850 7600 7650				9750	11000	13000	9600	10000	
0956 HRLY 00	W Oakey Bl, 200' E of Lindell St. 5680 7315 9510			9600	9800	9350	11000	10500	9900	
0957 HRLY 00	W Oakey Bl, 400' W of Decatur Bl. 8500 9020 11720			11800	12000	10500	13600	11100	11000	
0958 HRLY 98	Sahara Av, btwn Caraville St & Winterwood Bl. 3370 3060 3090 3120				14300	15400	18000	20700	21000	
0959 HRLY 00	IR-215, Warm Springs-Airport Co Intch & Windmill Ln Intch. 23580 38345					52075	58580	94700	111000	
0960 HRLY 99	Sandhill Rd, 300' N of Sunset Rd. 5600 5200 4560			5500	6550	7200	7650	7650	8100	
0961 HRLY 99	Sandhill Rd, .1 mi N of Patrick Ln. 6000 10800 8865			10500	10500	11500	11900	12300	12000	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0962 HRLY 02	Sandhill Rd, btwn Hacienda Av & Casey Av. 11000	12700	12630	14400		14700	14000	13600	13500	14000
0963 HRLY 97	Sandhill Rd, btwn Harmon Av & Rosecrest Ct. 11100	12800	12980	13800		12100	13000	11400	11400*	11400*
0964 HRLY 98	Sandhill Rd, 100' N of SR-592 (Flamingo Rd). 13300	18100	19420	19200		18500	20500	18000	18000*	18000
0965 HRLY 00	IR-215, E/B on-ramp from Valle Verde Dr.							0	3600	3800
0966 HRLY 00	Torrey Pines Dr, 200' S of Hillview Av & N of Clarice Av. 3200	7400	7326	8350	8300		8300	8150	8500	8500*
0968 HRLY 00	Spencer St, 300' S of Twain Av. 8115	9200	8165	6750	6400	6650	6650	5300	5500	
0969 HRLY 01	Twain Av, btwn Monte Verde & El Toro. 3335	3760	3045	3350	3600	3650	3550	3400	3300	
0970 HRLY 00	Twain Av, 50' W of Anthony Dr. 3530	3530	2865	3550	4050	4100	4000	3300	3500	
0971	Linn Ln, .2 mi S of SR-147 (Lake Mead Bl.).						900	900	2100	2100
0972 HRLY 00	Valley View Bl, 600' N of SR-159 (Charleston Bl.). 23900	22740	24780	22600	21900	26000	28300	26500*	26500*	
0973 HRLY 00	Valley View Bl, btwn Fortune Av & Pyramid Dr South of Washington Av. 10600	11000	14210	12300	12800	13700	13500	12600	12600*	
0974 HRLY 00	IR-215, E/B off-ramp to Valle Verde Dr.							5800	6000*	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0975 HRLY 99	Vegas Valley Dr, btwn Eastern Av & Burnham Av. 4235	5030	5200	4500		4550	4450	4300	3800	4700
0977 HRLY 00	Vegas Valley Dr, 300' E of Robar St. 1825	1965	1790	1900		1975	2000	2100	2000	2200
0978 HRLY 00	Washington Av, 150' W of Shifting Sands Dr. 10000	10700	10635	11500		12700	12700	12800	13200	14000
0979 HRLY 98	Perkins Av, btwn Gentry St & Anderson St in Overton. 420	420	420	420		420	470	480	480	480
0980 HRLY 01	Casino Dr, S of Laughlin Civic Dr. 30500	38100	34630	35400		33200	33000	33000	32000	32500*
0982 HRLY 98	Overton Beach Rd, 300' E of N Shore Rd. 545	440	445	485		470	570	550	530	500
0983 HRLY 01	North Shore Rd, 200' N of the rd to Callville Bay. 695	610	725	650		600	650	770	670	670*
0984 HRLY 01	IR-15, N/B loop on-ramp of the Spring Mtn Rd Intch "Exit 39" from E/B Spring Mtn Rd. 5650	7545	7425	6850		7410	6400	6400	6500	6300
0985 HRLY 99	Red Rock Canyon Rd, 4.3 mi W of SR-159 (Charleston Bl) West of Las Vegas. 970	910	565	590		575	580	630	540*	500
0986 HRLY 01	Moapa Power Company Rd, 100' N of the S/B ramps of the Hidden Valley Intch "Exit 88". 350	430	355	415		500	430	370	340	480
0988 HRLY 00	"B" Av, N of Adams Bl. 1770	1985	1860	1750		1800	1850	1600	1850	1900
0989 HRLY 00	"B" Av, btwn Fifth St & Sixth St. 1645	1830	1640	1600		1700	1750	1350	1600	2000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0990 HRLY 00	"G" Av, btwn Seventh St & Eighth St. 2500	2620	2140	2300	2400	2400	1900	2750	2500	
0991 HRLY 00	Pacifica Wy, 100' N of US-93. 1200	1400	1545	1445	1500	1400	1400	1480	1600	
0992 HRLY 00	Ville Dr, 150' N of US-93. 1715	2190	2430	2350	2450	2100	2200	2300	2500	
0993 HRLY 00	Wyoming St, 200' E of Av "B". 5070	4600	4560	5100	4600	5650	5250	5850	5850*	
0994 HRLY 01	Wyoming St, btwn "H" St & "I" St. 3370	3300	3335	3650	3600	4400	4100	3850	3800	
0995 HRLY 00	Ville Dr, 100' S of Vincent Ln. 990	1000	1060	955	900	880	870	900	900*	
0996 HRLY 97	Owens Av, 300' E of Mojave Rd. 13300	14630	17150	17200	16700	14200	14500	14500	16000	
0998 HRLY 01	Warm Springs Rd, btwn Schrills Rd & Arville St. 2225	2300	2700	3000	3200	2600*	2500	2450	2400	
0999 HRLY 97	Warm Springs Rd, btwn Pecos Rd & Green Valley Pk. 18000	19250	19420	24300	27600	30500	32600	31500	31500*	
1000 HRLY 97	13th, btwn Clark St & Lewis St. 6950	8100	8300	8115	8700	8100	8100	7650	8000	
1002 HRLY 01	Maryland Pk, 50' S of Bridger St. 7515	8770	9000	8800	8950	8300	8150	8000	8000	
1003 HRLY 00	Utah St, 100' E of New Mexico St. 3065	3400	3250	3300	3950	3400	3300	3150	3300	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1004 HRLY 01	IR-215, W/B off-ramp of the Warm Springs-Airport Co Intch to the Airport Co.									
				4595	7005		8645	8935	13600	15000
1005	Horizon Dr, 200' E of Greenway Dr.	9250	10300	9940	9300	12200	13000	14200	14500*	16000
1006 HRLY 01	Owens Av, btwn SR-604 (Las Vegas Bl) & Bruce St.	9075	9970	10660	15400	14200	12000	13400	11300	11000
1007 HRLY 02	Russell Rd, .4 mi E of Pecos Bl.	15700	15910	17400	18200	20000	18200	18200*	18000	
1008 HRLY 01	Maryland Pk, N of Stewart St South of Rue St.	5730	11700	12780	12600	13200	11100	14100	11600	12000
1009 HRLY 98	Pecos Rd, btwn Owens Av & SR-604 (Lake Mead Bl).	16200	15450	17210	18500	20500	19800	20000	19600	21400
1010	4th St, btwn Carson St & Fremont St.	1060	6345	6345	6000	6300	9200	9200	8200*	8200*
1011 HRLY 98	Pecos Rd, S of Patrick Ln.	29400	27200	24670	24500	25200	26500	27400	26700	26700*
1012 HRLY 98	St Louis Av, btwn Paradise Rd & Santa Paula Av.	4355	4800	4460	4700	4850	4300	4600	4500	4200
1013 HRLY 98	St Louis Av, btwn 15th St & 16th St.	5000	5870	5840	5500	6350	5600	7000	7500	7500*
1014 HRLY 01	US-95, .1 mi S of the RxR Pass Intch S/B ramps.	6600	6100	7620	8100	8400	8400	8250	7620	8500
1015 HRLY 01	IR-15, S/B off-ramp of the Russell Rd Intch "Exit 36".	10140	7000	6950	7045	7150	8865	9900	9900	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1016 HRLY 00	IR-15, S/B on-ramp of the Russell Rd Intch "Exit 36". 2310	3175	3465	4455		7535	6050	5900	7000*	
1017 HRLY 01	IR-15, N/B off-ramp of the Russell Rd Intch "Exit 36". 1710	3515	3880	4740		7575	6875	6000	7100	
1018 HRLY 01	IR-15, N/B on-ramp of the Russell Rd Intch "Exit 36". 11840	9535	7920	8025		8135	8155	11200	12000	
1019 HRLY 01	SR-594 (Russell Rd), .3 mi W of the IR-15 Russell Rd Intch "Exit 36". 11700		12500	22600		25600	25600*	23000		
1020 HRLY 01	SR-594 (Russell Rd), E of the IR-15 Russell Rd Intch "Exit 36". 22900	19900	19900	26000		26000	26200	26200	29000	
1021	IR-15, .2 mi. S of mp 36 South of the Russell Rd Intch "Exit 36". 58000	85710	107010	118645		126775	146300*	148900*		
1022 HRLY 01	Lindell Rd, 300' N of Harmon Av.					2200	2200	3200	3300	
1023 HRLY 99	Decatur Bl, .1 mi S of Cheyenne Av. 16790	17800	19000	19500		20400	20700	23000		
1024 HRLY 99	Decatur Bl, .2 mi S of Craig Rd. 15950	13100	17400	18300		19100	23000	24000		
1025 HRLY 99	Decatur Bl, .1 mi S of Ann Rd. 2355	2850	4500	6000		6700	8350	14000		
1026 HRLY 01	Lindell Rd, .1 mi S of SR-159 (Charleston Bl.).						2600	2400		
1027 HRLY 99	Simmons St, .2 mi S of Craig Rd. 2935	2800	2900	3300		3900	4500	4600		

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1028 HRLY 00	Simmons St, S of Ann Rd.					0			2400	4200
1029 HRLY 99	Camino Al Norte, .2 mi S of Lone Mtn Rd.				19900	24400	28100	27500	29000	
1030 HRLY 99	Camino Eldorado, .1 mi S of Ann Rd.			10500	10800	13700	16100	17000	17000	
1031 HRLY 99	Camino Eldorado, .1 mi S of Tropical Pk.			3900	4400	5550	7100	7550	8200	
1032 HRLY 01	Martin Luther King Bl, .2 mi S of Craig Rd.	11890	14200		17300	17400	22800	28500	31000	
1033	Losee Rd, .3 mi S of SR-574 (Cheyenne Av).	9430	9900		11400	10600	10900	10400	10400*	
1034 HRLY 99	Lake Mead Bl, 250' E of Simmons St.	13200	15900		16600	18800	21200	20500	21000	
1035 HRLY 01	Cheyenne Av, .3 mi W of Simmons St.	19920	17600		24500	24000	25900	25800	27000	
1036 HRLY 99	Craig Rd, .3 mi E of Decatur Bl.	25375	26000		25100	26400	29200	28000	28000*	
1037 HRLY 99	Craig Rd, .3 mi W of M.L.K. Bl.	22320	23300		24200	27500	33000	34500	39000	
1038 HRLY 99	Ann Rd, .1 mi W of Camino Eldorado.		2600		3900	5600	6400	8600	11000	
1039	Cabana Dr, 182' S of Twain Rd.					5350	5350	7050	9100	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1040 HRLY 99	Green Valley Pk, .1 mi N of Wigwam Pk.			13700	15100	19200	20000	19500	24000	23000
1041 HRLY 97	Green Valley Pk, .3 mi S of Warm Springs Rd.			26300	27300	29300	31000	30500	32000	30000
1042 HRLY 98	Eastern Av, .5 mi N of SR-146 (Lake Mead Dr).			4290	6000	6600	7600	11800	26300	26300*
1043 HRLY 01	Harmon Av, .1 mi E of Jones Av.						2350	2350	3050	3000
1044 HRLY 00	Sunset Rd, .2 mi W of Stephanie St.			26600	31800	33500	37600	39600	37000	37000*
1045 HRLY 98	Racetrack Rd, .1 mi N of Boulder Hw.				12200	12500	15000	16700	17100	16000
1046	Racetrack Rd, .1 mi N of Warm Springs Rd.				1350	1550	1650	1750	1750*	2200
1047 HRLY 98	Pecos Rd, .2 mi S of Warm Springs Rd.			21860	22200	23600	26500	25300	25500	24000
1050 HRLY 01	Lamb Bl, .1 mi S of SR-589 (Sahara Av).			27000	30900	32100	32100	32700	31000	29000
1051 HRLY 98	Green Valley Pk, 300' N of SR-562 (Sunset Rd).			18145	17800	19100	20000	20100	20300	19000
1052	Jimmy Durante Bl, 100' N of E Harmon Av.						4550	4550	5400	5900
1053 HRLY 01	Hacienda Av, .1 mi E of Jones Av.						4450	4450	9800	9800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1054	Valley View Bl, .1 mi S of Spring Mtn Rd.			24115	28200	29300	27000	27000	25000	23000
1055	Valley View Bl, .2 mi S of SR-593 (Tropicana Av).			16600		17000	11000	14500	15700	16000
1056 HRLY 00	Buffalo Dr, .1 mi S of SR-589 (Sahara Av).			13100	17800	19800	21000	20300	20500	24600
1057 HRLY 01	Buffalo Dr, .3 mi S of Spring Mtn Rd.			9715	15200	16400	19000	18200	18600	19000
1058	(SR-595) Rainbow Bl, .1 mi S of Russell Rd.			8500	10500	12700	12700	13300	20800	20800*
1059 HRLY 98	SR-589 (Sahara Av), .3 mi E of Maryland Pk.			41890	42700	41600	43000	43800	45000	47000
1060 HRLY 97	Sahara Av, .2 mi W of SR-595 (Rainbow Bl).			28135	38100	39300	43500	43600	40000	42000
1061 HRLY 01	Spring Mtn Rd, .2 mi W of SR-595 (Rainbow Bl).			17600	22300	20900	23000	21400	21400*	25000
1062	Flamingo Rd, .2 mi W of SR-595 (Rainbow Bl).			29300		30300	33000	33200	33000	33000*
1063	Flamingo Rd, .2 mi W of Buffalo Dr.				19200	19800	24000	24100	28500	28500*
1064 HRLY 98	Flamingo Rd, .1 mi W of Koval Ln.			51800	49000	52000	54000	56100	55500	55500*
1065 HRLY 01	Tropicana Av, .2 mi W of SR-595 (Rainbow Bl).			23960	24200	27800	32000	33100	28500	33000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1066 HRLY 01	Tropicana Av, W of Valley View Bl.			59700	70900	68100	65000	64500	60500	61000
1067	Tropicana Av, .1 mi W of Buffalo Dr.			14200	14800	15800	20000	25300	17500	24000
1068 HRLY 01	Desert Inn Rd, .2 mi W of the Boulder Highway.			35350	35800	36500	35800	36500	33000	34000
1069 HRLY 98	Desert Inn Rd, .1 mile W of Cambridge St.			24680	24800	33000	37000	40100	39000	38000*
1070	Hacienda Av, .1 mi E of Eastern Av.						5150	5150	4250	4000
1071	Spencer St, .1 mi S of SR-593 (Tropicana Av).						6050	6050	6300	6900
1072 HRLY 01	Warm Springs Rd, .3 mi W of Eastern Av.			28060	34900	43000	39000	42200	41500	37000
1073 HRLY 01	Craig Rd, .2 mi W of Tenaya Wy.				8450	9100	9450	9700	9700*	12000
1074 HRLY 01	Needles Hw, .2 mi N of Casino Dr.				3900	3950	4500	4500	4200	4100
1075 HRLY 00	Needles Hw, .3 mi S of Casino Dr.				7000	5550	6300	6700	6400	5900
1076 HRLY 00	Casino Dr, .2 mi E of Needles Highway.				5700	4550	5300	4900	5050	4500
1077 HRLY 00	Casino Dr, .4 mi S of Thomas Edison Dr.				6300	4950	5500	5350	5320	5350*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1078 HRLY 00	Casino Dr, .3 mi S of Bruce Woodbury Dr.			22400	19200	19500	20300	19100	19000*	
1079 HRLY 99	Hualapai Wy, .2 mi N of SR-159 (Charleston Bl).					4350	8050	10400	13000	
1080 HRLY 01	Rampart Bl, .1 mi N of Summerlin Pk.			30700	27800	29200	28000	32500	34000	
1081 HRLY 01	Buffalo Dr, 150' N of the Summerlin Pk Intch "Exit 81-A".			31000	35200	41800	50200	59500	55000	
1082 HRLY 98	Buffalo Dr, S of the Summerlin Pk Intch "Exit 81-A".			33900	34800	49000	51800	51500	45500	
1083 HRLY 96	Sahara Av, .2 mi E of Fort Apache Rd.	23900	26500	30100	32500	34400	33500	33000		
1084 HRLY 97	Sahara Av, E of Grand Canyon Dr & .6 mi W of Fort Apache Rd.	1930	4850	4900	7900	8400	15100	33000		
1085 HRLY 00	Washington Av, .2 mi W of Rancho Dr.	15095	16300	16000	16000	16900	16800	17000		
1086	Rancho Dr, 100' N of Sirius Av.	8100	8800	9250	8700	8350	8350*	8350*		
1087 HRLY 01	US-93, .3 mi N of Buchanan Bl.				0	31200	31000	32000		
1089 HRLY 99	Nevada Hw, S of Park St.	4520	4200	4250	3650	3950	4700	4200		
1090 HRLY 00	Alta Dr, .2 mi E of Decatur Bl.	8500	9300	9700	9600	10700	9100	8900		

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1091 HRLY 00	Alta Dr, .1 mi E of Valley View Bl.			11630	13200	13500	12700	14100	10000	9800*
1092 HRLY 99	Alta Dr, .4 mi E of Rancho Rd.					17600	17600	18400	17800	19800
1093 HRLY 01	SR-160 (Pahrump Valley Rd), .7 mi W of Decatur Bl.			10500	12000	15600	15000	14700	11700*	12000
1094 HRLY 01	SR-160 (Pahrump Valley Rd), .3 mi W of SR-595 (Rainbow Bl).			6175	7700	8400	9600	9500	9800	9400
1095 HRLY 99	Bonneville Av, .1 mi W of Main St.				10200	11800	12100	12000	11700	13900
1096 HRLY 99	Buffalo Dr, .2 mi S of Alexander Rd.			4650	4850	4700	6350	7300	7700	7700*
1097 HRLY 01	Buffalo Dr, .1 mi S of Cheyenne Av.			8380	8750	13900	18500	23200	21600*	21000
1098 HRLY 00	Buffalo Dr, 200' N of Vegas Dr.				20700	21600	25600	38600	42000	39000
1099 HRLY 00	Buffalo Dr, 200' N of Oakey Bl.				23200	23800	26500	28400	34500	32000
1100 HRLY 01	SR-159 (Charleston Bl), .2 mi E of Buffalo Dr.			21620	23700	25800	28000	27700	30000	29000
1101 HRLY 01	SR-159 (Charleston Bl), .2 mi W of Fort Apache Rd.			11400	15400	19000	22900	28300	31000	
1102 HRLY 01	Cheyenne Av, .3 mi E of Rampart Bl East of Soaring Gulls Dr.				25400	29100	31900	32700	35000	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1103 HRLY 98	Cheyenne Av, .1 mi E of Buffalo Dr. 22750			24000	36200	39800	42900	43000	43000	
1104 HRLY 98	Decatur Bl, .8 mi N of Russell Rd.						30800	28500	28500*	
1105 HRLY 98	Eastern Av, .3 mi N of Bonanza Rd. 30300		30800	32400	32400	32700	35000	35000		
1106 HRLY 00	Harmon Av, .1 mi W of Sandhill Rd. 5680		6300	7450	7000	6800	7200	6800		
1107 HRLY 99	Harmon Av, 300' E of Maryland Pk. 8700		10500	10700	11500	10500	10000	8200		
1108 HRLY 99	Harmon Av, 200' E of Eastern Av. 6870		9000	8550	8500	8000	8200	7100		
1109 HRLY 00	Lake Mead Bl, .2 mi W of Laguna Mist Dr. 34800			27000	29800	29500	28600	26000		
1111 HRLY 98	SR-595 (Rainbow Bl), 1.3 mi N of Wigwam Pk. 7600	8550		9600	9250	8300	7900	7900*		
1112 HRLY 01	Rampart Bl, .1 mi S of Cheyenne Av. 18000			22600	24600	23600	25300	25800		
1113 HRLY 01	Rampart Bl, .1 mi S of Hillpointe Rd. 28100			28700	29900	28700	31500	33000		
1114 HRLY 01	Rampart Bl, .1 mi S of Angel Park Golf Club. 25500			29200	34500	36200	45500	50000		
1115 HRLY 01	Fort Apache Rd, .1 mi S of SR-159 (Charleston Bl). 17100	21200		23800	30000	31400	35500	37000		

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1116 HRLY 01	Fort Apache Rd, 400' S of Sahara Av.			14600	18200	19500	20900	21900	26600	29000
1117 HRLY 98	SR-589 (Sahara Av), 200' W of Atlantic St.			37560	41300	39700	41000	40800	40500	41000
1118 HRLY 00	Stewart Av, 300' E of Bruce St.			8790	10300	9400	8450	9550	8900	8900*
1119 HRLY 98	Stewart Av, .25 mi W of Pecos Rd.			12130	13100	13000	11700	12100	12500	12000
1121 HRLY 00	Stewart Av, .2 mi W of SR-612 (Nellis Bl).			15120	16100	15600	15600	15600	16300	15000
1122 HRLY 98	Summerlin Pk, .6 mi W of Buffalo Dr Intch.			39100	42600	50500	53300	69500	75000*	
1123 HRLY 98	Summerlin Pk, .2 mi E of Buffalo Dr Intch.	40115	30035	44410	51870	62000	69115	81500	91000	98000*
1124	Valley View Bl, .1 mi S of SR-592 (Flamingo Rd).			12800	13100	11500	11700	11700	11700	11000
1125 HRLY 01	Jones Bl, .2 mi S of SR-147 (Lake Mead Bl).			22070	24500	25400	24600	24900	26000	25000
1126 HRLY 01	(SR-596) Jones Bl, .5 mi N of SR-147 (Lake Mead Bl).			19350	22000	21300	20500	19000	19700	19000
1127 HRLY 00	SR-604 (Las Vegas Bl), .1 mi S of Pecos Rd.			24400	25100	22800	24500	27000*	25500	
1128 HRLY 99	Valley View Bl, .1 mi N of Alta Dr.			28000	27000	29000	33000	31000*	29000	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1129 HRLY 00	SR-573 (Craig Rd), 200' W of SR-610 (Lamb Bl).			27300	29200	29800	30000	30500	31500	
1131 HRLY 98	US-95, N/B on-ramp of the Snow Mtn Intch "Exit 95".			70	75	85	105	140	80*	
1132 HRLY 98	US-95, N/B off-ramp of the Snow Mtn Intch "Exit 95".			300	325	440	445	510	570*	
1133 HRLY 01	US-95, S/B on-ramp of the Snow Mtn Intch "Exit 95".			260	285	440	410	520	570	
1134 HRLY 01	US-95, S/B off-ramp of the Snow Mtn Intch "Exit 95".			60	65	85	95	110	90	
1135 HRLY 01	US-95, .5 mi N of the Snow Mtn Intch "Exit 95".			5270	5480	5590	5685	6420	6000	
1136 HRLY 00	IR-15, SR-589 (Sahara Av Fly Over) "Exit 40".			13390	13605	12620	13265	12000	12000	
1137	Basic Rd, .1 mi S of SR-146 (Lake Mead Dr).					1400	1400	1300	1200	
1138	Atlantic Av, 70' S of SR-146 (Lake Mead Dr).					2450	2450	2300	2300	
1139	Appaloosa Rd, 250' N of Wagon Wheel Dr.					2350	2350	2700	2700	
1140	Burkholder Bl, .2 mi S of SR-146 (Lake Mead Dr).					3400	3400	4800	6200	
1141	Equestrian Dr, .1 mi E of Magic Wy.					3550	3550	3500	3100	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1142	Essex Av, E of Pueblo Bl.								290	300
1143	Ithaca Av, E of Pueblo Bl.								370	400
1144	Mission Dr, .2 mi W of College Bl.					1150	1150	1700	2100	
1145	Newport Dr, .2 mi W of Racetrack Rd.					1650	1650	2050	2100	
1146 HRLY 98	Magic Wy, 127' S of Equestrian Dr.								2100	2200
1147	Heather Dr, .1 mi E of Greenway Rd.								2400	2600
1148	Olsen St, .1 mi N of SR-146 (Lake Mead Dr).					1550	1550	2000	1900	
1149	Anasazi Dr, 1.2 mi S of Summerlin Pk.					1900	1900	4300	3700	
1151 HRLY 01	Farm Rd, 100' W of Torrey Pines.					300	300	1150	2400	
1152	Racel Av, .1 mile W of Buffalo Bl.									1100
1153	Lake Las Vegas Pk, .3 mi N of SR-146 (Lake Mead Dr).					1700	1700	3800	3800	
1154	Stuffelbeam Av, .1 mi W of Gibson Rd.					140	140	700	710	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1155	High View Dr, .1 mi E of Green Vy Pk.						6900	6900	6900*	6000
1156	Seven Hills Dr, .2 mi S of SR-146 (Lake Mead Dr).						6100	6100	11500	13000
1157 HRLY 98	Circus Circus Dr, 250' E of Industrial Rd.						6000	6000	6550	6000
1158	Riviera Bl, .15 mi E of SR-147 (Las Vegas Bl).						6900	6900	6000	6000*
1159 HRLY 01	Alta Dr, .1 mi E of Town Center Dr.						1200	1200	4700	5800
1160 HRLY 01	"H" St, 100' S of Carey Av.						5650	5650	5600	5600*
1162 HRLY 01	Russell Rd, .1 mi W of SR-595 (Rainbow Bl).						7650	8900	11500	8900
1164	Patrick Ln, .1 mi W of Pecos Rd.								6750	9800
1171 HRLY 01	Valley View Bl, .1 mi S of Sunset Rd.						95	95	2200	2800
1174 HRLY 98	Burns Rd, 190' N of Sunset Rd.								1250	1000
1175	Jimmy Durante Bl, .1 mi N of Tropicana Av.								3300	3900
1176 HRLY 98	Pabco Rd, 206' S of Sunset Rd.								1700	1600

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1178 HRLY 01	Pebble Rd, 25' E of SR-595 (Rainbow Bl).						150	150	180	180
1179	Paradise Rd, .1 mi S of Warm Springs Rd.						8100	8100	8900	9200
1180	Gillespie St, .2 mi N of Pebble Rd.						350	350	200	290
1181	Robindale Rd, .1 mi W of Eastern Av.						3500	3500	3600	3600*
1183	Serene Av, .1 mi W of Maryland Pk.								7400	5700
1184 HRLY 98	Bermuda Rd, .1 mi N of Warm Springs Rd.						2000	2000	3500	4200
1187	Silverado Ranch Rd, .2 mi W of Maryland Pk.						6450	6450	12200	16000
1188 HRLY 01	Cactus Av, E of Decatur Bl.									2900
1189	Cactus Av, .1 mi E of SR-147 (Las Vegas Bl).						100	100	1500	1600
1190	Erie Av, 100' E of SR-604 (Las Vegas Bl).								1300	1300*
1191	Paseo Verde Pk, .1 mi E of Green Valley Pk.						7950	7950	8600	9700
1192	Horizon Ridge Pk, .1 mi E of Gibson Rd.						6700	6700	7550	11000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1193 HRLY 01	Wynn Rd, 250' N of SR-593 (Tropicana Av).						8550	8550	8900	7900
1194 HRLY 01	Arville St, 300' S of Spring Mtn Rd.								16300	18000
1195	Palo Verde St, 250' S of Burkholder Bl.					3700	3700	4200	4900	
1196 HRLY 01	Ann Rd, .1 mi W of Rainbow Bl.					10750	10750	17000	20000	
1197	Ann Rd, .2 mi E of Camino Eldorado.							6300	7100	
1198 HRLY 01	Elkhorn Rd, .2 mi E of Rainbow Bl.					1250	1250	2350	2200	
1199	Elkhorn Rd, .1 mi E of Jones Bl.					250	250	1000	1000	
1200 HRLY 01	Cheyenne Av, 200' W of Rampart Bl.					20500	20500	26200	27000	
1201	Carey Av, 200' E of SR-610 (Lamb Bl).					6950	6950	6950	7400	
1202 HRLY 01	Hualapai Wy, 200' N of Desert Inn Rd.					3000	3000	3250	6800	
1203 HRLY 00	Fort Apache Rd, 200' N of Flamingo Rd.					10000	10000	17800	13800	
1204 HRLY 98	Industrial Rd, .1 mi N of Desert Inn Rd.					29000	29000	26500	29300	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1205 HRLY 01	Rainbow Bl, .1 mi N of Vegas Dr.						19000	19000	21000	21000
1208	Arrowhead Trail, 50' S of Horizon Dr.						4000	4000	4150	4400
1211	Mitchell St, .1 mi N of Mc Guire St.						3850	3850	4250	4500
1212 HRLY 01	Walnut Rd, .3 mi E of Mitchell St.						720	720	600	590
1213	"F" St, off of the Grand Central Pk South of Bonanza Rd.							0		7200
1215 HRLY 00	IR-215, W/B off-ramp to Valle Verde Dr.								3600	4000
1216 HRLY 01	Arville St, 300' N of Russell Rd.						4900	4900	7600	8400
1217 HRLY 01	Harmon Av, .3 mi W of Industrail Rd West of IR-15 East of Valley View Bl.						1100	1100	1350	940
1218 HRLY 01	Rainbow Bl, S of SR-160 (Pahrump Vy Rd) North of Gomer Rd.						350	350	400	410
1219 HRLY 01	Cold Creek Rd, .1 mi E of US-95.							1000	1150	1100
1221 HRLY 01	Reservation Rd, .5 mi S of SR-168 (Glendale-Moapa Vy Rd).							380	350	430
1222 HRLY 99	Rainbow Canyon Dr, .1 mi S of SR-157 (Charleston Park).							630	630	560

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1223 HRLY 00	Cotton Wood Dr, S of SR-159 (Blue Diamond Rd).							300	250	250*
1224 HRLY 01	Boulder Ln, W of McFarland Av (Indian Springs).								500	490
1225 HRLY 01	McFarland Av, S of Boulder Ln (Indian Springs).						1250	1300	1200	
1226 HRLY 00	Yucca Dr, .1 mi N of SR-144 (Mesquite Bl).						750	770	820	
1227 HRLY 99	Gann St, 25' W of SR-169 (Logandale Rd).						360	350	280	
1228 HRLY 99	Maintenance Station Rd, NE of SR-160 (Pahrump Valley Rd) in Mtn Springs.						70	40	60	
1229 HRLY 01	IR-215, E/B off-ramp to N/B IR-15.								2000	2700
1230 HRLY 01	IR-215, W/B on-ramp from SR-604 (Las Vegas Bl).									3120
1231 HRLY 00	IR-215, W/B on ramp from S/B IR-15.								2000	2600
1232 HRLY 01	IR-215, W/B on-ramp from N/B IR-15.								2200	2600
1233 HRLY 00	IR-215, E/B off-ramp to SR-604 (Las Vegas Bl).									2700
1234 HRLY 00	IR-215, E/B off-ramp to S/B IR-15.							2200	2800	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1236	IR-215, E/B off-ramp to Stephanie St.								7300	11000
1237 HRLY 00	IR-215, W/B on-ramp from Valle Verde Dr.								5900	6000
1238	IR-215, btwn Green Valley Pk & Valle Verde Dr.							67200*	90335*	
1239	IR-215, btwn Valle Verde Dr & Stephanie St.							62700*	86135*	
1244	IR-15, S/B off/ramp of the Lamb Bl Intch.							550*	690	
1245	IR-15, N/B on-ramp of the Lamb Bl Intch.							550*	630	
1324	Hawthorne Wy, 200' S of Empress Dr North of Vireo Dr. *local			175	125	125	130	150	160	
1325	Duero Wy, 180' S of Viking Rd. *local			185	160	160	210	200	200	
1326	Mountain Spring Rd, 180' S of Fescue Place South of Palmyra Av. *local			305	400	400	380	350	350	
1328 HRLY 00	Lotus St, btwn Tara Av & Silver Dollar Av. *local			720	535	535	890	850	780	
1329 HRLY 00	Cedarbrook Dr, 300' E of Oakleaf Ln West of Piccolo Wy. *local			235	250	250	200	200	210	
1330 HRLY 00	Desert Ln, btwn Pinto Ln & Hastings Av.			1260	1200	1200	1120	1200	1100	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1331 HRLY 00	Goldy Ln, 100' S of Hyde Av. *local				655	680	680	680	500	500
1332 HRLY 00	Ducharme Av, 75' E of Cimmarron Rd. *local				810	915	915	840	700	800
1333 HRLY 00	Calvado St, 100' E of Tenaya Wy. *local				215	210	210	340	300	360
1334 HRLY 00	Eugene Av, 100' E of Michael Wy. *local				390	300	300	510	500	500*
1335 HRLY 01	Robin St, 75' S of Fair Av North of W Washington Av. *local			2300	1965	1965	1950	2000	2100	
1336 HRLY 01	Commerce St, 50' S of Lance Av North of Carey Av.			3200	2730	2730	2800	7300	6400	
1337 HRLY 99	Shady Hollow St, 300' W of Valley Dr. *local			135	115	115	130	130	170	
1338 HRLY 00	Cummings Dr, btwn Paloma Dr & Del Prado Dr. *local			75	110	110	80	70	90	
1339 HRLY 00	Gingerwood St, 300' N of Arvis St. *local			1300	1260	1260	1260	1100	1200	
1340 HRLY 00	18th St, 150' S of Constantine Av. *local			260	470	470	450	550	590	
1341 HRLY 01	Arthur Av, 300' S of Owens Av. *local			950	950	950	580	850	820	
1342 HRLY 00	Gateway Rd, .1 mi S of SR-147 (Lake Mead Bl). *local			510	605	605	650	650	650	650*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1343 HRLY 01	Glider St, 350' N of Lake Mead Bl			South of McGovern Av.		*local				
					125	130	130	120	300	170
1344	Park North Av, 100' E of Webster St.				*local					
					70	75	75	50	200	200
1346 HRLY 00	Gold Mist Av, 400' E of Pecos Rd.				*local					
						1075	1075	1050	1100	1100
1347 HRLY 00	Colton Av, 100' W of Tripoli Wy			West of Lamont St.	*local					
					1200	1365	1365	1450	1450	1450
1348 HRLY 99	Hathaway Dr, 75' E of Hollywood Bl.				*local					
						710	710	710	400	400
1349 HRLY 99	Lady Bryon Ln, 50' N of Monroe Av.				*local					
						250	330	320	300	300
1350 HRLY 99	Sherwin Ln, .1 mi S of Kell Ln.				*local					
						350	540	540	400	400
1351	Diamond Head Dr, 300' E of Pecos Rd.				*local					
						980	1055	1055	1050	990
1352 HRLY 00	Riata Wy, 150' N of Cedar Av.				*local					
						345	375	375	200	200
1353 HRLY 00	Cleek St, 125' W of Abarth St.				*local					
						100	205	205	170	100
1354	Winterwood Bl, btwn Nellis Bl & Danby Ln.				*local					
						2200	1460	1460	2000	1900
1355 HRLY 99	Happy Valley Av, 100' E of Aloha St.				*local					
						250	250	330	400	420

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1356 HRLY 99	Montego Dr, 100' N of Montego Cr. *local				250	205	205	250	200	240
1357 HRLY 02	Don Quixote St, 100' N of Powell Av. *local				230	240	240	150	200	180
1358 HRLY 02	Hollywood Bl, .1 mi N of Russell Rd. *local				225	1680	1680	1550	1550	1400
1359 HRLY 00	Whitney Ranch Dr, .2 mi N of Sunset Rd. *local				11500	11100	11100	12100	13800	13800
1360	Mulberry Dr, 150' W of Pacific Av. *local				330	265	265	265	265	240
1361	Beech St, 50' W of Continental Av.*local				305	435	435	320	320	260
1362 HRLY 99	Keena Dr, .1 mi S of Dutchman Av. *local				180	210	210	220	200	220
1363 HRLY 99	Grimsby Av, .1 mi SW of Guilford Dr. *local				210	235	235	235	250	250
1364 HRLY 99	Muchacha Dr, 300' W of N Fuente Dr.*local				150	130	130	140	150	180
1365 HRLY 00	Navarre Dr, btwn Gana Ct & Listo Ct.*local				245	335	335	250	250	250
1366 HRLY 99	Valleywood Rd, btwn Aqua Vista Av & Belvedere Dr.*local				755	965	965	730	730	660
1367 HRLY 99	Viewcrest Rd, btwn Locust Terrace & Belvedere Dr.*local				450	315	315	410	400	400

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1368 HRLY 01	Santa Rosa Dr, btwn San Pablo Dr & San Pedro Dr.* local			565	525		525	420	450	450
1369 HRLY 01	Capistrano Av, 100' E of La Canada St. *local			650	455		455	570	650	650
1370 HRLY 02	Holy Oak St, btwn Ridgewood Av & Autumn St. *local			465	455		455	490	400	470
1371	Twain Av, 50' N of Papago Ln. *local			6000	11300		11300	11300	11300	11300
1372 HRLY 99	Jeffreys St, 50' N of Portabello Rd.*local			905	760		760	780	700	860
1373 HRLY 01	Rancho Hills Dr, 100' S of Surrey Ln.*local			275	265		265	265	250	240
1374 HRLY 00	Spencer St, 200' N of Reno Av.*local			7300	5540		5540	5500	5500	5500
1375 HRLY 00	Valley Glen St, 50' S of Crest Av. *local			140	205		205	160	160	130
1376 HRLY 00	Balfour St, 50' S of Cadbury Dr.*local			275	260		260	250	250	230
1377 HRLY 02	Brockington Dr, 150' W of La Palomas Ct. *local			490	470		470	370	400	390
1378 HRLY 02	Alfalfa St, 25' S of Ponte Willow Ln. *local			220	250		250	250	250	400
1379 HRLY 02	Palm Av, 150' N of Russell Rd. *local			845	915		915	880	800	930

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1380 HRLY 02	Northridge Ln, 100' W of Northridge Cr. *local					195	195	150	200	180
1381 HRLY 00	Bluffs Dr, 150' W of Raindance Dr. *local					1070	1070	940	900	1000
1382 HRLY 00	Salinas Dr, 300' N of Santiago Dr.*local				200	170	170	150	150	200
1383 HRLY 99	Maule Av, .2 miles W of Pecos Rd. *local				420	405	405	280	300	390
1384 HRLY 01	Amigo St, 150' S of Warm Springs Rd. *local				2000	2250	2250	2000	2000	2000
1385	Cresta Pl, 50' N of Wigwam Pk.*local							0		2500
1386 HRLY 99	Quiet Desert Ln, 100' S of Oasis Cr (off of Wigwam Pk). *local				2400	2440	2440	1650	1650	1650
1387 HRLY 00	Carriage Wy, 50' N of Wigwam Pk, W of Pecos Rd. *local				1700	1780	1780	1780	1650*	1650*
1388	Calle De San Remo, 100' S of Via San Rafael Dr.*local				840	750	750	725	725	725*
1389	Matterhorn Wy, 75' N of Rip Van Winkle Ln.*local				90	170	170	170	200	200
1390	Larkwood Av, 110' S of Flora Dr. *local				275	250	250	250	250	280
1391 HRLY 96	Webb Av, 300' W of Mc Daniel St. *local				530	540	540	430	550	550

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1392 HRLY 96	Herrod Dr, 100' N of Heather Av. *local				265	335	335	280	600	600
1393 HRLY 96	San Felipe St, btwn Cartier Av & Ponderosa Av. *local				260	230	230	200	300	300
1394 HRLY 96	San Carlos Av, 50' W of San Vincent St. *local				490	605	605	660	660	660
1395 HRLY 99	Ringe Ln, 300' S of Cheyenne Av. *local				245	420	420	370	400	400
1396 HRLY 02	Sierra Sunrise St, .1 mi S of Carey Av. *local				215	300	300	250	300	300
1397 HRLY 00	Coroneos Dr, 300' N/E of Sunset Rd.*local				330	235	235	270	350	360
1398 HRLY 00	Almond Tree Ln, 150' W of Maryland Pk. *local				2000	1770	1770	1320	1750	1750
1399 HRLY 02	Harrison Dr, 150' N of McLeod Dr.*local				1700	1575	1575	1850	1850	1850*
1400 HRLY 01	US-95, N/B off-ramp of Centennial Pk Intch to E/B from US-95.									6700
1401 HRLY 01	US-95, N/B off-ramp of Centennial Pk Intch to W/B from US-95.									3100
1402 HRLY 01	US-95, N/B on-ramp of Centennial Pk Intch to US-95 N/B.									690
2079 HRLY 98	Tenaya Wy, .2 mi S of Centennial Pk.						5000	6600	6600*	6600

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
2080 HRLY 00	Rainbow Bl, .1 mi N of Hammer Ln.						4500	4800	5500	5500*
2081 HRLY 98	Lone Mountain Rd, 200' W of Torrey Pines Dr.						8300	9500	9500*	9500*
2082 HRLY 00	Jones Bl, .1 mi N of SR-573 (Craig Rd).						10000	11100	11900	11900*
2083 HRLY 00	Jones Bl, 100' N of Washburn Rd.								10300	10300*
2084 HRLY 98	Lone Mountain Rd, .2 mi E of Decatur Bl.						7650	8400	8400*	8400*
2085 HRLY 97	Alexander Rd, .1 mi E of Decatur Bl.							3500	3500*	3500*
2086 HRLY 98	Gowan Rd, .4 mi E of Decatur Bl.						3250	3700	3700*	3700*
2087 HRLY 98	Gowan Rd, .1 mi E of Clayton Dr.						2450	2800	2800*	2800*
2088 HRLY 98	Alexander Rd, 300' W of M.L.K.Bl.						3800	4650	4650*	4650*
2089 HRLY 98	Lone Mountain Rd, 100' W of Scott Robinson St.						4700	5100	5100*	5100*
2090 HRLY 98	Tropical Pk, .4 mi W of Camino Eldorado.						1850	2500	2500*	2500*
2091 HRLY 98	Tropical Pk, .3 mi E of Camino Eldarado.						580	850	850*	850*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
2092 HRLY 98	SR-573 (Craig Rd), .3 mi E of N 5th St.						36500	36800	40000*	40000
2093 HRLY 98	Losee Rd, .3 mi S of Carey Av.							17000	17000	17000*
2094 HRLY 98	Martin L King Bl, .1 mi S of Vegas Dr.					13000	27100	27600*	27600*	
2095 HRLY 98	Lone Mountain Rd, .1 mi W of US-95 ramps.					7400*	7600	7600*	7600*	
2096 HRLY 98	Alexander Rd, .4 mi W of Buffalo Dr.					5000	4450	4700*	4700*	
2097 HRLY 98	Alexander Rd, .2 mi E of Tenaya Wy.					6750	6650	7000*	7000*	
2098 HRLY 98	Torrey Pines Dr, .4 mi N of Gowan Rd.					1850	1750	1750*	1750*	
2099 HRLY 98	Tenaya Wy, .2 mi S of Alexander Rd.					6900	7800	7800*	7800*	
2100 HRLY 00	Gowan Rd, .3 mi E of Tenaya Wy.					5650	6400	6400*	6400*	
2101 HRLY 00	Torrey Pines Dr, 200' N of Peak St.					5050	5400	5350*	5350*	
2102 HRLY 00	Lake Mead Bl, .3 mi E of Thomas Ryan.					3550	3550	3900	3900*	
2103 HRLY 00	Hills Center Dr, .2 mi S of Lake Mead Bl.					8100	8100	11600	11600*	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
2104 HRLY 00	Lake Mead Bl., .2 mi W of Tenaya Wy.						42000	43100	42000	42000*
2105 HRLY 00	Smoke Ranch Rd, .1 mi E of Tenaya Wy.						13000	13800	13700	13700*
2106 HRLY 00	Torrey Pines Dr, .1 mi N of Lake Mead Bl.						8700	9600	9500	9500*
2107 HRLY 00	Lake Mead Bl, .2 mi E of Michael Wy.						28500	29300	28300*	28300*
2108 HRLY 00	Vegas Dr, .2 mi W of Rancho Dr.						11000	10300	10600	10600*
2109 HRLY 00	Vegas Dr, .2 mi E of Tenaya Wy.							9050	9350	9350*
2112 HRLY 00	Torrey Pines Dr, .1 mi N of Washington Av.							8400	9200	9200*
2113 HRLY 00	Decatur Bl, .25 mi S of Washington Av.								44500	44500*
2116 HRLY 00	Durango Dr, .3 mi S of Westcliff Dr.						8100	8800	10200	10200*
2117 HRLY 00	Alta Dr, .3 mi W of Buffalo Dr.							8850	8850*	10600*
2118 HRLY 00	Torrey Pines Dr, .3 mi N of Alta Dr.							0	8900	8900*
2119 HRLY 00	Alta Dr, 150' W of Upland Dr.								11400	11400*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
2121 HRLY 00	Torrey Pines Dr, 100' N of Oakey Bl.							8900	10100	10100*
2123 HRLY 00	Buffalo Dr, .3 mi N of SR-159 (Charleston Bl).								54000	54000*
2124 HRLY 00	SR-159 (Charleston Blvd), .2 mi E of Durango Rd.								41500	41500*
2125 HRLY 00	Durango Dr, .3 mi S of SR-159 (Charleston Bl).					16000	18400	28000	28000*	
2127 HRLY 97	Rancho Dr, .2 mi S of SR-595 (Sahara Av).						11000	11000	11000	11000*
2128 HRLY 97	Torrey Pines Dr, .25 mi S of Edna Dr.						4700	4700*	4700*	
2129 HRLY 98	Desert Inn Rd, .1 mi E of Crystal Water Wy.					8000	10500	10500*	10500*	
2130 HRLY 00	Durango Dr, 260' N of Spring Mtn Rd.						24700	19000	19000	19000*
2131 HRLY 00	Durango Dr, .2 mi S of Spring Mtn Rd.						25700	19600	19600	
2132 HRLY 00	Buffalo Dr, 50' N of Homage Wy.						18900	27800	27800*	
2133 HRLY 00	Desert Inn Rd, .2 mi W of Torrey Pines Dr.					11500	25800	25200	25200*	
2134 HRLY 00	Desert Inn Rd, .3 mi E of Decatur Bl.					21000	33900	34000	34000*	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
2135 HRLY 00	Desert Inn Rd, .2 mi E of Valley View Bl.						36000	47900	44000	44000*
2136 HRLY 00	Decatur Bl, .1 mi N of Twain Av.						36000	37500	37000	37000*
2137 HRLY 00	Torrey Pines Dr, .2 mi S of Twain Av.							4500	5150	5150*
2138 HRLY 98	Buffalo Dr, .3 mi S of Flamingo Rd.						12000	14200	14500*	14500*
2139 HRLY 98	Torrey Pines Dr, .1 mi S of Harmon Av.							4900	5600*	5600*
2140 HRLY 00	Decatur Bl, .1 mi N of Harmon Av.							28600	42000	42000*
2141 HRLY 00	SR-604 (Las Vegas Bl), .3 mi N of Wigwam Pk.						20000	24000	35000	35000*
2142	Wigwam Av, 50' W of Giles St.							750	750*	750*
2143 HRLY 00	SR-604 (Las Vegas Bl), .2 mi N of Pebble Rd.								26500	26500*
2144 HRLY 00	Pebble Rd, .2 mi E of Bermuda Rd.								8450	8450*
2145 HRLY 00	Windmill Ln, .3 mi W of Maryland Pk.								23500	23500*
2146 HRLY 00	Windmill Ln, .2 mi E of Spencer St.							19800	23500	23500*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
2147 HRLY 00	Windmill Ln, .4 mi E of Eastern Av.						19500	19500	19500*	19500*
2148 HRLY 00	Windmill Ln, .5 mi E of Pecos Rd.						13000	13000	15500	15500*
2149 HRLY 00	Eastern Av, .2 mi S of Windmill Ln.								35500	35500*
2150 HRLY 00	Wigwam Av, .1 mi W of Eastern Av.						2400	2400	3100	3100
2151 HRLY 00	Pebble Rd, .1 mi W of Pecos Rd.								8300	8300*
2153 HRLY 00	Pecos Rd, .3 mi S of Wigwam Pk.						9150	15600	22400	22400*
2154 HRLY 98	Wigwam Av, .3 mi E of Pecos Rd.							19100	19100*	19100*
2156 HRLY 00	Wigwam Av, .3 mi E of Green Valley Pk.								8050	8050*
2157 HRLY 00	Green Valley Pk, .2 mi N of Windmill Ln.							24300	26800	26800*
2158 HRLY 00	Valley Verde Dr, .2 mi N of SR-146 (Lake Mead Dr).						9450	9800	12300	12300*
2160 HRLY 00	Valley Verde Dr, .3 mi N of Wigwam Pk.							8100	9750	9750*
2161 HRLY 00	Windmill Ln, 260' E of Valley Verde Dr.						5600	5950	5500	5500*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
2162 HRLY 00	Valley Verde Dr, .2 mi N of Windmill Ln.						8300	8100	8100	8100*
2163 HRLY 00	Warm Springs Rd, .1 mi E of Valley Verde Dr.						26000	26000	23500	23500*
2164 HRLY 00	Arroyo Grande Bl, .4 mi S of Warm Springs Rd.						10300	9000	9000	9000*
2165 HRLY 98	Warm Springs Rd, .2 mi E of Arroyo Grande Bl.						24000	32000	32000*	32000*
2166 HRLY 00	Stephanie St, .1 mi N of Warm Springs Rd.						21000	25100	26200	26200*
2167 HRLY 00	Warm Springs Rd, .5 mi E of Stephanie St.						8550	12100	16300	16300*
2168 HRLY 00	Van Wagenen St, .5 mi S of SR-146 (Lake Mead Dr).						6350	6900	8200	8200*
2172 HRLY 00	SR-582 (Boulder Hw), .4 mi S of Equestrian Wy.						10800	11500	11500	11500*
2173 HRLY 00	Horizon Dr, 50' E of Arrowhead Dr.						13600	16700	16700	16700
2174 HRLY 98	Greenway Rd, btwn Boulder Hw & U.P.R.R.						7700	7700	7700*	7700*
2175	Warm Springs Rd, in Henderson off SR-146 (Lake Mead Dr)	.4 mi S of Center St.					7850	7850*	7850*	7850*
2176 HRLY 00	Athens St, S of Evelyn St.						4550	5450	7400	7400*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
2177 HRLY 00	Galleria Dr, .3 mi E of Stephanie St.						2200	2700	3250	3250*
2178 HRLY 00	Stephanie St, .1 mi N of Galleria Dr.						13000	12800	15400	15400*
2179 HRLY 00	Whitney Ranch Rd, 100' N of Galleria Dr.						8850	9400	10400	10400*
2182 HRLY 00	Nellis Bl, .1 mi N of Hacienda Av.						3750	3800	5300	5300*
2183 HRLY 00	Tropicana Av, 100' W of Stephanie St.								10300	10300*
2184 HRLY 00	Harmon Av, .1 mi W of SR- 612 (Nellis Bl).						4250	3600	6500	6500*
2185 HRLY 00	Mountain Vista St, .3 mi N of Harmon Av.						12000	13400	14100	14100*
2186	Flamingo Rd, .2 mi W of Cabana Dr.							9100	9100	10000
2188 HRLY 00	Maryland Pk, .2 mi S of Vegas Valley Dr.						42100	43000	43000*	
2189 HRLY 00	Karen Rd, .2 mi E of Joe W Brown Dr.						12400	12400*	12400*	
2190 HRLY 00	Maryland Pk, .2 mi S of Oakey Bl.						26000	32200	27600	27600*
2191 HRLY 00	Charleston Bl, .2 mi W of Christy Ln.						32800	31500	31500*	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
2192 HRLY 00	Hollywood Bl, 150' N of Stewart Av.						7100	7950	9250*	9250*
2193 HRLY 00	Hollywood Bl, .4 mi S of SR-147 (Lake Mead Bl).						5750	5750	11700	11700*
2194 HRLY 00	Pecos Rd, .1 mi N of Gowan Rd.						6250	6250	8600	8600*
2196 HRLY 00	Ogden Av, .1 mi W of Main St.						4850	4850	5750*	5750*
2197 HRLY 00	Fremont St, 50' W of Maryland Pk.							13200	12400	12400*
2198 HRLY 00	Stewart St, 50' W of Maryland Pk.							9150	9200	9200*
2199 HRLY 00	Russell Rd, .3 mi W of Spencer St.							22500	30000	30000*
2201 HRLY 00	SR-604 (Las Vegas Bl), S of Sunset Rd.							26500	24600	24600*
2203 HRLY 00	Pecos Rd, .4 mi S of Windmill Ln.								25200	25200
2204 HRLY 00	Decatur Bl, .2 mi N of Oakey Bl.								49500	49500*
4001 HRLY 00	Fourth St, N of Ogden Av.								4400	4400*
4002 HRLY 00	Fourth St, N of Charleston Bl.								7700	7700*

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
4003								11200	18000*	18000*
	Ann Rd, .1 mi W of Torrey Pines Dr.									
4004								2800	2700	2700*
HRLY 00	Arizona St, E of "B" St									
4005									6550	6550*
HRLY 00	Charleston Bl, btwn Treeline Dr & Hollywood Bl.									
4006								23200	23500	24400*
HRLY 00	Cheyenne Av, W of Durango.									
4007								1120*	1150	1150*
HRLY 00	Colorado St, W of Nevada Hw.									
4008								3000	6850*	6850*
HRLY 00	Durango Dr, N of Lone Mountain Rd.									
4009								18000	18300	18300*
HRLY 00	Durango Dr, btwn Flamingo Rd & Tropicana Av.									
4011									5200	5200*
HRLY 00	Grand Central Pk, N of Bonneville St.									
4012								17500	25000	25000*
HRLY 00	Industrial Rd, btwn Flamingo Rd & Tropicana Av.									
4013								2200	2100	2100*
HRLY 00	Lake Mountain Dr, W of US-93.									
4014								4400	4400*	4400
HRLY 00	Michael Wy, btwn Smoke Ranch Rd & Rancho Dr.									
4017								11900	20400	20400*
HRLY 00	Rampart Bl (Durango), N of Cheyenne Av.									


CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
4018 HRLY 00	Russel Rd, W of Rainbow Bl.							8900	14800	14800*
4019 HRLY 00	Russell Rd, W of Valley View Bl.							24200	25500	25500
4020 HRLY 00	Sahara Av, W of Treeline Dr.						0	13600	13600	13600*
4021 HRLY 00	Silverado Rancho Bl, W of Eastern Av.							17800	17800	17800*
4022 HRLY 00	Smoke Ranch Rd, btwn Rainbow Bl & Rancho Rd.						13000	13000	13000	13000*
4023 HRLY 00	Sping Mountain Rd, W of Durango Dr.						8550	9000	9000	9000*
4024 HRLY 00	Spring Mountain Rd, W of Buffalo Dr.						15600	16200	16200	16200*
4027 HRLY 00	Yucca St, N of US-93.						2250	2900	2900	2900*

*05

DOUGLAS



*05



DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0001 HRLY 00	US-395, at the NV-CA Stateline 3495	4130	3845	3940	4050	3700	3700	3750	3900	3980*
0002 HRLY 00	US-395, .3 mi South of SR-208. 3865	4470	4460	4570	4600	4350	4550	4500	4700	4800*
0003 HRLY 01	SR-208 (Topaz-Yerington Rd), 1 mi E of US-395 near mp SR-208/DO-1. 2460	3060	3000	3075	3050	3100	3150	3200	3550	3600
0005 HRLY 00	US-395, .1 mi S of mp 16 at the driveway to the trailer park. 6840	6960	6870	7125	7000	6900	7050	6700	6800	7600
0006 HRLY 01	US-395, .1 mi S of Toler Av. 14650	18800	18150	19970	20400	20200	20800	21200	22700	22000
0007 HRLY 00	US-395, 30' S of Eddy St. 15800	19500	19000	20600	20600	20400	21000	21600	23200	22000
0008 HRLY 00	US-395, 29' S of High School St. 19100	23100	22300	24250	24200	23700	24300	25300	26500	25000
0009 HRLY 00	US-395, 93' N of Bell St. 20100	22900	20850	23860	23800	23800	24400	25500	26500	26000
0010 HRLY 00	US-395, 150' S of Sixth St. 17150	21200	19300	21060	22100	22100	22800	25900	24200	24200*
0011 HRLY 00	US-395, 400' South of SR-88. 15500	20500	19000	21050	21700	22200	22300	23000	24300	24300*
0012 HRLY 00	SR-88 (Woodfords Rd), .2 mi N of County Rd. 8245	7140	9800	10770	10700	11600	11800	12800	12600	13300*
0013 HRLY 00	SR-207 (Mottsville Ln), .3 mi W of SR-88. 2880	3200	3500	3500	3500*	4300	4300*	3700		

DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0014 HRLY 00	SR-88 (Woodfords Rd), .1 mi S of SR-207 (Waterloo & Mottsville Ln).	6235	5970	7050	7800*	8400	8600*	9000	8900	9250*	9800*
0015 HRLY 00	Waterloo Ln, .2 mi E of SR-88.				2980	1300	1300	1300	1500	1700	1800
0016 HRLY 00	SR-756 (Gilman Av), 150' W of US-395.	5465	5510	5160	5190	5300	5300	5400	5400	5650	5300
0017 HRLY 00	SR-756 (Centerville Ln), .1 mi N of SR-207 (Waterloo Ln).	5425	6390	5000	5025	5300	7900	8050	8100	9250*	9800
0018 HRLY 99	SR-756 (Centerville Ln), .1 mi E of SR-88.	2715	3070	2900	2860	3300	3650	3450	3700	3850	3800*
0019 HRLY 00	SR-88, .1 mi N of the bridge over the W Fork of the Carson River.	2715	2870	3200	3360	3150	3550	3400	3550	3600	4200
0021 HRLY 00	SR-206 (Fairview Rd), 380' W of SR-88.	265	360	300	390	400	400	380	460	550	640
0022 HRLY 01	SR-206 (Fairview Rd), 1 mi W of SR-88 & .1 mi W of Fredricksburg Rd.	330	425	375	475	470	470	450	500	610	600
0023 HRLY 00	SR-206 (Foothill Rd), .1 mi S of SR-207 (Kingsbury Grade).	2420	3600	3250	3530	3550	3560	2400*	2250	2250	2800
0024 HRLY 01	SR-207 (Kingsbury Grade Rd), .3 mi W of SR-206 (Foothill Rd).	4090	5130	4635	4865	5200	4450	4450*	5500	4850	5300
0025 HRLY 01	SR-206 (Foothill Rd), .1 mi N of SR-207 (Kingsbury Grade).	1395	1880	1500	1930	2100	2700	2400	2350	2200	2500
0026 HRLY 01	SR-757 (Muller Ln), 200' W of US-395.	935	1100	1070	1200	1250	1300	1450	1400	1500	1600

DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0027 HRLY 00	SR-206 (Foothill Rd), 2.2 mi N of SR-757 (Muller Ln). 1075	1460	1370	1570	1600	1550	1600	1950	1800	1800*
0028 HRLY 00	SR-206 (Genoa Ln), 200' W of US-395. 825	1040	1010	1190	1250	1300	1250	1450	1400	1400*
0029 HRLY 00	US-395, .1 mi S of Muller Ln. 17300	19200	20450	22020	23300	23800	24100	25200	26600*	26600*
0030 HRLY 00	US-395, 350' S of SR-206 (Genoa Ln). 17200	18300	20545	21590	22600	24200	25100	25900	27300	27300*
0031 HRLY 00	US-395, 500' mi N of SR-206 (Genoa Ln). 17000	18300	20300	21350	22600	22900	24500	26200	27000	27000*
0032 HRLY 97	SR-759 (Douglas County Airport Rd), .1 mi E of US-395. 1170	1360	1400	1800	1950	1900	2300	2300	2300	2300*
0033 HRLY 00	US-395, .4 mi N of Stephanie Wy. 16800	18300	20300	21760	23100	23500	25100	26400	27700*	27700*
0034 HRLY 00	Jacks Valley Rd, .15 mi W of US-395. 3250	3560	3400	4450	4500	7400	9000	9000		
0035 HRLY 00	SR-28 (North Shore Rd), .2 mi N of US-50. 4560	4800	5500	5800	5650	5500	6300	6300	6000	6000*
0036 HRLY 00	US-50, .1 mi W of SR-28 at mp DO12. 10400	11600	11400	11700	12800	11300	11300	11700	12700	12600*
0037 HRLY 00	US-50, 600' W of the road to Glenbrook. 11100	12400	12190	11750	12900	11300	11300	11700	12700*	12600*
0038 HRLY 01	US-50, .3 mi E of SR-760 to Nevada Beach & Elk Point. 14800	17400	16260	15540	15600	18300	18300	19600	18300*	18000

DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0039 HRLY 01	SR-760 (Nevada Beach Rd), .5 mi W of US-50. 695	770	950	1085	1100	1000	1400*	1500	1200	1200
0040 HRLY 01	US-50, .4 mi E of SR-207 (Kingsbury Grade) at mp DO1. 19400	21500	20665	21030	21200	20300	20300	21800	20300	22000
0041 HRLY 01	US-50, 300' E of SR-207 (Kingsbury Grade). 24400	26100	26240	25890	25200	21100	20300	25900	23000	25000
0042 HRLY 01	SR-207 (Kingsbury Grade), 350' E of US-50. 19250	18900	16650	16820	15100	15500	14900	15100	15200*	15200*
0043 HRLY 01	SR-207 (Kingsbury Grade), .5 mi E of US-50. 12800	12600	11400	12370	11600	11400	11400*	11300	11400	12000
0044 HRLY 98	US-50, 300' E of the NV-CA State line. 31100	29300	29070	28740	27900	27900	26700	26700	27800*	27300*
0045 HRLY 00	US-395, .5 mi N of Jacks Valley Rd 10' S Drive Way of Liberty Baptist Church. 22600	24200	25600	27280	30600	29800	32200	33600	37600	37600*
0048 HRLY 01	Foothill Rd, .1 mi S of Alpine View Ct. 1120	1310	1300	1475	1400	1700	1700*	2100		
0049 HRLY 01	Jack's Valley Rd, .4 mi N of SR-206 (Genoa Ln). 1815	1900	1900	2050	2250	2250*	2250*	2600		
0050 HRLY 00	Pinenut Rd, .1 mi E of US-395. 1800	1925	2100	2250	2500	2400	2600	3100		
0051 HRLY 00	E Valley Rd, .1 mi NW of Pinenut Rd. 375	400	420	500	600	550	680	950		
0052 HRLY 01	Johnson Ln, .2 mi E of US-395. 3515	3900	3900	4300	4600	4800	4800	4900		

DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0054 HRLY 01	Johnson Ln, 250' E of Clapham Ln.			2340	2400	2400	2550	2700	2950	2800
0055 HRLY 00	Waterloo Ln, .1 mi W of US-395. 3500	4120	3350	3675	4300	4200	4250	4750	5800	6600
0056 HRLY 99	Waterloo Ln, .2 mi E of US-395.			3580	3900	4200	4250	4750	5050	6100
0057 HRLY 99	Toler Av, 180' W of Elges Rd. 1970		2215	2600	2750	2900	3150	3450	4100	
0058 HRLY 00	Toler Av, .2 mi E of Elges Rd. 2180		2450	3100	3000	3300	3400	3800	3800	
0059 HRLY 01	US-395, 200' S of the N Leg of Industrial Wy. 15150	15400	15960	18060	17800	17000	17300*	17800	20000	19000
0060 HRLY 98	SR-88 (Woodfords Rd), 1 mi S of US-395. 7505	7370	9100	10000	10200	9900	10100	10100	10500*	11400*
0062 HRLY 00	Centerville Ln, .1 mi W of Sheridan Wy & 150' E of SR-206 (Foothill Rd). 2470	2260	2360	2400	3100	2000*	2050	2200	2400	
0063 HRLY 00	Centerville Ln, .7 mi W of SR-88. 2760	2600	2630	2700	3400	2450*	2400	2600	2700	
0064 HRLY 00	County Rd, .1 mi E of SR-88. 1865	2545	2975	2550	3100	3150	3400	4050	4050*	
0065 HRLY 00	County Rd, 200' W of Tenth St. 2250	2265	2660	2600	3150	3200	3200	3800	3800*	
0066 HRLY 00	Kimmerling Rd, 75' E of Short Ct. 5700	6300	6700	6500	6400	6600	6500	6650	6900	

DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0067 HRLY 00	US-395, .5 mi N of Johnson Ln at mp 20.6. 18600	18400	20175	21400	21800	22400	23800	25000	25000*	
0068 HRLY 00	SR-756 (Centerville Rd), N of Dresslerville Rd.				7700	7850	7900	9000	8900	
0069 HRLY 00	US-395, .6 mi S of Pine Nut Rd.				9900	10100	10100	10000	11000	

IDAHO



*07

HUMBOLDT

E L K O


UTAH

237




ELKO AREA


*07




*07




CARLIN



WELLS



MONTELLO




SPRING CREEK


INTERSTATE 80 INTERCHANGES

07


WEST CARLIN 279




CENTRAL CARLIN 280




EAST CARLIN 282




HUNTER 292




ELKO WEST 298




ELKO DOWNTOWN 301




ELKO EAST 303




OSINO 310




RYNDON-DEVIL'S GATE 314




DEVILS GATE -ELBURZ 317




HALLECK-RUBY VALLEY 321




RIVER RANCH 328




DEETH-STARR VALLEY 333




WELCOME-STARR VALLEY 343




CRESTED ACRES 348




WEST WELLS 351




U.S.93 EAST WELLS 352




MOOR 360



INDEPENDENCE VALLEY 365




SUMMIT 373




INTERSTATE INTERCHANGES

07


PEQUOP 376




OASIS 378




SHAFTER 387



PILOT PEAK 398



WEST WENDOVER 410



ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0001 HRLY 01	SR-221 (Chestnut St) in Carlin, .5 mi W of Tenth St. 1790	1110	925	775	930	1150	1150	1150	900	900*
0002 HRLY 00	SR-766 (Newmont Mine Rd), 5 mi N of the Central Carlin Intch 2555	2900	3830	3035	2800	2600	2500	2500	2500*	1900
0006 HRLY 01	SR-221 (Chestnut St) in Carlin, 200' E of 10th St. 1250	1360	1240	1095	1300	1350	1550	1550	1550*	1500
0007 HRLY 99	IR-80, E of the E Carlin Intch "Exit 282" at mp 10. 8365	8495	10270	9465	9475	9870	9790	10005	10270*	9720
0008 HRLY 01	IR-80, E/B off-ramp of the Hunter Intch "Exit 292" 400' W of the cross traffic rd. 45	45	45	30	30	30	30	40	40	30
0011 HRLY 01	IR-80, E/B on-ramp of the Hunter Intch "Exit 292" 250' E of the cross traffic rd. 95	90	95	100	100	135	105	70	70	80
0013 HRLY 00	IR-80, W/B off-ramp of the Hunter Intch "Exit 292" 400' E of the cross traffic rd. 95	90	95	75	100	100	70	80	80	80*
0015 HRLY 01	IR-80, W/B on-ramp of the Hunter Intch "Exit 292" 150' W of the cross traffic rd. 45	45	45	30	30	35	40	50	50	50
0016 HRLY 00	SR-535 (Idaho St), .3 mi E of the E/B off-ramp of the Elko W Intch "Exit 298". 1370	1400	2000	1600	1600	2550	2400	2500	2500*	2200
0017	SR-535 (Idaho St), .4 mi W of Mountain City Hw. 3320	2600	3700	3700	3300	3800	3800	3400	3400*	3500
0020 HRLY 00	SR-227 (Fifth St), 150' S of SR-535 (Idaho St). 9275	9620	10800	11300	10700	11000	10300	9700	10700	9600
0022	Spring Creek Pk, 115' W of Bellwood Dr.									780

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0024 HRLY 00	SR-225 (Mountain City Hw), .1 mi N of Adobe Heights Rd	915	970	895	870	1050	1250	1130	1000	1100	1300
0025 HRLY 00	SR-225 (Mountain City Hw), .4 mi S of SR-226.	870	890	785	770	840	1050	950	880	880*	770
0026 HRLY 00	SR-225 (Mountain City Hw), 150' N of SR-226.	745	760	660	750	700	720	650	660	650	670
0027 HRLY 00	SR-226 (Deep Creek Rd), .1 mi W of SR-225 to Mountain City.	145	140	170	150	150	150	140	150	120	150
0031 HRLY 01	SR-225 (Mountain City Hw), 1.7 mi S of Maggie Summit Rd.	325	300	275	270	305	330	320	360	330	280
0032	Old Maggie Summit Rd, .34 mi W of SR-225.										30
0034 HRLY 00	SR-225 (Mountain City Hw), .6 mi N of mp 108.	365	340	325	305	335	365	370	420	380	380*
0037 HRLY 00	SR-225 (Mountain City Hw), 3.7 mi N of South Boundary of Duck Valley Indian Reservation.	465	460	390	430	475	485	470	470	440	440*
0038 HRLY 00	Wilson Reservoir Rd, .3 mi W of SR-225 just S of Owyhee.	670	460	600	650	620	700	590	590	550	
0041 HRLY 00	SR-225 (Mountain City Hw), 150' S of the NV-ID State line.	560	560	570	630	700	670	750*	810	950	950*
0042	Wilson Reservoir Rd, .1 mi N of the county rd to the ILL Ranch & Wilson Reservoir.										30
0043	Wilson Creek Reservoir Rd, .1 mi W of Wilson Reservoir Rd.										20

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0047 HRLY 00	SR-226 (Deep Creek Rd), 1.5 mi N of Old SR-18 to Tuscarora. 125	120	110	95	100	100	90	120	110	120
0048	Tuscarora Rd, 1.4 mi W of SR-226.									70
0052 HRLY 98	SR-228 (Jiggs Rd), 150' S of SR-227 to Lamoille. 1095	840	1140	1365	1400	1350	1350	1250	1250*	1250*
0053 HRLY 01	SR-227 (Lamoille Rd), .2 mi S of SR-228 to Jiggs. 5010	6080	6615	8325	9500	10300	10300	10200	10500	9800
0054 HRLY 00	Lamoille Canyon Rd, .1 mi S of SR-227. 320	300	300	300	285	310	340	310	430	
0055 HRLY 00	SR-227 (Lamoille Rd), .1 mi. E of county rd to Lamoille Canyon. 905	1090	945	1030	1100	950	1050	970	1050	910
0057 HRLY 00	SR-228 (Jiggs Rd), .1 mi N of Woods Ln. 260	300	325	325	350	365	365	330	400	400*
0059	Old SR-46, .3 mi S of SR-228.									90
0063 HRLY 00	SR-767 (Ruby Valley Rd), 16.7 mi S of Wye of SR-229 & SR-767. 40	30	40	35	45	45	45	55	50	50*
0064 HRLY 00	SR-767 (Ruby Valley Rd), .1 mi S of the leg of Wye of SR-229. 105	75	85	110	110	110	115	115	110	130
0065 HRLY 00	SR-229 (Ruby Valley Rd), .8 mi E of the N leg of Wye to SR-229. 95	90	90	110	110	110	115	105	100	100
0069 HRLY 00	SR-229 (Secret Pass Rd), .1 mi N of the county rd to Arthur in Ruby Valley. 150	125	150	140	190	190	190	120	200	180

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0070 HRLY 00	Lamoille Valley Rd, 50' S of SR-229. 60		75	75	100	100	90	60		70
0071 HRLY 00	SR-229 (Secret Pass Rd), .6 mi E of the Lamoille Valley Rd. 135	130	150	140	140	200	200	140	160	160
0074 HRLY 00	SR-230 (Starr Valley Rd), .6 mi S of Starr Valley County Rd. 70	80	110	150	150	150	150	90	110	100
0076 HRLY 00	SR-230 (Starr Valley Rd), .1 mi N of the County Rd to Deeth. 65	80	115	160	160	220	220	140	120	140
0077 HRLY 01	IR-80, E/B off-ramp of the Osino Intch "Exit 310" .2 mi W of the cross traffic rd. 200	140	270	330	380	455	475	320	450	400
0079 HRLY 01	IR-80, E/B on-ramp of the Osino Intch "Exit 310" .15 mi E of the cross traffic rd. 190	110	215	245	245	225	230	200	210	200
0081 HRLY 01	IR-80, W/B off-ramp of the Osino Intch "Exit 310" .2 mi E of the cross traffic rd. 190	110	215	245	245	225	170	200	160	200
0083 HRLY 01	IR-80, W/B on-ramp of the Osino Intch "Exit 310" .15 mi W of the cross traffic rd. 200	140	270	330	380	450	505	320	490	400
0084 HRLY 01	IR-80, E/B off-ramp of the Ryndon Intch "Exit 314" .2 mi W of the cross traffic rd. 380	495	440	470	550	690	550	430	400	440
0086 HRLY 00	IR-80, E/B on-ramp of the Ryndon Intch "Exit 314" .2 mi from the cross traffic rd. 65	65	50	60	60	40	40	50	40	50
0088 HRLY 01	IR-80, W/B off-ramp of the Ryndon Intch "Exit 314" .2 mi E of the cross traffic rd. 50	50	45	50	50	40	40	40	40	50
0091 HRLY 01	IR-80, W/B on-ramp of the Ryndon Intch "Exit 314" .2 W of the cross traffic rd. 365	480	440	460	550	570	600	400	400	440

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0092 HRLY 00	IR-80, E/B off-ramp of the Elburz Intch "Exit 317"	95	90	120	170	200	.1 mi E of the cross traffic rd.	200	200	180
0094 HRLY 01	IR-80, E/B on-ramp of the Elburz Intch "Exit 317"	35	30	120	40	40	.2 mi W of the cross traffic rd.	15	15	20
0096 HRLY 01	IR-80, W/B off-ramp of the Elburz Intch "Exit 317"	35	30	50	40	40	.2 mi E of the cross traffic rd.	20	20	20*
0098 HRLY 01	IR-80, W/B on-ramp of the Elburz Intch "Exit 317"	95	90	50	165	200	.2 mi W of the cross traffic rd.	185	185	180
0099 HRLY 00	IR-80, 1.5 mi W of Halleck Intch "Exit 321".	5625	5635	5630	6120	6155		5905	6575	6360
0100 HRLY 00	IR-80, E/B off-ramp of the Halleck Intch "Exit 321"	100	55	100	105	120	.75' W of the cross traffic rd.	140	125	120
0101 HRLY 00	SR-229 (Secret Pass Rd), 200' S of the E/B off-ramp of the Halleck Intch "Exit 321".	180	200	205	195	200		270	270	250
0102 HRLY 00	IR-80, E/B on-ramp of the Halleck Intch "Exit 321"	40	40	35	35	35	.1 mi E of cross traffic rd.	35	45	30
0103 HRLY 01	IR-80, W/B off-ramp of the Halleck Intch "Exit 321"	40	35	25	35	35	100' W of the W/B lanes.	35	25	30
0104 HRLY 01	IR-80, W/B on-ramp of the Halleck Intch "Exit 321"	100	50	105	100	120	.1 mi W of the W/B off-ramp.	140	105	110
0105 HRLY 01	IR-80, E/B off-ramp of the River Ranch Intch "Exit 328"	25	25	40	50	55	300' E of the E/B lanes.	55	55	70
0107 HRLY 01	IR-80, E/B on-ramp of the River Ranch Intch "Exit 328"	25	25	40	40	40	.2 mi E of cross traffic rd.	40	40	30

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0109 HRLY 01	IR-80, W/B off-ramp of the River Ranch Intch "Exit 328"	.2 mi E of the cross traffic rd.								
	30	30	35	40	50	50	50	50	30	30
0111 HRLY 01	IR-80, W/B on-ramp of the River Ranch Intch "Exit 328"	.2 mi W of the cross traffic rd.								
	30	30	35	40	55	55	55	70	80	60
0112 HRLY 01	IR-80, .3 mi E of the River Ranch Intch "Exit 328".									
	5505	5605	5485	5975	5965	5675	6395	6140	6570*	6460
0113 HRLY 01	IR-80, E/B off-ramp of the Deeth Intch "Exit 333"	100' W of the cross traffic rd.								
	100	145	85	110	110	130	130	90	100	100
0115 HRLY 01	IR-80, E/B on-ramp of the Deeth Intch "Exit 333"	185' E of the cross traffic rd.								
	35	40	45	50	50	50	50	50	50	50
0116 HRLY 01	IR-80, W/B off-ramp of the Deeth Intch "Exit 333"	125' E of the cross traffic rd.								
	35	35	40	65	65	65	65	60	50*	50
0117 HRLY 00	IR-80, W/B on-ramp of the Deeth Intch "Exit 333"	.2 mi W of the cross traffic rd.								
	100	140	95	100	100	100	100	70	100	110*
0118 HRLY 01	IR-80, E/B off-ramp of the Welcome Intch "Exit 343"	.1 mi E of IR-80.								
	85	30	35	45	45	45	45	60	100	50
0120 HRLY 01	IR-80, E/B on-ramp of the Welcome Intch "Exit 343"	75' E of the cross traffic rd.								
	130	65	110	105	190	190	190	100	100	120
0122 HRLY 01	IR-80, W/B off-ramp of the Welcome Intch "Exit 343"	.1 mi W of IR-80.								
	75	80	85	105	190	190	190	100	100	100
0123 HRLY 01	Frontage Rd to Welcome, .1 mi E of the cross traffic rd	of the Welcome Intch "Exit 343".								
	60	45	75	75	75	75	50	130	70	
0125 HRLY 01	IR-80, W/B on-ramp of the Welcome Intch "Exit 343"	50' W of the cross traffic rd.								
	30	45	30	45	55	55	55	60	110	60

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0126 HRLY 00	Old US-40, 100' W of the 2nd Mountain View Dr Entrance. 50	50	165	175	175		150	170	230	230*
0127 HRLY 00	Old US-40, .2 mi NW of Humboldt St. 315	320	330	400	465	465	400	430	470	470*
0128 HRLY 00	SR-223 (6th St), 100' W of Lake Av E of the Wagon Wheel Motel. 2350	2060	2140	2335	2100	2450	2100	1950	2150	2400
0129 HRLY 00	SR-231 (Angel Lake Rd), 1.8 mi W of Humboldt Av. 90	50	60	140	70	70	70	75	120	120*
0130 HRLY 00	SR-223 (6th St), 110' W of US-93 in Wells. 3620	2810	2900	1960	3200	3500	2950	2750	2800	2800*
0131 HRLY 00	US-93, .2 mi S of the E/B ramps at the E Wells Intch "Exit 352". 720	800	910	1170	910	1150	1000	1050	1000	1100
0133 HRLY 01	IR-80, E/B off-ramp of the Moor Intch "Exit 360" 100' of the cross traffic rd. 20	20	20	20	20	20	30	40	50	40
0134 HRLY 98	IR-80, E/B on-ramp of the Moor Intch "Exit 360" 125' E of the cross traffic rd. 15	15	15	15	15	15	25	30	20	20*
0136 HRLY 01	IR-80, W/B off-ramp of the Moor Intch "Exit 360" 100' E of the cross traffic rd. 10	10	10	10	10	10	15	30	20	30
0138 HRLY 01	IR-80, W/B on-ramp of the Moor Intch "Exit 360" 175' W of the cross traffic rd. 15	15	15	15	15	15	25	40	50	40
0139 HRLY 01	IR-80, E/B off-ramp of the Independence Intch "Exit 365" 100' W of the cross traffic rd. 25	30	30	30	30	35	35	40	70	30
0140 HRLY 01	IR-80, E/B on-ramp of the Independence Intch "Exit 365" 345' E of the cross traffic rd. 5	15	10	20	20	15	15	20	50	10

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0142 HRLY 01	IR-80, 5	W/B off-ramp of the Independence Intch	10	10	15	"Exit 365"	125'	E of the cross traffic rd.	10	20
0143 HRLY 01	IR-80, 25	W/B on-ramp of the Independence Intch	25	30	25	"Exit 365"	345'	W of the cross traffic rd.	30	30
0144 HRLY 00	IR-80, 4520	.1 mi E of the Pequop Intch	4405	4475	4560	"Exit 376".	4585	4760	4840	5080
0145 HRLY 01	SR-233 (Montello Rd), 245	.1 mi N of the W/B lanes of IR-80.	310	340	370	400	400	400	580	580*
0146 HRLY 01	Wendover Bl, 9790	200' W of US-93A (to freeway).	12800	10400	11400	12500	12200	12700	12300	12500
0147 HRLY 01	Wendover Bl, 10300	.25 mi W of the NV-UT State line.	13100	10700	10700	11600	11100	11100	11300	9200*
0148 HRLY 01	US-93A, at mp EL 52., 490	200' S of the Wendover City Limits.	540	440	455	475	475	480	500	520
0150 HRLY 00	SR-233 (Montello Rd), 340	.3 mi S of the County Road to Crittenden Reservoir.	305	420	380	420	420	420	540	490
0151 HRLY 01	SR-233 (Montello Rd), 185	.2 mi N of County Rd to Crittenden Reservoir-Wine Cup Ranch Rd.	150	230	275	250	250	250	360	350
0153 HRLY 00	SR-229 (Secret Pass Rd), 100	.1 mi W of US-93.	100	115	125	125	125	130	135	100
0154	Southern Rd to Arthur in North Ruby Valley,	2.2 mi N of SR 229 & .1 mi N of a fence corner E.								30
0155 HRLY 00	US-93, 665	.1 mi N of SR-229.	680	775	930	790	1000	1000	950	870
										1100

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0156 HRLY 00	SR-232 (S Clover Valley Rd), .1 mi W of US-93. 25	30	30	30	25	25	25	25	30	30*
0158 HRLY 00	SR-232 (Clover Valley Rd), N Clover Valley Rd .1 mi W of US-93 South of Wells. 100	125	120	150	150	150	150	170	160	210
0162 HRLY 00	US-93, 1.1 mi N of Jackpot. 3600	3600	3760	3430	3600	3800	3950	3850	3850*	3900
0163 HRLY 01	IR-80, btwn the Elko E Intch "Exit 303" & Osino Intch "Exit 310". 6395	6675	6385	7365	7735	7890	8575	7660	8270	8200
0164	FR-EL54 (Old US-40), .2 mi E of Nevada Youth Training Center driveway. 1520	1650	1560	1670	1800	1600	1750	1800	1800*	1500
0165 HRLY 01	IR-80, .5 mi W of Summit Intch "Exit 373". 4480	4365	4505	4595	4620	4765	4840	5080*	5210*	5060
0166 HRLY 01	IR-80, E/B off-ramp of the Summit Intch "Exit 373" 200' E of the E/B lanes. 330	330	230	275	275	275	240	310	420	430
0167 HRLY 01	IR-80, E/B on-ramp of the Summit Intch "Exit 373" 100' W of the E/B lanes of IR-80. 330	330	230	275	275	290	240	310	220	210
0168 HRLY 01	IR-80, W/B off-ramp of the Summit Intch "Exit 373" 300' E of the cross traffic rd. 270	270	220	290	290	290	315	380	220	220
0169 HRLY 01	IR-80, W/B on-ramp of the Summit Intch "Exit 373" 300' W of the cross traffic rd. 270	270	220	295	295	295	315	380	420	420
0171 HRLY 01	IR-80, 1.4 mi E of the Summit Intch "Exit 373". 4480	4365	4505	4590	4615	4760	4840	5080	4790*	4640*
0172 HRLY 01	IR-80, E/B off-ramp of the Pequop Intch "Exit 376" .1 mi W of the cross traffic rd. 15	15	25	25	25	15	15	10	10	10

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0174 HRLY 01	IR-80, E/B on-ramp of the Pequop Intch "Exit 376"	35	35	10	10	10	.1 mi E of the cross traffic rd.	15	15	10
0175 HRLY 01	IR-80, W/B off ramp of Pequop Intch "Exit 376"	35	35	10	10	10	325' E of cross traffic rd.	15	15	10
0176 HRLY 01	IR-80, W/B on-ramp of the Pequop Intch "Exit 376"	15	15	25	25	25	325' W from the cross traffic rd.	15	15	10
0177 HRLY 01	IR-80, E/B off-ramp of the Oasis Intch "Exit 378"	150	130	140	170	170	100' E of the mainline.	165	165	160
0179 HRLY 00	IR-80, E/B on-ramp of the Oasis Intch "Exit 310"	90	85	115	185	185	300' E of the cross traffic rd.	130	130	160
0181 HRLY 01	IR-80, W/B on-ramp of the Oasis Intch "Exit 310"	210	190	210	245	245	200' W of the cross traffic rd.	210	210	130
0182 HRLY 01	IR-80, W/B off-ramp of the Oasis Intch "Exit 310"	150	145	180	220	220	200' E of the cross traffic rd.	150	150	210
0185 HRLY 01	IR-80, .8 mi E of the Oasis Intch "Exit 310".	4400	4315	4420	4550	4575	4665	4745	5080	4780*
0186 HRLY 00	Idaho St, .1 mi E of 30th St at the E Elko City Limits.	6135	6670	7900	7770	7900	8300	8300	8200	8250
0187 HRLY 00	SR-225 (Mountain City Hw), 150' S of the Airport Rd.	13450	14700	15100	15100	17300	16500	16500	16900	17000
0188 HRLY 01	SR-225 (Mountain City Hw), .1 mi S of E/B off-ramp at Elko Downtown Intch "Exit 301".	14800	14700	15200	15200	17400	18200	17700	18100	18100*
0189 HRLY 00	5th St, 200' N of I.T.C. St.	6895	6230	6400	8700	9500	8400	8800	8350	7900
										7800

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0191 HRLY 00	5th St, 250' N of Ash St. 10000		10400	11000	10000	9900	9600	8700	9000	
0192 HRLY 99	5th St, 150' N of Juniper St.		10100	10700	9900	9800	9350	8800	8600	
0194 HRLY 00	SR-227 (5th St), 50' S of River St. 13060 13200 13400 14000		14400	14000*	12800	12400	11900	12000		
0195 HRLY 99	SR-227 (5th St), 200' E of Carlin Ct. 7150 7330 7550 7900		8250	7800*	7400	7450	7450*	7450*		
0196 HRLY 00	SR-535 (Idaho St), 100' W of 3rd St. 9610 10800 10350 10700		11600	10100	9100	9800	9450	8500		
0197 HRLY 00	Highland Dr, 300' N of W Cedar St. 760 720		770	710	670	650	630	610		
0198 HRLY 00	Highland Dr, 200' N of Ash St. 620		590	670	620	610	610	500	530	
0203 HRLY 00	8th St, 100' N of Cedar St. 830		1340	1500	1500	1000	1050	820	940	
0205 HRLY 00	Cedar St, 50' S of Fir St. 1230		1305	1450	1400	1350	1300	1350	1350*	
0206 HRLY 99	Cedar St, 200' W of 5th St. 2150 2170 2250		2410	2700	2400	2300	2250	2350	2350*	
0207 HRLY 00	Cedar St, 200' E of 5th St. 3090 3170 3400		3950	4050	4200	3500	3500	3500*	3500*	
0208 HRLY 00	Cedar St, 100' E of 8th St. 3075 2810 3100		4030	3900	3900	3050	3150	2800	2800*	

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0210 HRLY 00	Cedar St, 200' E of 13th St. 3700	3220	3950	4030	4050	4300	3450	3800	2900*	3100
0211 HRLY 00	Cedar St, 75' E of Golf Course Rd. 2400		2450		2550	2700	2000	2100	2100*	1800
0214	College Av, 300' E of Golf Course Rd. 3600		3965		4700	4750	2850	3050	3050*	3050*
0217 HRLY 00	Golf Course Rd, 500' N of Cedar St. 4150	3730	3800	4150	4600	4350	3400	3250	2850	3200
0218 HRLY 00	13th St, 150' N of Oak St. 2300			2085	2900	3400	2950	3050	3050*	2700
0219 HRLY 00	12th St, 220' N of Idaho St & 75' S of Court St. 4010	3760	3700	4100	4050	4700	4050	4000	4000*	4000*
0220 HRLY 00	Idaho St, 150' E of 9th St. 16300	16900	18700	18900	17300	17200	15000	14900	14300	13000
0222 HRLY 00	Silver St, 140' E of SR-227 (5th St). 3990	4170	5700	5165	6150	7400	7600	6700	7050	7050*
0223 HRLY 99	Silver St, 150' W of SR-227 (5th St). 4820	6450	8300	9470	11400	11600	11600	10900	10200	9800
0226 HRLY 00	2nd St, 150' N of Main St. 325		400	415	430	300	300	290		250
0227 HRLY 01	IR-80, E/B off-ramp of the Shafter Intch "Exit 387" 200' W of the cross traffic rd. 25	25	35	35	35	35	30	50	40	
0229 HRLY 01	IR-80, E/B on-ramp of the Shafter Intch "Exit 387" 100' E of the cross traffic rd. 35	35	45	45	45	45	35	50	50	50

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0231 HRLY 01	IR-80, W/B on-ramp of the Shafter Intch "Exit 387" 100' W of the cross traffic rd. 35	35	35	35	35	35	45	90	75	70
0233 HRLY 01	IR-80, W/B off-ramp of the Shafter Intch "Exit 387" 150' E of the cross traffic rd. 45	45	45	45	45	45	50	80	70	70
0234 HRLY 00	Wilson Av, 75' W of SR-227 (5th St). 4580	4230	3500	4650	4770	4800	4600	3900	4150	3100
0237 HRLY 01	IR-80, E/B off-ramp of the W Wendover Intch "Exit 410" .3 mi W of the cross traffic rd. 1100	1115	1075	1175	1075	990	970	880	1000	1100
0238 HRLY 01	IR-80, E/B on-ramp of the W Wendover Intch "Exit 410" .1 mi E of the cross traffic rd. 1110	1160	1170	1330	1175	1305	1245	1240	1645*	2000*
0239 HRLY 01	IR-80, W/B off-ramp of the W Wendover Intch "Exit 410" .2 mi E of the cross traffic rd. 1090	1245	1305	1480	1325	1470	1355	1350	1520*	2000
0240 HRLY 01	IR-80, W/B on-ramp of the W Wendover Intch "Exit 410" .1 mi W of the cross traffic rd. 1080	1200	1145	1230	1200	1245	925	950	950	1040*
0241 HRLY 01	Wendover Bl, .1 mi W of US-93A. 8275	12200	10400	11500	11900	11500	11100	11300	11300*	11000
0243 HRLY 00	IR-80, 2 mi E of the Pilot Peak Intch "Exit 398". 4490	4405	4530	4660	4675	4765	4840	5110	4785*	4760*
0244 HRLY 01	IR-80, .2 mi E of the W Wendover Intch "Exit 410". 4510	4495	4780	5055	4900	5305	5545	5870	6000	6320
0245 HRLY 99	12th St, 400' S of Idaho St. 9415	10000	10400	10500	11500	11700	11300	12300	10800	10800*
0246 HRLY 99	12th St, 150' N of SR-227 (5th St). 8525	7950	4905	10800	12100	13800	12900	14000	12500	12000

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0248 HRLY 01	IR-80, E/B off-ramp of the W Carlin Intch "Exit 279" 300' W of the cross traffic rd. 110	110	130	155	150	350	305	180	110	130
0249 HRLY 01	IR-80, W/B on-ramp of the W Carlin Intch "Exit 279" 100' W of the cross traffic rd. 70	75	95	115	115	205	180	160	110	100
0250 HRLY 01	SR-278 (Eureka-Carlin Rd), .3 mi S of SR-221 (Chestnut St). 540	520	465	480	550	700	610	520	520	610
0251 HRLY 01	IR-80, .4 mi E of the W Carlin Intch "Exit 279". 5395	5360	5585	5560	5925	5860	5915	6820	6865*	6620*
0252 HRLY 01	IR-80, E/B off-ramp of the Central Carlin Intch "Exit 280" 300' W of the cross traffic rd. 540	560	715	680	675	520	545	550	600	570
0253 HRLY 01	SR-766 (Newmont Mine Rd), 175' N of SR-221. 3240	3470	3400	3450	3250	3050	3500	3500	2550*	2600
0254 HRLY 01	IR-80, E/B on-ramp of the Central Carlin Intch "Exit 280" 150' E of the cross traffic rd. 1785	1880	2620	2365	2230	2250	2190	1760	2280*	1850*
0256 HRLY 01	IR-80, W/B off-ramp of the Central Carlin Intch "Exit 280" 200' E of the cross traffic rd. 1805	1870	2480	2235	2100	2235	2090	1790	1800	1950*
0257 HRLY 01	IR-80, W/B on-ramp of the Central Carlin Intch "Exit 280" 150' W of the cross traffic rd. 645	605	720	680	675	565	550	555	535	530
0258 HRLY 01	IR-80, 1 mi E of the Central Carlin Intch "Exit 280". 7800	7945	9250	8800	8905	9260	9100	9265	9810	9320
0259 HRLY 01	IR-80, W/B off-ramp of the E Carlin Intch "Exit 282" 200' E of the cross traffic rd. 305	285	570	355	290	330	380	410	220	200
0260 HRLY 01	IR-80, E/B on-ramp of the E Carlin Intch "Exit 282" 150' E of the cross traffic rd. 260	265	450	310	280	280	310	330	240	200

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0261 HRLY 01	IR-80, btwn the Hunter Rd Intch "Exit 292" & the Elko W Intch "Exit 298". 8465	8585	10370	9580	9615	10040	9895	10065	10330	9800*
0262 HRLY 01	IR-80, E/B off-ramp of the Elko W Intch "Exit 298" .2 mi W of the cross traffic rd. 840	730	1795	1190	1225	1220	1215	1065	1060	930
0263 HRLY 01	IR-80, E/B on-ramp of the Elko W Intch "Exit 298" 300' W of E/B lanes. 100	180	200	80	330	360	300	300	330	390
0265 HRLY 01	IR-80, W/B on ramp of the Elko W Intch "Exit 298" .2 mi W of the cross traffic rd. 380	400	1490	635	700	735	785	650	650	660
0266 HRLY 01	IR-80, W/B off-ramp of the Elko W Intch "Exit 298" 200' W of W/B lanes. 80	140	160	115	335	345	395	360	400	450
0268 HRLY 98	IR-80, btwn the Elko W Intch "Exit 298" & the Elko Downtown Intch "Exit 301". 7425	7775	7445	7950	8355	8790	8590	9010	9350*	9050*
0269 HRLY 01	IR-80, E/B off-ramp of the Elko Downtown Intch "Exit 301" 50' E of E/B lanes. 1330	1470	1500	1500	1670	1755	1415	1550	1790	1700
0270 HRLY 01	IR-80, E/B on-ramp of the Elko Downtown Intch "Exit 301" 20' W of beginning of concrete. 1935	1945	2000	2275	2495	2725	2390	2350	2255*	2260*
0271 HRLY 01	IR-80, W/B off-ramp of the Elko Downtown Intch "Exit 301" 150' E of Mtn City Hw. 2000	1945	2000	2200	2400	2550	2125	2150	2090	2100*
0273 HRLY 01	IR-80, W/B on-ramp of the Elko Downtown Intch "Exit 301" 150' E of W/B lanes. 1665	1995	2050	1920	2050	2305	1775	1870	1775	1800
0274 HRLY 00	SR-225 (Mountain City Hw), at the Elko Downtown Intch "Exit 301" (EL 28.3) 16350	17600	17700	16400	19200	19300	19700	19500	19000	19000*
0276 HRLY 01	IR-80, E/B off-ramp of the Elko E Intch "Exit 303" .2 E of the E/B lanes. 1975	2165	2170	2340	2450	2580	2240	2450	2545	2320

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0277 HRLY 01	IR-80, E/B on-ramp of the Elko E Intch "Exit 303"	300' W of the E/B lanes.								
	1075	1285	1300	1475	1520	1490	1525	1175	1500	1400
0279 HRLY 01	IR-80, W/B off-ramp of the Elko E Intch "Exit 303"	100' W of the W/B lanes.								
	1130	1490	1500	1580	1685	1625	1755	1575	2050	1600
0280 HRLY 01	IR-80, W/B on-ramp of the Elko E Intch "Exit 303"	.2 mi W of the cross traffic rd.								
	2200	2135	2140	2355	2550	2605	2380	2730	2865	2490
0281	Jennings Wy, 200' N of W/B off-ramp of "Exit 303".						3100	3300	3300*	3700
0282 HRLY 00	FR-EL17 East Jenning Wy, 190' S of the E/B ramps of the Elko E Intch "Exit 303".									
	6560	6980	8200	9545	9430	9000	9700	10000	10200	9900
0283 HRLY 00	IR-80, 2.3 mi E of Halleck Intch "Exit 321"	25' W of mp EL 46.00.								
	5505	5605	5485	5985	5985	5695	6415	6190	6670	6520*
0284 HRLY 01	IR-80, .5 mi W of the Beverly Hills Intch "Exit 348".									
	5465	5465	5525	6000	6150	5840	6560	6170	6460*	6460*
0285 HRLY 01	IR-80, W/B on-ramp of the Beverly Hills Intch "Exit 348".	.2 mi W of the cross traffic rd.								
	40	30	30	25	25	25	30	40	20	30
0286 HRLY 01	IR-80, E/B off-ramp of the Beverly Hills Intch "Exit 348"	.25 mi E of E/B lanes of IR-80.								
	25	10	25	25	25	25	35	30	20	30
0287 HRLY 01	IR-80, E/B on-ramp of the Beverly Hills Intch "Exit 348".	.1 mi E of the cross traffic rd.								
	25	20	25	40	40	40	35	40	20	30
0288 HRLY 01	IR-80, W/B off-ramp of the Beverly Hills Intch "Exit 348".	.25 mi W of W/B lanes of IR-80.								
	30	20	25	40	40	40	30	40	20	20
0292 HRLY 99	IR-80, .5 mi W of the W Wells Intch "Exit 351".									
	5455	5465	5520	6030	6180	5870	6560	6180	6460*	6450*

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0293 HRLY 01	IR-80, W/B on-ramp of the W Wells Intch "Exit 351"	.1 mi W of Humboldt Av.								
	325	265	320	420	380	380	380	260	240	270
0294 HRLY 01	IR-80, E/B off-ramp of the W Wells Intch "Exit 351"	.400' W of the cross traffic rd.								
	620	350	420	460	420	420	420	360	390	420
0295 HRLY 01	IR-80, E/B on-ramp of the W Wells Intch "Exit 351"	.1 mi E of Humboldt Av.								
	360	175	305	370	310	310	310	320	280	290
0296 HRLY 01	IR-80, W/B off-ramp of the W Wells Intch "Exit 351"	.2 mi W of W/B lanes of IR-80.								
	180	150	225	245	200	200	280	220	180	180
0297 HRLY 00	SR-223 (Humboldt Av), .1mi N of the W/B ramps of the W Wells Intch "Exit 351"									
	1105	960	990	1325	1300	1300	1300	1300	1350	1350*
0299 HRLY 00	SR-231 (Humboldt Av), 25' S of the E/B ramps of the W Wells Intch "Exit 351".									
	195	170	160	680	620	620	620	610	780	780*
0303 HRLY 99	IR-80, .15 mi E of the W Wells Intch "Exit 351".									
	5050	5175	5100	5765	5890	5580	6350	6100	6290	6230*
0304 HRLY 01	IR-80, W/B on-ramp of the E Wells Intch "Exit 352"	.1 mi W of US-93.								
	1240	1485	1980	2185	1315	1560	1755	1490	1430	1500
0305 HRLY 01	IR-80, E/B off-ramp of the E Wells Intch "Exit 352"	.1 mi E of E/B lanes IR-80.								
	1050	1295	1715	2040	1570	1555	1845	1460	1375	1400
0306 HRLY 01	IR-80, E/B on-ramp of the E Wells Intch "Exit 352"	.1 mi E of the US-93.								
	820	905	1335	1570	945	1185	1090	1000	870	840
0307 HRLY 01	IR-80, W/B off-ramp of the E Wells Intch "Exit 352B"	.2 mi W of W/B lanes of IR-80.								
	185	205	290	335	215	245	225	230	275	280
0309 HRLY 01	IR-80, W/B off slip-ramp to SR-223-US-93 of the E Wells Intch "Exit 352B"	.2 mi W of W/B lanes								
	765	900	1315	1280	485	920	830	760	670	670

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0311	IR-80, .4 mi E of the US-93 underpass of the E Wells Intch "Exit 352". 3765	3505	3240	3345	4225	3895	4065	4380	4630*	4450*
0312 HRLY 01	IR-80, E/B off-ramp of the Pilot Peak Intch "Exit 398" 300' W of the cross traffic rd. 20	20	80	100	100	100	120	170	100	50
0313 HRLY 01	IR-80, E/B off-ramp of the Ola Intch.									180
0314 HRLY 01	IR-80, E/B on-ramp of the Pilot Peak Intch "Exit 398" 300' E of the cross traffic rd. 55	55	125	140	140	140	160	200	100	100
0317 HRLY 01	IR-80, W/B off-ramp of the Pilot Peak Intch "Exit 398" 300' E of the cross traffic rd. 50	50	125	140	140	140	160	195	100	100
0318 HRLY 01	IR-80, W/B on-ramp of the Pilot Peak Intch "Exit 398" 35' W of the cross traffic rd. 15	15	80	100	100	100	115	185	100	50
0319 HRLY 99	SR-227 (Fifth St), 200' E of 12th St S of Elko. 13800	14450	16000	17100	17700	20000	20700	20200	20200*	20200*
0320 HRLY 01	SR-221 (Chestnut St), .1 mi W of the cross traffic rd of the E Carlin Intch "Exit 282". 690	740	810	820	900	750	975	975	750	750*
0321 HRLY 01	S Frontage Rd, .2 mi E of the cross traffic rd at the E Carlin Intch "Exit 282". 210	275	150	160	180	220	500	500	430	370
0322 HRLY 00	Argent Av, 130' E of SR-225 (Mtn City Hw). 4440	3700	3900	4250	7500	7400	8250	7450	7400	7300
0323 HRLY 00	Argent Av, 175' S of Antimony St. 2900		3160		3500	3000	2900	2600	2600*	2500
0324 HRLY 00	Copper St, 100' E of Argent Rd. 2350		2560		2560	2500	2550	2350	1950	2200

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0325 HRLY 00	5th St, .2 mi NW of Spruce St. 4980		5900	6100	5200	5350	5200	4800	4800	
0326 HRLY 00	Sage St, 75' W of Dotta Dr. 3035	2840	2600	2925	3600	3100	3050	3200	3000	3200
0328 HRLY 00	Elm St, 100' W of 5th St. 1330		1255	1650	1500	1550	1550	1300	1400	
0330 HRLY 00	Elm St, 250' W of College Pk. 1850		1560	1950	2250	2200	2150	2150*	1900	
0331 HRLY 00	Elm St, 100' E of Burns Rd. 2850		2400	2700	2800	2400	2450	2450*	2200	
0332 HRLY 00	College Pk, 100' S of Mittry Av. 3050		2880	3250	3250	3700*	3900	3200	3700	
0333 HRLY 00	College Pk, 50' N of Sage St. 2400		2265	2950	2950	2550	2600	2600	2200	
0335 HRLY 00	13th St, 350' N of Cedar St. 2450		2065	3150	3450	2950	3400	3400*	3400*	
0336 HRLY 00	Convention Dr, .1 mi NW of Idaho St. 500		500	450	350	360	360	360*	330	
0337 HRLY 00	"D" St, 100' N of Idaho St. 1290		1400	1200	1150	1100	1100	1100	920	
0338 HRLY 99	Bullion Rd-Wilson Av, 100' SW of Morse Ln. 3000	3030	3200	3200	3050	2950	2950	2950	2950*	
0339 HRLY 00	Bullion Rd, .5 mi W of Errecart Bl. 1050	1060	1050	1020	1050	950	950	950*	850	

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0340 HRLY 00	Wilson Av, 100' E of 5th St. 2900		2880	3150	3150	2000	3150	2700	2700*	
0341 HRLY 00	South 9th St, 100' N of Oudekirk Av.			1450	1450	1300	2050	1400	1100	
0343 HRLY 00	Silver St, 100' W of 12th St. 1935 2400 4450	4140	4950	5150	5400	4900	5500	5600		
0345 HRLY 00	SR-225 (Mountain City Hw), .6 mi N of Argent Av. 1990 2680 2400 2670	3150	3250	3300	2900	2900	2900	2600		
0346 HRLY 00	SR-225 (Mountain City Hw), 75' S of the N jct of Claridge loop & 1.85 mi N of IR-80 mp 30. 1100 1240 1460 1625	1600	1650	1650	1600	1700	1700*			
0348 HRLY 01	IR-80, btwn the Osino Intch "Exit 310" & the Ryndon Intch "Exit 314". 6375 6615 6275 7195	7465	7435	7995	7420	7700	7700*			
0349 HRLY 00	IR-80, 1 mi W of Elburz Intch "Exit 317". 5745 5755 5490 6375	6475	5560	6925	6680	6960	6960*			
0350 HRLY 01	IR-80, near EL mp 62 6.1 mi E of Deeth Intch "Exit 333". 5375 5395 5390 5880	5870	5560	6360	6090	6470	6350*			
0351 HRLY 01	IR-80, .6 mi E of the Moor Intch "Exit 360". 4520 4395 4545 4615	4640	4805	4880	5120	5240*	5090*			
0352 HRLY 01	IR-80, btwn the Shafter Intch "Exit 387" & the Pilot Peak Intch "Exit 398". 4420 4335 4440 4570	4595	4685	4755	5070	4785	4660*			
0354 HRLY 01	US-93A, 75' N of Airport Wy. 1160 1670	2520	1550	1600	1500	1600	1700	1800		
0355 HRLY 01	IR-80, E/B on-ramp of the Ola Intch.									30

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0356 HRLY 00	Bush St, .2 mi E of SR-278 W of Carlin. 260	230	255	250	290	220	290	170	170	
0357 HRLY 01	Bush St, S of Fifth St in Carlin. 1520	1450	1530	1500	1550	1400	1550	1550	1400	
0359 HRLY 00	Silver St, 300' S of SR-535 (Idaho St). IR-80, W/B off-ramp of the Ola Intch.				12500	12200	10000	11700	11700*	
0360 HRLY 01										30
0361 HRLY 00	Metroplis Rd (9th St), 200' E of Wells Av. 120	100	100	150	150	150	190	200	110	
0362 HRLY 01	Wine Cup Ranch Rd, 100' N of SR-233 (Montello Rd). 45	45	60	55	65	65	80	60	40	
0363 HRLY 00	Wine Cup Ranch Rd, .25 mi E of Wine Cup Ranch Headquarters Rd. 20	10	5	5	5	10	10	20	20*	
0364 HRLY 99	Wine Cup Ranch Rd, .5 mi W of county rd #1306. 30	30	30	50	60	60	30	40	40*	
0365 HRLY 00	Jarbridge Rd, .1 mi E of SR-225 (Mountain City Rd). 15	40	25	40	40	40	40	40	40	
0368 HRLY 01	IR-80, W/B on-ramp of the Ola Intch. IR-80, W/B on-ramp of the Ola Intch.									180*
0369 HRLY 00	River Ranch Rd, N of Deeth 1 mi N of county rd 96. 20	10	20	20	20	20	25	10	10*	
0370 HRLY 01	Dahl Ranch Rd, 20' N of SR-229 (Ruby Valley Rd) at SR-229 mp 8.9 40	60	55	55	90	90	60	70	40	

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0371 HRLY 01	IR-80, 1.7 mi E of the Ola Intch.									4460*
0372 HRLY 00	Harrison Pass Rd, to Ruby Valley Wildlife Refuge .3 mi W of end of pavement. 85	50	75	105	105	105	105	105	80	80*
0373 HRLY 01	Dead Cedar Rd, .2 mi E of US-93A. 55	100	100	100	100	75	100	100	100	110
0374 HRLY 00	SR-227 (Lamoille Rd), 2000' S the N leg of Spring Creek Pk. 3795	3800	5000	5500	5000	5200	5200	5200*		
0375 HRLY 99	Errecart Blvd, .1 mi S of Silver St.					4250	4150	3900		
0376	Lee Rd., 500' E of SR-228.								150	
0377 HRLY 00	Ashburn Rd, E of Green Crest Rd.					380	410	490		
0378 HRLY 00	Spring Field Pk, W of Licht Pk.					980	1150	980		
3065 HRLY 01	Fourth St, in Carlin 75' N of the RxR tracks.								470	

*09





264

ESMERALDA COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0002	SR-774 (Gold Point Rd), .2 mi S of SR-266 (Lida Rd).									
	15	15	30	20	25	20	30	30	40	40*
0003	SR-266 (Lida Rd), .2 mi W of US-95.									
HRLY 01	150	155	200	240	250	215	215*	230	230	190
0005	US-95, S of Goldfield at mp ES-8.8.									
HRLY 00	1665	1475	1590	1620	1555	1655	1750	1850	1850	1890*
0006	US-95, Just S of Town at mp ES18.2.									
HRLY 01	2245	2025	2140	2275	2245	2360	2350	2300	2300*	2300*
0008	County Rd to Alkali, .1 mi W of US-95.									
	50		30		60	75	80	60	80	80*
0009	US-95, at the NY-ES County line S of Tonopah.									
HRLY 01	2025	1700	1945	2155	2150	2000	1950	2000	2100	2100
0013	US-006 & US-95, 250' W of SR-265 to Silver Peak.									
HRLY 00	1550	1600	1625	1700	1650	1810	1850	1850	1950	2000
0014	SR-265 (Silver Peak Rd), .1 mi S of US-6 & 95.									
HRLY 00	125	95	95	115	110	145	145	110	90	80
0018	US-95, .6 mi N of the N leg of Wye of US-006.									
HRLY 00	1285	1245	1475	1535	1350	1650	1500	1600	1600	1600*
0019	US-006, 12 mi W of the Wye with US-95 at Coaldale Jct.									
HRLY 00	275	340	360	235	410	410	420	350	390	360
0021	SR-773 (Fish Lake Valley Rd), 300' S of US-006.									
	65	80	80	80	80					50
0022	SR-264 (Fish Lake Vy Rd), .4 mi S of SR-773 at mp ES-25.									
HRLY 00	110	140	145	155	155	155	190	200	170	230

*11



INTERSTATE 80 INTERCHANGES

11



EUREKA COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0001 HRLY 01	IR-80, E/B off-ramp of the Dunphy Intch "Exit 254"	85	75	80	95	95	100	100	70	50*
							.15 mi E of E/B lanes.			50
0003 HRLY 01	IR-80, E/B on-ramp of the Dunphy Intch "Exit 254"	105	125	180	180	180	330	330	150	140
							450' E of the cross traffic rd.			120
0005 HRLY 00	IR-80, W/B off-ramp of the Dunphy Intch "Exit 254"	105	125	175	130	130	345	345	130	180
							15 mi W of the W/B lanes of IR-80.			100*
0008 HRLY 01	IR-80, W/B on-ramp of the Dunphy Intch "Exit 254"	85	75	80	95	95	75	75	70	50
							.15 mi W of the cross traffic rd.			50
0009	IR-80, .2 mi E of the Dunphy Intch.	5485	5435	5660	5745	6005	5955	6020	6790	6770*
										6550*
0010 HRLY 01	IR-80, E/B off-ramp of the Beowawe Intch "Exit 261"	105	75	85	90	170	170	175	100	70
							101' W of the cross traffic rd.			70
0011 HRLY 00	SR-306 (Gold Acres Rd), .3 mi S of IR-80.	395	305	365	445	860	575	480	440	450
										450*
0012 HRLY 01	IR-80, E/B on-ramp of the Beowawe Intch "Exit 261"	140	120	150	180	230	310	310	270	210
							178' E of the cross traffic rd.			200
0013 HRLY 00	Roberts Creek Ranch Rd, 100' N of US 50.									10
										10
0014 HRLY 01	IR-80, W/B off-ramp of the Beowawe Intch "Exit 261"	150	125	160	155	255	305	305	260	220
							130' E of the cross traffic rd.			200
0015 HRLY 00	Antelope Rd, 100' S of US 50.									10
										30
0016 HRLY 01	IR-80, W/B on-ramp of the Beowawe Intch "Exit 261"	115	80	95	85	170	145	145	110	90
							163' W of the cross traffic rd.			90

EUREKA COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0018	IR-80, 2.8 mi E of the cross traffic rd of the Beowawe Intch "Exit 261". 5555	5525	5790	5810	6150	6320	6315	7110	7040*	6790*
0019 HRLY 01	IR-80, E/B off-ramp of the Emigrant Intch "Exit 268" .1 mi E of the overpass. 10	10	10	10	10	10	35	10	10	10
0020 HRLY 01	IR-80, E/B on-ramp of the Emigrant Intch "Exit 268" .1 mi E of overpass. 20	20	20	20	20	40	55	20	20	30
0023 HRLY 01	IR-80, W/B on-ramp of the Emigrant Intch "Exit 268" .2 mi E of the overpass. 10	10	10	10	10	10	35	10	10	10
0024 HRLY 01	IR-80, W/B off-ramp of the Emigrant Intch "Exit 268" .2 mi E of overpass. 20	20	20	20	20	30	55	20	20	20
0025 HRLY 01	IR-80, Emigrant Pass E/B Truck & Car pull-off.									350
0026 HRLY 01	IR-80, E/B off-ramp of the Palisade Intch "Exit 271" .1mi W of the cross traffic rd. 10	10	10	10	20	20	20	10	15	20
0028 HRLY 01	IR-80, E/B on-ramp of the Palisade Intch "Exit 271" .1 mi E of the cross traffic rd. 10	10	10	10	30	40	40	30	30	30
0030 HRLY 01	IR-80, W/B off-ramp of the Palisade Intch "Exit 271" .1 mi E of the cross traffic rd. 10	10	10	10	25	35	35	30	40	40
0032 HRLY 01	IR-80, W/B on-ramp of the Palisade Intch "Exit 271" .1 mi W of the cross traffic rd. 10	10	10	10	15	10	10	20	20	20
0035 HRLY 98	County Rd to Palisade, 550' W of SR-278 to Carlin S Jct. 40	110	50	55	55	55	50*	50	40	40*
0036 HRLY 98	SR-278 (Eureka-Carlin Rd), .5 mi S of County Rd to Palisade South Jct. 320	400	300	330	340	385	380	330	250	330

EUREKA COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0038 HRLY 99	US-50, 1.2 mi W of SR-278. 825	690	700	775	750	920	790	750	720*	870
0039 HRLY 99	US-50, .2 mi E of SR-278. 1065	895	1000	1050	1000	1400	1200	1250	1200	1200
0040 HRLY 99	SR-278 (Eureka-Carlin Rd), .1 mi N of US-50. 460	365	450	360	425	620	590	520	570	650
0042 HRLY 00	SR-278 (Eureka-Carlin Rd), 21 mi N of US-50. 210	205	215	195	225	190	250	250	310	310*
0043 HRLY 99	Diamond Valley Rd, 1.8 mi N of US-50 & .4 mi N of the Eureka Dump Rd. 125	180	155	150	215	190	170	160	180	
0047 HRLY 99	US-50, 200' E of SR-780 (Ruby Hill Av) to Ruby Hill. 1910	1645	1890	1760	1810	2900	2150	2250	1900	1900
0048 HRLY 99	SR-780 (Ruby Hill Av), to Ruby Hill 70' S of US-50. 745	545	715	875	875	855	800	630	570	620
0049 HRLY 99	SR-780 (Ruby Hill Av), to Ruby Hill .5 mi S of US-50. 65	65	125	120	120	100	75	60	60	50
0050 HRLY 99	County Rd to New York Canyon, .2 mi S of US-50. 15	15	10	10	25	25	15	10	20	
0051 HRLY 01	US-50, .9 mi W of County Rd to Duckwater (Fish Creek Rd). 675	590	715	700	700	740	600	670	650	580
0054 HRLY 01	IR-80, E/B off-ramp of the Beowawe Rest Area. 555	555								530
0055 HRLY 01	IR-80, W/B off-ramp of the Beowawe Rest Area. 470	470								590

EUREKA COUNTY


TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0056 HRLY 00	IR-80, 1 mi E of Emigrant Pass Intch "Exit 268". 5575	5545	5810	5830	6170	6370	6355	7145	7060	6820*
0057 HRLY 01	IR-80, 1 mi W of the Dunphy Intch "Exit 254". 5445	5335	5465	5625	5885	5455	5520	6650	6550*	6430
0058 HRLY 00	Cortez Canyon Rd, at "EU-LA County Line" sign. 15				30	20	20	10	10	10*
0060 HRLY 00	Diamond Valley Rd# 3710, .1 mi N of 11th St.							170	180	

*13




WINNEMUCCA AREA




INTERSTATE 80 INTERCHANGES

13


ROSE CREEK 168




WEST WINNEMUCCA 173




**WINNEMUCCA BLVD
WEST 176**




**WINNEMUCCA BLVD
EAST 178**




EAST WINNEMUCCA 180




BUTTON POINT 187




GOLCONDA 194




GOLCONDA SUMMIT 200




IRON POINT 203




**PUMPERNICKEL
VALLEY 205**




STONEHOUSE 212



VALMY 216



MOTE 222



HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0001 HRLY 01	IR-80, .2 mi W of the E/B off-ramp of the Rose Creek Intch "Exit 168". 6825	6505	6765	6525	6825	6910	7530	7270	6850	6960
0002 HRLY 01	IR-80, E/B off-ramp of the Rose Creek Intch "Exit 168" 250' W of the cross traffic rd. 120	110	120	115	115	105	180	170	170	160
0003 HRLY 98	Bridge St, 70' E of Railroad St & 55' W of RxR Tracks. 				6250		7250	7750	6600*	6600*
0005 HRLY 01	IR-80, E/B on-ramp of the Rose Creek Intch "Exit 168" 275' E of the cross traffic rd. 85	80	90	90	90	110	95	80	90	90
0007 HRLY 01	IR-80, W/B off-ramp of the Rose Creek Intch "Exit 168" 200' E of the cross traffic rd. 85	80	90	95	95	100	40	120	100	100
0008 HRLY 98	Hershell Rd, .3 mi S of SR-289 (Winnemucca Bl) at RxR Crossing. 				295		340	340	300	260
0009 HRLY 01	IR-80, W/B on-ramp of the Rose Creek Intch "Exit 168" 100' W of the cross traffic rd. 120	110	110	110	110	105	200	160	140	170
0010 HRLY 01	IR-80, 2.1 mi W of the W Winnemucca Intch "Exit 173". 6755	6445	6715	6485	6785	6910	7285	7140	6730	6820*
0011 HRLY 01	IR-80, E/B off-ramp of the W Winnemucca Intch "Exit 173" 150' E of IR-80. 375	335	190	145	205	135	290	130	100	160
0013 HRLY 01	IR-80, E/B on-ramp of the W Winnemucca Intch "Exit 173" .2 mi E of the cross traffic rd. 220	85	170	240	170	225	195	150	160	170
0015 HRLY 01	IR-80, W/B off-ramp of the W Winnemucca Intch "Exit 173" 100' W of IR-80. 360	180	130	240	160	220	170	150	160	170*
0017 HRLY 01	IR-80, W/B on-ramp of the W Winnemucca Intch "Exit 173" .1 mi W of the cross traffic rd. 280	70	60	45	60	60	100	60	80	160*

* = DATA ADJUSTED OR ESTIMATED

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0018 HRLY 01	IR-80, 1.2 mi W of the W Winnemucca Intch "Exit 173". 6680	6105	6765	6775	6850	7160	7260	7250	6870	6920*
0020 HRLY 98	Airport Rd, .4 mi E of SR-289 Frontage Rd. 590	795	910	985	1150	1000	940	1150	1100	
0022 HRLY 00	US-95 (Winnemucca Bl), 200' E of Potato Rd. 9200	8900	9155	11300	11000	11200	11200	9900	12400	11700
0024 HRLY 98	SR-787 (Hanson St), 226' E of US-95 (Winnemacca Bl). 4375	4500	4720	4790	5200	5400	5150	5100	5100*	5300
0025 HRLY 00	US-95 (Winnemucca Bl), 100' N of SR-294 (Hanson St). 12200	11700	14200	13800	13600	14400	13700	12000	13700	13700*
0028 HRLY 00	SR-289 (Winnemucca Bl), 15' E of Bridge St. 8000	7700	9140	8140	9200	9400	8600	8200	7900	7900*
0029	Highland Dr, .1 mi S of Old US-40.							2600	1750	1750*
0030 HRLY 98	SR-794 (3rd St), .25 mi E of Highland Dr. 2725	2600	3285	3035	4050	4000	3300	3150	3150*	3150*
0031 HRLY 01	IR-80, E/B off-ramp of the Button Point Intch "Exit 187" 276' W of the cross traffic rd. 125	165	190	175	175	130	205	190	170	160
0032 HRLY 01	IR-80, E/B on-ramp of the Button Point Intch "Exit 187" 530' E of the cross traffic rd. 105	145	170	160	165	130	335	160	170*	180
0034 HRLY 01	IR-80, W/B off-ramp of the Button Point Intch "Exit 187" .3 mi E of the cross traffic rd. 180	240	280	215	215	170	240	170	180	180
0035 HRLY 01	Frontage Rd to Button Point Rest Area, 248' E of cross traffic rd. 500	500				750	710	840	620	

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0037 HRLY 01	IR-80, W/B on-ramp of the Button Point Intch "Exit 187" .2 mi W of the cross traffic rd. 200	260	305	215	215	195	280	200	190	210
0038 HRLY 01	IR-80, E/B off-ramp of the Golconda Intch "Exit 194" .1 mi W of the cross traffic rd. 545	565	560	605	670	670	570	610	520	450
0040 HRLY 99	Sibbald Av, in Golconda 80' S of Stanford St & 40' N of RxR tracks. 				70	70	70	80	70	
0041 HRLY 01	IR-80, E/B on-ramp of the Golconda Intch "Exit 194" .2 mi E of the cross traffic rd. 140	140	110	140	155	155	235	270	170	130
0043	IR-80, W/B off-ramp of the Golconda Intch "Exit 194" 225' S of SR-789. 190	200	150	180	205	205	230	260	200	130*
0044 HRLY 00	SR-789 (Getchell Mine Rd), 177' W of the W/B off-ramp of the Golconda Intch "Exit 194". 960	1045	1100	1250	1500	1800	1800	1550	800	800*
0045 HRLY 00	SR-789 (Getchell Mine Rd), 340' E of Morrison Av. 1150	1270	1280	1440	1700	2200	2150	1850	1000	1000*
0046 HRLY 98	Morrison Av, 200' N of SR-789 (Getchell Mine Rd). 285	370	420	335	650	650	640	550	460	510
0047 HRLY 01	IR-80, W/B on-ramp of the Golconda Intch "Exit 194" .3 mi W of the cross traffic rd. 595	625	580	645	680	680	580	680	520*	540
0048 HRLY 01	IR-80, E/B off-ramp of the Golconda Summit Intch "Exit 200" 300' E of E/B lanes. 350	350	350	330	350	350	505	110	150	100
0049 HRLY 01	IR-80, E/B on-ramp of the Golconda Summit Intch "Exit 200" 395' E of cross traffic rd. 350	350	350	350	325	325	225	110	100	100
0051	IR-80, W/B off-ramp of the Golconda Summit Intch "Exit 200" 370' E of cross traffic rd. 320	320	320	310	345	345	215	80	100	100*

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0052 HRLY 01	IR-80, W/B on-ramp of the Golconda Summit Intch "Exit 200" 430' W of the cross traffic rd. 320	320	320	350	330	330	460	110	170	100
0053 HRLY 01	IR-80, E/B off-ramp of the Iron Point Intch "Exit 203" 180' S of the E/B lanes. 10	10	10	10	10	10	10	10	10	10
0054 HRLY 01	IR-80, E/B on-ramp of the Iron Point Intch "Exit 203" 180' S of the E/B off-ramp. 10	10	10	10	10	5	5	10	10	10
0057	Leonard Creek Rd., .5 miles W of SR-140, W of the fork in rd.									10*
0058 HRLY 01	IR-80, W/B off-ramp of the Iron Point Intch "Exit 203" 170' N of the W/B lanes. 10	10	10	10	10	15	15	10	10	10
0059 HRLY 01	IR-80, W/B on-ramp of the Iron Point Intch "Exit 203" 185' N of the W/B lanes. 10	10	10	15	15	10	20	10	10	10
0060 HRLY 98	IR-80, E/B off-ramp of the Pumpernickel Intch "Exit 205" 577' E of the cross traffic rd. 20	20	20	20	20	20	20	10	10	10
0061 HRLY 98	IR-80, E/B on-ramp of the Pumpernickel Intch "Exit 205" 580' E of the cross traffic rd. 20	20	20	20	20	20	5	10	10	10*
0064 HRLY 01	IR-80, W/B off-ramp of the Pumpernickel Intch "Exit 205" 570' of the cross traffic rd. 20	20	20	20	20	20	10	20	10	10
0065 HRLY 01	IR-80, W/B on-ramp of the Pumpernickel Intch "Exit 205" 570' E of the cross traffic rd. 20	20	20	30	30	30	25	20	10	20
0067 HRLY 98	IR-80, E/B off-ramp of the Stonehouse Intch "Exit 212" 392' E of the E/B lanes of IR-80cross tr 110	215	240	240	240	280	220	210	150	150
0069 HRLY 98	IR-80, E/B on-ramp of the Stonehouse Intch "Exit 212" 652' E of the cross traffic rd. 90	185	190	140	140	140	150	330	320*	360

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0071 HRLY 98	IR-80, W/B off-ramp of the Stonehouse Intch, "Exit 212" 422' W of W/B lanes of IR-80. 85	175	190	155	155	155	200	330	360*	360
0073 HRLY 98	IR-80, W/B on-ramp of the Stonehouse Intch "Exit 212" 727' E of the E/B lanes of IR-80. 105	205	245	240	240	280	230	210	160	160
0074 HRLY 00	IR-80, E/B off-ramp of the Valmy Intch "Exit 216" 437' W of the E/B lanes of IR-80. 270	255	280	250	320	300	320	500	680	650
0076 HRLY 00	IR-80, .1 miles E/B on-ramp of the Valmy Intch "Exit 216" 647' E of the cross traffic rd. 295	270	335	260	320	280	260	530	670	670
0078 HRLY 00	IR-80, W/B off-ramp of the Valmy Intch "Exit 216" 442' W of the W/B lanes of IR-80. 340	250	275	245	320	260	240	500	620	620
0080 HRLY 00	Frontage Rd to Ranches N, Valmy Intch "Exit 216" .8 mi NW of the W/B on-ramp.						10		10	10*
0081 HRLY 00	IR-80, W/B on-ramp of the Valmy Intch "Exit 216" .2 mi W of the cross traffic road. 315	235	230	250	330	320	320	500	610	650
0082 HRLY 01	IR-80, E/B off-ramp of the Mote Intch "Exit 222" .2 mi W of the cross traffic rd. 20	20	290	290	35	35	65	30	20	20
0084 HRLY 01	IR-80, E/B on-ramp of the Mote Intch "Exit 222" .2 mi E of the cross traffic rd. 30	20	320	320	35	35	35	50	30	20
0086 HRLY 01	IR-80, W/B off-ramp of the Mote Intch "Exit 222" .2 mi E of the cross traffic rd. 30	20	290	290	30	30	30	50	40	30
0088 HRLY 01	IR-80, W/B on-ramp of the Mote Intch "Exit 222" .2 mi W of the cross traffic rd. 20	20	70	120	25	25	45	40	30	30
0089 HRLY 00	SR-789 (Getchell Mine Rd), .5 mi S of the RxR grade crossing at Preble. 965	905	780	915	1100	1600	1600	870	600	600*

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0093 HRLY 98	SR-787 (Hanson St), 200' E of 6th St. 10100	10900	10860	11900	12100	13600	13900	12900	13200	13200*
0094 HRLY 00	SR-294 (Grass Vy Rd), 100' S of Windy Wy. 6680	7400	6700	7340	8200	10000	10200	9200	9100	8700
0095 HRLY 98	SR-294 (Grass Vy Rd), .7 mi S of E Valley Wy. 5620	6200	6150	6735	6900	8500	8700	8000	8000*	7600
0096 HRLY 99	W Commander Dr, 100' W of SR-294 (Grass Vy Rd). 770	975	1115	1000		1200	800	690	750	630
0097 HRLY 98	SR-294 (Grass Vy Rd), S Grass Vy Rd to Leach Hot Springs .1 mi S of W Commander Dr. 1930	1930	2400	2550	3000	2750	2750*		2400	
0100 HRLY 00	US-95 (Melarkey St), 225' N of 2nd St. 5995	6000	6480	6660	7100	7400	8000	6900	6900*	6900*
0101 HRLY 98	2nd St, 80' W of Bridge St. 1920	1700	1770	2240	1950	1750	1350	1500	1350	1300
0102 HRLY 00	SR-289 (Weso Rd), .4 mi N of W/B lanes of IR-80. 1135	1135	1375	1465	1900	1950	1200	2250	1600	1550*
0103 HRLY 99	Weso Rd, 2 mi N of See Rd. 140	140	190	200	260	270	170	160	160*	160*
0105	Jungo Rd, .8 mi W of US-95 (Melarkey St). 3750	3500	4115	3710	3500	4400		870	900	770
0106 HRLY 00	US-95 (Melarkey St), 341' N of the County Rd to Jungo. 2595	2500	2815	2765	2650	3200	3200*	3100	3050	3050
0107 HRLY 00	US-95, 1.1 mi N of the County Rd to Jungo. 2595	2500	2815	2765	2650					

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0109 HRLY 99	SR-290 (Paradise Vy Rd), .2 mi E of US-95. 280	280	250	290	310	330	330	360	350	380
0110 HRLY 00	US-95, .2 mi S of SR-140. 1700	1685	1700	1700	1400	1650	1650	1750	1700	1700
0111 HRLY 98	SR-293 (Kings River Vy Rd), .1 mi W of US-95 at Orovada. 475	440	360	430	430	430	390	460	460*	470
0114 HRLY 00	US-95, .7 mi S of Cordero Mine Rd in McDermit. 1705	1585	1550	1565	1450	1650	1600	1700	1550	1580*
0116	Cordero Mine Rd, to the Cordero Mine .25 mi W of US-95 in McDermit. 90	105	75	110	110	70	70	100	90	120
0117	Cordero Mine Rd, to the Cordero Mine at the bridge over McDermit Creek. 30	40	20	25	25	15	15	20	30	30*
0118 HRLY 98	SR-293 (Kings River Vy Rd), 4 mi W of US-95 at Orovada. 175	140	130	100	110	110	120	120	120*	140
0121 HRLY 98	SR-140 (Denio-Adel Oregon Rd), 40 mi W of US-95. 205	195	245	270	270	270	250	290	330	280
0122 HRLY 98	SR-292 (Denio Rd), 2.75 mi S of the NV-OR Stateline & .2 mi N of SR-140. 185	170	200	270	270	270	120	150	140	130
0123 HRLY 98	SR-140 (Denio-Adel Oregon Rd), 2.5 mi W of SR-292 (Denio Rd). 190	165	280	335	335	335	170	240	240	230
0124	SR-140 (Denio-Adel Oregon Rd), .7 mi E of the County Rd to Sheldon Antelope Range. 170	145	170	230	190	190	100	140	240	210
0128 HRLY 00	SR-795 (Reinhart Rd), 359' N of SR-289 & 174' N of the RxR Tracks. 875				540		1080	700	740	

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0129											
	Shelton Ln, .1 mi E of SR-290 (Paradise Rd).										
								60	70	90	
0131 HRLY 00	SR-290 (Paradise Vy Rd), .6 mi S of SR-791 in Paradise Vy.	245	215	220	220	190	200	200	290	230	260
0132 HRLY 00	Paradise Vy Rd Spur, .25 mi E of SR-290.	140	130	130	160	170	180	180	170	190	150
0133 HRLY 00	Paradise Vy Rd Spur, .2 mi W of the E end of pavement & 2.7 mi E of SR-290.	90	85	90	120	125	130	130	120	150	110
0135	Paradise Vy Rd, .2 mi N of Old SR-791 E.	85	50	50	45	45	50	50	75	80	80
0139	Desert Gem Rd, .2 mi S of Jungo Rd 130' N of RxR 2.95 mi W of Malarkey St in Winnemucca.					30	30	30	50		50*
0144 HRLY 98	Old US-40, .13 mi E of Airport Rd.	1250	1250	1230	1250	1250	1300	1350	1400	1250	1300
0147 HRLY 00	Road to Valmy Rest Area, 232' E of County Rd to Marigold Mine.					165	550*	560	530		530*
0148 HRLY 01	IR-80, E/B off-ramp of the Winnemucca Bl W Intch "Exit 176" .1 mi E of IR-80.	1715	1850	1735	1685	1660	1745	1950	1760	1570	1850
0149 HRLY 01	Winnemucca Bl, 350' W of Potato Rd.	7580	6955	6300	7820	7220	7100	7800	6900	7050	7050*
0150 HRLY 01	IR-80, E/B on-ramp of the Winnemucca Bl W Intch "Exit 176" .2 mi E of SR-289.	690	885	730	745	680	920	980	730	780	940
0151 HRLY 01	IR-80, W/B off-ramp of the Winnemucca Bl W Intch "Exit 176" 396' W of IR-80.	530	730	790	680	710	850	900	700	780	770

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0152 HRLY 01	W Winnemucca Bl, .5 mi N of the W/B on-ramp of the W Winnemucca Intch "Exit 176". 2115	1885	2500	2625	2000	2100	2000	1870	2000	2000
0153 HRLY 01	IR-80, W/B on-ramp of the Winnemucca Bl W Intch "Exit 176" .2 mi W of W Winnemucca Bl. 1955	1920	1955	1770	1875	1920	2165	1760	1630*	1600*
0155 HRLY 01	IR-80, .7 mi E of the Winnemucca Bl W Intch "Exit 176". 4230	3950	4595	4745	4690	5265	5025	5160	5230	5180*
0156 HRLY 01	IR-80, E/B off-ramp of the Winnemucca E Intch "Exit 178" .2 mi E of end of cement. 290	230	315	290	285	365	265	310	380*	350
0157 HRLY 98	SR-289 (Winnemucca Bl), 150' S of the Winnemucca E Intch "Exit 178". 3830	3675	3960	4040	4550	4900	4000	4600	4600*	4600*
0158 HRLY 01	IR-80, E/B on-ramp of the Winnemucca E Intch "Exit 178" .25 mi E of SR-289. 1085	1165	1110	1015	1175	1160	1050	1040	1080	1000
0159 HRLY 01	IR-80, W/B off-ramp of the Winnemucca E Intch "Exit 178" .1 mi W of the RxR overpass. 1000	995	860	900	1090	1090	1160	1040	900	900*
0162 HRLY 98	IR-80, W/B on-ramp of the Winnemucca E Intch "Exit 178" .2 mi W of SR-289. 320	215	240	290	300	350	250	300	260	290*
0163 HRLY 01	IR-80, .4 mi E of the E/B on-ramp at Winnemucca Downtown Intch "Exit 176". 5705	5665	5940	6080	6370	6800	6720	6630	6570	6440*
0164 HRLY 01	IR-80, E/B off-ramp of the E Winnemucca Intch "Exit 180" .2 mi E of IR-80. 125	115	175	145	140	250	260	180	220	110
0165 HRLY 99	SR-794 (3rd St), E Winnemucca Intch "Exit 180" .2 mi S of the E/B ramps. 1300	1310	1530	1390	1600	1700	1500	1700	1700*	1100
0166 HRLY 01	IR-80, E/B on-ramp of the E Winnemucca Intch "Exit 180" .1 mi E of the cross traffic rd. 360	420	355	485	500	540	515	480	500	350

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0167 HRLY 01	IR-80, W/B off-ramp of the E Winnemucca Intch "Exit 180". .25 E of the W/B lanes of IR-80.	670	660	675	695	720	625	710	610	580	490
0170 HRLY 01	IR-80, W/B on-ramp of the E Winnemucca Intch "Exit 180" .2 mi W of the cross traffic rd.	155	135	215	170	160	205	170	120	200	150
0172 HRLY 00	SR-294 (Grass Valley Rd), .2 mi S of SR-787 (Hanson St).	7745	9500	9700	10600	11100	13350	13500	12200	12100	11700
0173 HRLY 98	SR-294 (Haskell St), .1 mi N of Hanson St.	5020	5300	5375	5320	6300	6900	6250	6600	6300	5900
0174 HRLY 98	SR-794 (3rd St), .1 mi W of Haskell St.	4020	4200	5090	4615	5500	6000	5050	4850	4850*	4850*
0175 HRLY 98	Hanson St, 100' W of Weso St in Winnemucca.	4745	6990	6780	7090	7300	8000	8600	7800	7800*	7800*
0176 HRLY 01	IR-80, 2.4 miles E of the cross traffic rd.	6415	6455	6605	6930	7275	7530	7605	7360	7220	7000
0177 HRLY 01	IR-80, .3 mi E of W/B off-ramp at Golconda Intch "Exit 194".	5605	5605	5725	6000	6285	6540	6920	6600	6550	6770
0178	IR-80, btwn the Golconda Summit Intch "Exit 200" & the Iron Point Intch "Exit 203".	5605	5605	5725	6000	6275	6530	6910	6570	6430*	6270*
0179	IR-80, btwn the Iron Point Intch "Exit 203" & the Pumpernickel Valley Intch "Exit 205".	5605	5605	5725	5975	6270	6520	6395	6570	6430*	6270*
0180	IR-80, 3.2 MI E of E/B on-ramp at the Pumpernickel Intch "Exit 205" .	5605	5605	5725	5965	6260	6510	6355	6570	6430*	6270*
0181	IR-80, 2 miles E of the the Stonehouse Intch "Exit 212" .	5565	5545	5620	5780	6075	6245	6225	6810	6800*	6670*

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0182 HRLY 01	IR-80, 2.8 mi E of the Valmy Intch "Exit 216". 5615	5575	5720	5785	6065	6165	6115	6840	6800	6660
0184 HRLY 99	Hanson St, 200' W of Mc Arther Av. 2715	3300	3520	3500	3700	4300	4600	4500	4500	4500*
0185 HRLY 99	Haskell St, 250' S of SR-794 (Winnemucca Bl E). 2940	2800	3200	3170	3700	4200	3600	4300	3280*	3300
0186 HRLY 00	US-95, 3.1 mi S of the SR-290 to Paradise Vy. 2095	2075	2100	1800	2100	2100*	2300	2150	2100	2100*
0187 HRLY 99	Water Canyon Rd, 1.3 mi SE of Highland Dr. 70	60	105	105		120	130	130	120	200
0188 HRLY 98	Minor St, 100' N of Bridge St. 640	690		680	750	875	780	850	850*	850*
0189 HRLY 98	Minor St, 200' S of Ballard Ln. 560	620		630	700	980	675	700	650	650*
0190	Valley Rd, .4 mi N of SR-140 (Denio-Adel Oregon Rd). 35	35	30	40	40	40	30	30	30	30*
0191 HRLY 00	SR-795 (Reinhart Rd), 625' E of US-95.							1050	750	890
0193 HRLY 00	SR-140 (Denio-Adel Oregon Rd), 245' W of US-95 (Old Denio ATR). 340	350	370	520	310	310	330	340	350	
0194 HRLY 00	US-95, 1.5 mi N of SR-140 (Old Orovada ATR). 1385	1360	1350	1300	1350	1350	1400	1450	1450	1480*
0195 HRLY 99	SR-294 (Grass Valley Rd), .2 mi S of Thomas Canyon Rd.						3350	3350*	3300	

HUMBOLDT COUNTY


TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0196 HRLY 98	SR-294 (Grass Valley Rd), .15 mi N of HU-PE Co Line.						1800	1700	1700*	1500
0197	South Road (McDermitt), .1 mi E of US-95.							250	280	270
0198 HRLY 99	4th St, 222' N of Hanson St.						3200	2800	2700	
3073 HRLY 99	Jones Ln, .6 mi S of Jungo Rd W of Winnemucca at the RxR tracks.						60	60*	60*	
3074 HRLY 99	Desert Gem Rd, .1 mi S of Jungo Rd W of Winnemucca at the RxR tracks.						40	40*	40*	
3075 HRLY 99	Eden Valley Rd, 1.1 mi N of Morrison Ln & .2 mi S of RxR tracks N of Golconda.						430	430*	430*	

*15




BATTLE MOUNTAIN



LANDER

CHURCHILL


NYE




INTERSTATE ⁸⁰ INTERCHANGES

15


WEST BATTLE MOUNTAIN 229




COPPER CANYON 230



EAST BATTLE MOUNTAIN 233



ARGENTA 244



LANDER COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0002 HRLY 98	SR-305 (Broad St), 100' S of SR-304 (Front St). 4400	4655	4470	5770	4550	4800	4200	3650	3700	3700*
0004 HRLY 98	SR-806 (Reese St), 50' N of SR-304 (Front St) at the RxR crossing. 3000	3200	2585	2630	2600	3400	3000	2650	2650*	2700
0005 HRLY 00	SR-806 (North Battle Mountain Rd), .5 mi N of N Front St & 20' N of cattle guard. 420	465	415	420	320	405	350	350	440	440*
0006 HRLY 00	SR-304 (Front St), 75' E of SR-806 (Reese St). 6080	6190	6130	6490	6000	5900	4800	4400	4300	4700
0007 HRLY 00	IR-80, .2 mi E of the E/B on-ramp of the E Battle Mtn Intch "Exit 233". 5405	5285	5490	5625	5885	5415	5480	6590	6520	6440
0008 HRLY 01	IR-80, E/B off-ramp of the Argenta Intch "Exit 244" .1 mi E of the E/B lanes of IR-80. 65	45	75	50	50	50	50	50	50	50
0010 HRLY 01	IR-80, E/B on-ramp of the Argenta Intch "Exit 244" 50' E of the cross traffic rd. 85	70	65	45	45	75	75	90	70	40
0011 HRLY 00	Jenkins Rd, 6.5 miles E of SR 305. (e.o.p.)								50	50*
0012 HRLY 00	IR-80, W/B off-ramp of the Argenta Intch "Exit 244" .1 mi W of the W/B lanes of IR-80. 50	55	50	40	40	55	55	70	70	40*
0013 HRLY 01	Old US-40 (FRLA02), 1000' E of the Argenta Intch "Exit 244" cross traffic rd.								240	120
0014 HRLY 01	Old US-40 (FRLA02), 1000' W of the Argenta Intch "Exit 244" cross traffic rd.								320	200
0015 HRLY 01	IR-80, W/B on-ramp of the Argenta Intch "Exit 244" 50' W of the cross traffic rd. 30	30	65	35	35	40	40	50	60	40

LANDER COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0016 HRLY 00	SR-305 (Broad St), 1.25 mi S of SR-304 (Front St) & .2 mi S of Carson Rd. 1880	2040	2440	2855	2700	2850	2350	2300	2300	2100
0017 HRLY 98	SR-305 (Broad St), 10.5 mi S of SR-304 (Front St). 1000	1085	1070	1115	1100	1150	850	800	890	760
0019 HRLY 00	County Rd to Copper Canyon, 450' W of SR-305 (Broad St). County Rd to Copper Canyon, 450' W of SR-305 (Broad St).								30	30*
0023 HRLY 98	SR-305 (Austin-Battle Mountain Rd), 7.5 mi S of the County Rd to Copper Cy. 665	725	645	895	895	910	720	690	770*	620
0025 HRLY 00	SR-306 (Gold Acres Rd), .1 mi S of the EU-LA County Line S of Crescent Vy. 255	275	210	305	595	360	290	320	280	310
0027 HRLY 00	SR-722 (Carroll Summit Rd), at the bridge over the Reese River W of Austin. 45	45	50	55	50	50	50	55	50	70
0028 HRLY 00	SR-722 (Carroll Summit Rd), 6.3 mi SW of US-50 & 300' E of the County Rd to Ione. 55	55	65	65	65	75	75	80	60	80
0029 HRLY 00	County Rd to Ione, .1 mi S of SR-722. County Rd to Ione, .1 mi S of SR-722.								30	30
0031 HRLY 01	US-50, 3.1 mi W of SR-305 to Battle Mtn .9 mi W of SR-722 to Ione-Reese River Vy. 800	880	680	700	670	780	600	600	670	570
0032 HRLY 99	SR-305 (Austin-Battle Mountain Rd), to Battle Mtn .7 mi N of US-50. 310	340	240	275	275	265	350	290	290	310
0033 HRLY 99	US-50, 300' E of SR-305. 1190	1215	1010	1135	1175	1050	940	990	1100	910
0034 HRLY 01	US-50, 350' E of Virginia St & 40' W of the Austin Fire Station. 1465	1375	1335	1500	1350	1400	1250	1100	1200	1200

LANDER COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0037 HRLY 01	US-50, .5 mi W of SR-376 (Tonopah-Austin Rd). 690	690	680	705	680	770	730	720	790	700
0038 HRLY 99	US-50, .1 mi E of SR-376 (Tonopah-Austin Rd). 580	570	640	625	625	675	640	620	550	580
0039 HRLY 01	SR-376 (Tonopah-Austin Rd), .1 mi S of US-50. 270	280	275	300	315	325	280	330	390	390*
0040 HRLY 01	SR-376 (Tonopah-Austin Rd), at the LA-NY County Line. 240	290	320	350	380	360	330	370	450	400
0041 HRLY 01	IR-80, W/B on-ramp of the W Battle Mtn Intch "Exit 229" at the concrete. 970	1070	1165	1020	775	645	490	570	540	470
0042	IR-80, E/B off-ramp of the W Battle Mtn Intch "Exit 229" .1 mi W of the cross traffic rd. 1010	1115	1175	1170	690	700	510	560	500*	470*
0043 HRLY 01	IR-80, E/B on-ramp of the W Battle Mtn Intch "Exit 229" 150' E of the cross traffic rd. 290	320	305	265	285*	290	250	360	300	270
0044 HRLY 01	IR-80, W/B off-ramp of the W Battle Mtn Intch "Exit 229" .1 mi E of the cross traffic rd. 275	300	280	265	285	300	260	260	270	250
0045 HRLY 00	FRLA03 (SR-304), .1 mi E of the W Battle Mountain Intch "Exit 229". 2700	3295	3100	3645	2500	2450	2100	1800	3250	2900
0047 HRLY 00	Sixth St, 100' W of Galena St & W of Alyenburg Av.								390	190
0048 HRLY 01	IR-80, .5 mi E of the W/B off-ramp of the W Battle Mtn Intch "Exit 229". 4220	4010	4215	4325	5175	5420	5580	6360	6350	6240
0049 HRLY 01	IR-80, W/B on-ramp of the E Battle Mtn Intch "Exit 233" 200' W of the cross traffic rd. 80	90	100	100	245	435	390	410	350	240

LANDER COUNTY


TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0050 HRLY 01	IR-80, E/B off-ramp of the E Battle Mtn Intch "Exit 233"	80	100	85	100	310	510	200'	W of the cross traffic rd.	260
0051 HRLY 01	IR-80, E/B on-ramp of the E Battle Mtn Intch "Exit 233"	685	750	750	805	390	420	200'	E of the cross traffic rd.	330
0052 HRLY 01	IR-80, W/B off-ramp of the E Battle Mtn Intch "Exit 233"	660	715	705	720	450	440	200'	E of cross traffic rd.	330
0053 HRLY 00	FRLA03 (SR-304), .1 mi W of Muleshoe Rd.	2765	2985	2950	3480	2750	2600	2100	1900	2300
0057 HRLY 00	Muleshoe Rd, 95' N of FR-02 & 145' S of RxR tracks.					370	370	310	250	200
0058 HRLY 00	IR-80, .1 mi W of the E/B off-ramp of the W Battle Mtn Intch "Exit 229".	5635	5575	5970	5985	6070	6175	6070	6870	6820*
0060 HRLY 00	Kingston Canyon Rd, btwn Kingston Ranch & Kingston Forest Camp.	60	60	80	50	55	35	35	50	40
0061 HRLY 99	SR-305 (Austin-Battle Mountain Rd), 4.2 mi N of US-50.	100	200	235	180	205	260	230	250	230
0062 HRLY 01	IR-80, W/B on-ramp of the Copper Canyon Intch "Exit 231"			520	550	520	555	480	480	460
0063 HRLY 01	IR-80, W/B off-ramp of the Copper Canyon Intch "Exit 231"			520	725	485	510	520	460	460
0064 HRLY 01	IR-80, E/B on-ramp of the Copper Canyon Intch "Exit 231"			520	715	560	500	530	530	470
0065 HRLY 01	IR-80, E/B off-ramp of the Copper Canyon Intch "Exit 231"			520	465	445	500	470	430	430

LANDER COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0066 HRLY 01	IR-80, .6 mi E of the Copper Canyon Intch "Exit 231".			5600	5500		5535	6460	6430	6280
0067 HRLY 99	North 2nd St, 125' N of Front St.						620	750	860	





CALIENTE - PIOCHE

LINCOLN COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0001 HRLY 00	US-93, at mp LN-25, S of Alamo. 1230	1020	1285	1390	1400	1600	1800	2100	2250	1600
0004 HRLY 00	US-93, .6 mi S of SR-318 near Crystal Springs. 1400	1210	1210	1270	1300	1400	1700	1850	2000	1700
0005 HRLY 00	US-93, .1 mi N of SR-375. 400	440	495	585	620	590	750	560	820	610
0006 HRLY 00	SR-318 (Sunnyside Cutoff Rd), .1 mi W of US-93 near Crystal Springs. 1010	855	1110	1150	1100	1300	1600	1550	1600	1400
0007 HRLY 01	SR-318 (Sunnyside Cut-off Rd), 1.6 mi N of SR-375. 920	815	820	860	870	1000	1100	1000	1150	1100
0009 HRLY 00	SR-375 (Warm Springs Rd), .7 mi W of SR-318 at Crystal Springs. 200	195	200	185	185	180	220	200	230	280
0013 HRLY 00	SR-317 (Rainbow Cy Rd), S of Caliente 6.3 mi S of US-93. 105	105	100	130	100	75	100	95	120	120
0014 HRLY 00	SR-317 (Rainbow Cy Rd), S of Caliente 300' S of US-93. 165	155	195	225	230	275	375	270	280	320
0015 HRLY 00	US-93, .5 mi S of SR-317 in Caliente. 430	535	510	605	655	625	700	570	700	620
0016 HRLY 00	Park Rd to Kershaw-Ryan Rec Area, .3 mi E of SR-317 (Rainbow Cy Rd). 2055	1985	2110	2080	2050	2200	80	85	80	120
0018 HRLY 00	US-93, in Caliente 100' N of Front St. 1140	1180	1450	1360	1400	1300	2200*	2000	2350	2200
0019 HRLY 00	US-93, near the N City Limits of Caliente .1 mi N of mp 95. 1140	1180	1450	1360	1400	1300	1400	1250	1450	1400

LINCOLN COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0020 HRLY 00										
	County Rd to Beaver Dam State Park, N of Caliente .2 mi E of US-93.							70	100	90
0021 HRLY 99	SR-319 (Panaca-Modena Rd), to Panaca .1 mi E of US-93. 1320	1160	1310	1415	1250	1200	1200	1250	1300	1300
0022 HRLY 99	SR-319 (Panaca-Modena Rd), 1.1 mi E of US-93. 1325	1380	1310	1460	1300	1300	1300	1350	1450	1450*
0023 HRLY 00	SR-319 (Panaca-Modena Rd), 4.8 mi E of US-93 &.75 mi W of the County Rd to the Delmue Ranch. 315	400	415	345	460	460	550	450	550	590
0024	1st South, .1 mi W of US- 93.							0		220
0025 HRLY 99	SR-319 (Panaca-Modena Rd), .4 mi E of the County Rd to Crestline. 305	385	400	300	300	400	480	390	480	530
0026 HRLY 00	US-93, .1 mi S of the County Rd to Cathedral Gorge. 845	865	930	1090	1300	1050	1150	1020	1050	1200
0027 HRLY 00	State Park Rd to Cathedral Gorge, .1 mi W of US-93.					100	100	65	70	80
0028 HRLY 99	SR-320 (Caselton Mine Loop), to Caselton .1 mi W of US-93. 40	40	40	60	55	45	45	35	50	50*
0029 HRLY 00	US-93, .3 mi S of SR-321. 760	905	865	975	1200	1000	1000	1050	1050	1050*
0030 HRLY 99	SR-321 (Pioche Rd), .1 mi N of US-93. 230	270	270	300	295	265	260	245	300	310
0031 HRLY 00	US-93, 1 mi N of SR-321. 505	605	695	690	890	670	760	800	850	850

LINCOLN COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0032 HRLY 00	SR-322 (Ursine Rd), 2.1 mi E of US-93 at Pioche. 265	340	200	185	240	200	210	220	230	230*
0033 HRLY 00	SR-322 (Ursine Rd), 12.9 mi E of US-93 at Pioche. 130	150	100	95	120	140	150	140	140	170
0035 HRLY 99	SR-322 (Main St), 30' S of Cedar St in Pioche. 995	1010	1030	1015	1000	950	1080	970	1100	1100
0036 HRLY 99	SR-321 (La Cour St), 300' W of SR-322 (Main St) in Pioche. 885	970	840	985	955	800	1100	820	980	980*
0038 HRLY 99	SR-321 (Pioche Rd), .2 mi S of US-93 N of Pioche. 115	130	100	145	210	140	140	130	140	150
0039 HRLY 00	US-93, .5 mi N of SR-322 (Main St) in Pioche. 375	365	315	305	590	390	400	420	400	490
0040	Groom Lake Rd., .1 mi S of SR-375.						0			30
0042 HRLY 00	US-93, .1 mi S of SR-320 to Caselton N of Pioche. 460	450	430	495	656	460	480	500	500	570
0043 HRLY 99	SR-320 (Caselton Mine Rd), to Caselton 300' W of US-93 N of Pioche. 70	60	50	80	75	75	65	65	80	50
0045	Bristol Pass Rd., 50' W of US-93.									10
0046 HRLY 00	US-93, 25' N of the County Rd to the Bristol Silver mine. 360	325	325	325	735	400	390	420	420	420*
0047	Atlanta Rd., N of SR-322. (1 mi N of Eagle Res)									40

LINCOLN COUNTY


TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0048										10
	Bennett Pass Rd (Pan American Rd), .85 mi W of SR-320.									
0052										
HRLY 00	County Rd to Echo Canyon State Recreation Area, 100' S of SR-322 to Ursine.					90	90	65	90	90*
0053										
HRLY 00	SR-816 (Lincoln Co Airport Rd), Lincoln Co Airport 200' W of US-93 near Panaca.	145	145	160	25	30	10	40	55	40
0054										
HRLY 00	Beaver Dam State Park Rd, 2.7 mi SE of US-93.	100	20	25	20	15	20	30	40	40*
0055										
HRLY 00	Carp Rd, S of the Southern terminus of SR-317 3.2 mi S of the entrance rd to Elgin.	50	40	40	15	20	10	30		30*
0056										
HRLY 00	Spring St, S of US-93 in Caliente.						2300	1500	1700	1600


*19



WADSWORTH-FERNLEY 46 EAST FERNLEY 48




*19




NORTHERN LYON
COUNTY

*19




Wadsworth-Fernley
Enlarged Area


*19



YERINGTON



303



YERINGTON AREA

LYON COUNTY

|

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0001 HRLY 00	US-50, .3 mi W of SR-341. 13950	14700	16800	15700	15000	17100	17100	18500	18200	18600*
0002 HRLY 00	US-50, .2 mi E of SR-341. 11300	12000	14500	14800	14100	14200	14200	15900	15600*	15900*
0003 HRLY 01	SR-341 (Virginia City Rd), 200' N of US-50. 2550	2615	3045	3115	2450	2750	2800	3100	2950	2700
0004 HRLY 01	SR-342 (Silver City-Gold Hill Rd), .25 mi N of SR-341. 2445	2410	2075	2075	2050	2000	2050	1800	1900	2200
0005 HRLY 97	SR-341 (Virginia City Rd), .1 mi N of SR-342. 320	325	330	330	350	350	310	300	300	300*
0006 HRLY 00	US-50, .1 mi W of River St. 11500	11550	13400	14900	13300	14500	14500	15900	15600	16000
0009 HRLY 01	Pike St, 200' N of Main St in Dayton.							590	550	510
0010 HRLY 01	Dayton Vy Rd, .1 mi E of US-50 in Dayton. 4750	5955	5485	6220	6100	6400	6300	6300*	6500	6900
0012 HRLY 00	US-50, .2 mi W of the entrance to the Dayton State Park. 6800	8245	8790	9840	10700	11600	11600	14400	14400	14400*
0013 HRLY 01	US-50, at mp US-50-LY-10. 6400	7050	7510	8350	8500	8900	8900	10200	10200	9900
0015 HRLY 01	Six Mile Cy Rd, 1.1 mi W of US-50.							1400	1450	1500
0016 HRLY 01	US-50, .1 mi E of Chavez Rd. 3960	4325	4610	4950	5550	5400	5400	6050	6000	5600

LYON COUNTY

|

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0017 HRLY 01	US-50, .1 mi E of Cheyenne Rd 3490*	.3400*	3600*	(in Stage Coach) 3950*	3950*	& 8.2 mi W of US-95A. 4400*	4800*	5000*	5000*	4900
0018 HRLY 01	US-50, .7 mi W of US-95A at Silver Springs. 2665	2700	3180	3170	3170	3400	3700	3850*	3850*	3400
0019 HRLY 00	US-95A, at Silver Springs 200' S of US-50. 3555	4090	5000	4760	5100	5300	5100	5300*	5200	5200
0020 HRLY 01	US-50, 1.5 mi E of US-95A. 1495	1600	1710	1790	1900	1800	2100	2000	2000*	1800
0021 HRLY 99	US-95A, 270' N of US-50. 2975	3685	4215	4055	4200	4150	4300	4600	4500	4900
0022 HRLY 01	US-95A, 320' S of US-95A Spur in Fernley. 4840	4700	5040	5153	5300	5700	6100	6400	6700	6600
0023 HRLY 00	US-95A (Main St), 275' E of US-95A Spur. 7775	7915	8355	8375	8500	9000	9400	9750	10200	10400*
0024 HRLY 01	US-95A Spur, 100' W of US-95A. 7115	7220	8330	8270	9100	9000	9600	10200	10200*	11000
0025 HRLY 00	US-95A Spur, 20' S of the RxR underpass btwn Fernley & Wadsworth. 5890	5875	7185	7690	9050	8600	9200	9550	9400	9600*
0026 HRLY 01	IR-80, E/B on-ramp of the Wadsworth-W Fernley Intch "Exit 44". 310	375	470	580	905	880	1225	1160	1100	1000
0028 HRLY 01	IR-80, W/B off-ramp of the Wadsworth-W Fernley Intch "Exit 44". 320	445	565	600	740	780	1195	1130	1200	1100
0029 HRLY 01	Whitacre St, N of Commercial Av.							85	90	90

LYON COUNTY

|

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0030 HRLY 01	IR-80, W/B on-ramp of the Wadsworth-W Fernley Intch "Exit 44", 375' W of SR-427. 1975	2270	2590	3000	2840	2875	3115	2970	3600	3050
0031 HRLY 01	IR-80, E/B off-ramp of the Wadsworth-W Fernley Intch "Exit 44" 340' W of US-95A Spur. 2015	2110	2420	2950	2885	3095	3170	3170	3780	3400
0032 HRLY 00	US-95A, 200' W of US-50A to Hazen W of the Fernley overpass. 7430	8065	8540	8560	8500	9600	10200	10700	11000	11200*
0033 HRLY 01	SR-828 (Fernley Farm District Rd), .2 mi S of US-50A. 2150	2310	2435	2490	2500	2500	3600	3800	4050	4700
0034 HRLY 01	US-50A, 2.6 mi E of SR-828. 5570*	5600*	5750*	5650*	6350*	7050*	7400*	7450*	7200	7900
0035 HRLY 01	SR-828 (Fernley Farm District Rd), .25 mi W of US-50A. 230	190	250	210	270	270	270	340	330	380
0036 HRLY 01	US-95A, to IR-80 at the N end of guardrail of RxR overpass. 9285	10800	11200	10800	12300	13000	13800	15600	15600*	16000
0037 HRLY 01	IR-80, E/B on-ramp of the E Fernley Intch "Exit 48" .2 mi from cross traffic rd. 965	1150	960	845	905	735	725	780	700	640
0039 HRLY 01	IR-80, W/B off-ramp of the E Fernley Intch "Exit 48" 100' NE of the cross traffic rd. 845	1100	920	835	940	770	810	890	790	750
0040 HRLY 01	IR-80, W/B on-ramp of the E Fernley Intch "Exit 48" .2 mi W of the cross traffic rd. 2730	3225	3665	3800	4060	3665	4995	5250	4670	4900
0041 HRLY 01	IR-80, E/B off-ramp of the E Fernley Intch "Exit 48" .1 mi from W end of ramp. 2800	3365	3855	3665	3770	3890	4865	4980	4270	4600
0042 HRLY 01	IR-80, 2.2 mi W of the Nightingale Intch "Exit 65". 6840	6560	6350	6685	6085	6685	7380	6950	6950	7090*

LYON COUNTY

|

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0044 HRLY 01	US-95A, 2.6 mi S of the Weeks Cutoff. 2250	2490	2845	2790	2650	2650	2700	3000	3000	2700
0045 HRLY 00	Fort Churchill Rd, .2 mi W of US-95A.					235	235	190	210*	230
0047 HRLY 01	US-95A, 4.9 mi S of Fort Churchill Rd. 2100	2325	2600	2415	2350	2400	2600	2850	2800	2600
0048 HRLY 01	US-95A, .6 mi S of the RxR crossing at Wabuska. 1890	2125	2300	2460	2400	2500	2650	3000	3000	2800
0049 HRLY 01	US-95A, .5 mi N of the County Rd to Weed Heights. 3065	3415	3780	3765	3800	3900	4100	4400	4400	4300
0051 HRLY 01	US-95A, 150' N of US-95A (Goldfield Av). 4365	4670	4965	4600	4700	4800	5100	5400	5300	5100
0052 HRLY 01	US-95A (Goldfield Av), .1 mi E of the NS portion of US-95A. 3710	3960	3955	4335	4350	4600	4700	5000	4800	4800
0053 HRLY 01	US-95A (Goldfield Av), 150' W of SR-208 (Main St). 3775	4600	4595	3775	3800	4000	4000	4250	4250*	4100
0054 HRLY 01	SR-208 (Main St), 75' S of US-95A (Goldfield Av). 4525	4755	5150	5130	5250	5450	5700	6100	6100*	5800
0055 HRLY 01	US-95A, .2 mi E of Oregon St & .6 mi E of SR-208. 2780	2920	3145	3330	3450	3700	3600	3600	3600	3600
0056 HRLY 01	SR-208 (Main St), 150' N of SR-340 (Bridge St). 4935	5055	5240	5360	5460	5500	5400	5600	5750	5300
0058 HRLY 01	SR-340 (Bridge St), .1 mi W of SR-208 (Main St). 3775	3790	4230	4535	4250	4150	4300	4400	4600*	3900

LYON COUNTY

|

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0059 HRLY 01	SR-208 (Main St), S of SR-340 3420	(3435)	3770	3820	3605	4100	4100	4250	4250*	3900
0061 HRLY 01	SR-340 (Bridge St), .2 mi E of SR-339. 2230	2240	2500	3000	3050	2950	3050	3000	3150	2700
0062 HRLY 01	SR-339 (Nordyke Rd), .2 mi N of SR-340 W of Yerington. 2375	2665	2670	2745	2900	2900	3250	3300	3300*	3000
0063 HRLY 99	SR-339 (Nordyke Rd), .2 mi N of SR-827 in Mason. 2060	2260	2435	2735	2900	2800	3000	3000	3000	2700
0064 HRLY 00	SR-339 (Nordyke Rd), .9 mi S of SR-827 in Mason. 1080	1200	1365	1540	1550	1400	1550	1600	1530	1500
0065 HRLY 99	SR-827 (Mason Rd), 400' W of SR-208 (Topaz-Yerington Rd). 685	675	870	810	855	800	800	800	830	770
0066 HRLY 99	SR-208 (Topaz-Yerington Rd), 1.4 mi N of SR-827 (Mason Rd). 1660	1600	2035	1880	2670	2600	2650	2600	2600	2400
0067 HRLY 99	SR-827 (Cremetti Ln), .25 mi E of SR-208. 200	190	210	235	195	195	195	300	280	240
0070 HRLY 99	SR-827 (McKenzie Ln), .1 mi S of the EW portion of SR-827 (Cremetti Ln). 225	295	250	220	265	265	265	290	260	260
0071 HRLY 97	Pursel Ln, .1 mi E of SR-827 (MacKenzie Ln). 275	270	190	220	220	225	225	370	220	230
0072 HRLY 97	Pursel Ln, 2.3 mi E of SR-827 (McKenzie Ln). 45	45	40	40	40	45	45	40	40	40
0075 HRLY 99	SR-208 (Topaz-Yerington Rd), .6 mi N of MacKenzie Ln & .1 mi S of Fridhoff Ln. 355	360	475	350	435	450	475	570	510	470

LYON COUNTY

|

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0076 HRLY 99	SR-208 (Topaz-Yerington Rd), .4 mi N of Walker Rd. 395	400	375	365	470	485	500	650	610	500
0079 HRLY 99	SR-208 (Topaz-Yerington Rd), .2 mi N of Hamer Ln. 355	355	380	330	445	460	490	570	510	460
0080 HRLY 99	SR-208 (Topaz-Yerington Rd), 100' N of E Walker Rd. 265	240	315	260	400	410	420	470	450	410
0085 HRLY 99	SR-208 (Topaz-Yerington Rd), 133' E of Hudson Wy. 930	915	1130	1310	1250	1350	1400	1300	1350	1300
0086 HRLY 00	SR-208 (Topaz-Yerington Rd), .3 mi E of leg of Wye to SR-824 at Smith. 1200	1180	1325	1530	1450	1550	1650	1600	1650	1600
0087 HRLY 00	SR-824 (Day Lane), 155' S of E leg of Wye to SR-208 & 293' S of SR-825. 975	945	1060	1070	1080	1080	970	1050	980	840
0088 HRLY 99	SR-824 (Day Ln), .15 mi N of SR-825 North of Smith. 850	770	840	910	920	920	790	850	790	690
0089 HRLY 97	SR-825 (Gage Rd), in Smith .1 mi W of SR-824 (Day Ln). 190	185	215	175	180	220	220	175	170	160
0090 HRLY 99	SR-208 (Topaz-Yerington Rd), .2 mi N of SR-338 S of Smith. 1160	1155	1390	1570	1600	1550	1400*	1475	1400	1400
0091 HRLY 99	SR-208 (Topaz-Yerington Rd), .2 mi W of SR-338 S of Smith. 975	980	1215	1320	1400	1300	1350	1200	1200*	1200
0092 HRLY 99	SR-338 (Sweetwater Rd), .1 mi S of SR-208 S of Smith. 325	350	395	430	445	445	410	400	390	420
0093 HRLY 99	SR-208 (Topaz-Yerington Rd), 440' W of SR-829 (Wellington Rd). 1175	1155	1620	1570	1750	1725	1800	1700	1500*	1300

LYON COUNTY

|

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0094 HRLY 96	SR-208 (Topaz-Yerington Rd), .5 mi E of SR-823 to Colony District. 1200	1180	1635	1650	1950	1800	1850	1900	1500*	1500
0095 HRLY 96	SR-823 (Colony District Rd), Lower Colony Rd .2 mi N of SR-208. 525	500	670	675	675	665	680	700	600*	590
0096 HRLY 97	SR-823 (Artesia Rd), .1 mi W of jct of SR-823 Hunewell Ln. 175	180	205	180	180	190	170	290	200	160
0097 HRLY 97	SR-824 (Day Ln), .2 mi E of SR-823 (Colony District Rd). 260	230	275	290	290	265	240	380	320	260
0098 HRLY 99	SR-824 (Day Ln), 1.5 mi N of SR-825 (Gage Rd) in Smith. 715	640	710	755	760	760	690	820	760*	760
0099 HRLY 99	SR-829 (Wellington Rd), 1.2 mi E of SR-208 (Topaz-Yerington Rd) S of Wellington. 250	210	275	285	385	385	380	360	280*	260
0100 HRLY 99	SR-338 (Sweetwater Rd), .1 mi N of SR-829 (Wellington Rd). 210	190	260	285	285	285	225	260	230	240
0101 HRLY 99	SR-338 (Sweetwater Rd), .15 mi S of SR-829 (Wellington Rd). 390	395	445	515	425	425	420	420	400	390
0103 HRLY 99	SR-338 (Sweetwater Rd), 3.9 mi S of the County Rd to Nye Cy at mp 9.7. 270	205	270	230	285	285	280	275	260*	260*
0105 HRLY 99	SR-338 (Sweetwater Rd), .5 mi S of the County Rd to Bodie S of mp 3. 160	150	250	245	305	305	300	290	280*	180
0108 HRLY 99	SR-208 (Topaz-Yerington Rd), 300' S of SR-827 (Mason Rd). 900	925	1095	1035	1240	1280	1350	1350	1250	1200
0110 HRLY 01	County Rd (Old US-95A), to Mason Vy Wildlife Mgt Area .3 mi N of US-95A. 						250	200	190	

LYON COUNTY

|

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0111 HRLY 01	US-95A, .45 mi E of Pete Hendricks Rd. 1900	1970	2150	2340	2300	2250	2500	2500	2300	2600
0112 HRLY 01	US-95A, .1 mi E of Miley Rd .1 mi E of mp 7. 1360	1210	1320	1565	1600	1650	1650	1650	1600	1800
0113 HRLY 01	US-95A, .25 mi E of Bonanza Ln. 1065	1125	1120	1230	1150	1200	1100	1250	1200*	1300
0114 HRLY 00	IR-80, at mp 3. 10560	10900	12130	12470	12070	12735	15705	15510	14400	15200*
0115 HRLY 01	US-95A, btwn Miller Ln & Campbell Ln. 2520	2830	3115	3250	3350	3400	3500	3650	3500	3600
0116 HRLY 01	Weed Heights Rd, .5 mi W of US-95A. 1105	1240	1040		1050	1100	1000	900	930	930*
0117 HRLY 99	Bodie Rd, .2 mi S of SR-208. 30	35		40	70	70	70	70	50	80
0118 HRLY 01	Gallagher Pass Rd (Campbell Ln), 5.1 mi W of US-95A. 15	40	105	105	105	105	105	105	30	30
0119 HRLY 00	Hardy Ln, .3 mi N of Cottonwood Ln. 758	795	755	980	865	840	850	1300	1300*	
0121 HRLY 01	Fort Churchill Rd, .15 mi S of US-50 E of Dayton. 100	100	110	110	110	100	110	120	140	
0122 HRLY 99	Bridge St, .1 mi E of Charlotte Av in Yerington. 530	525	695	710	710	720	770	700	680	
0123 HRLY 01	Orchard St, E of Whitaker Av in Yerington. 40						40	40	40	


LYON COUNTY

|

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0124 HRLY 01	Pearl St, 117' W of Oregon St in Yerington.							1000	1000*	1100
0125 HRLY 01	Fir St, in Silver Springs E of US-95A.							830	800	920
0126 HRLY 01	Weeks-Ramsey Cutoff Rd., .1 mi S of US-50.							1800	1750	1800
0127 HRLY 01	Truckee Ln, W of US-95A Spur in Fernley.							820	700	810
3047 HRLY 99	Fir Av, .7 mi E of US-95A in Silver Springs at the RxR tracks.									1100
3048 HRLY 99	Fifth St, .7 mi E of US-95A in Silver Springs at the RxR tracks.									510
3050 HRLY 99	Churchill Cy-Thomas Smelter Rd, 2.2 mi W of US-95A N of Wasbuska at US-95A Jct.									20
3051	East Newlands Dr, E of Lyon Dr at the RxR crossing.									1600

*21



MINERAL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0001 HRLY 01	US-95A, 1.8 mi E of MI-LY County Line & 9 mi W of US-95. 1075	1040	1030	1060	1000	1100	1000	910	1200	1200*
0002 HRLY 01	US-95, 2.1 mi N of RxR Grade Crossing in Schurz. 1600	1770	1860	2185	1800	1950	2000	1950	2000	2200
0004 HRLY 01	US-95, .2 mi N of US-95A. 1940	2045	2150	3000	2350	2200	2300	2650	2650*	3000
0005 HRLY 00	US-95, .4 mi S of US-95A S of Schurz. 2380	2460	2720	3810	3050	3000	2800	3450	3500	3500*
0009 HRLY 00	US-95, .5 mi N of the US Army Depot Entrance Rd at Babbitt. 2945	3155	3175	3630	3400	3000	3250	3200	3400	3000
0010 HRLY 00	US-95, at Babbitt .4 mi S of the US Army Depot Entrance Rd. 4000	4065	4050	4480	4450	3600	4100	4500	4300	4700
0011 HRLY 00	US-95, S/B 100' N of "C" St & N/B .1 mi N of "C" St. 5310	5300	5305	6150	5500	4900	4700	5500	5900	5900*
0013 HRLY 00	US-95, 200' N of SR-359 (Pole Line Rd). 6700	7065	6480	6500	6200	5600	5400	5900	6300	6300*
0014 HRLY 00	SR-359 (Pole Line Rd), .1 mi S of US-95. 3830	4085	3640	3680	3600	2750	2600	2400	2500	2500*
0015 HRLY 00	US-95, 200' S of SR-359. 6400	6035	5840	5885	5600	5300	5100	4900	5100	5100*
0016 HRLY 00	US-95, .25 mi S of SR-362 (Hawthorne Truck By-pass Rd). 2280	2300	2225	2595	2650	2600	2600	2600*	2700	2700*
0022 HRLY 00	SR-359 (Pole Line Rd), .8 mi S of US-95 in Hawthorne. 805	820	775	695	675	500	480	630	500	500

MINERAL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0023 HRLY 00	SR-359 (Pole Line Rd), .1 mi S of the County Rd to Bodie via Lucky Boy Grade. 270	245	230	195	230	175	170	225	210	210
0027 HRLY 00	US-95, .25 mi N of SR-361 to Gabbs. 2040	1975	2035	2370	2000	2200	2400	2300	2250	2400*
0028 HRLY 00	SR-361 (Gabbs Vy Rd), .2 mi N of US-95 in Luning. 325	250	135	160	160	120	100	150	130	200
0030 HRLY 00	US-95, 4.1 mi N of Mina. 1955	1990	2230	2410	2100	2100	2100	2050	2200	2400
0032 HRLY 00	US-95, 1.2 mi N of Sodaville & .6 mi N of mp US-95/MI-13. 1710	1645	1910	2280	2000	2000	2000	2100	2150	2100
0033 HRLY 00	SR-360 (Mina-Basalt Cutoff Rd), .25 mi W of US-95 S of Sodaville. 335	355	430	540	475	475	370	360	380	440
0035 HRLY 00	US-006, 3 mi E of the NV-CA Stateline. 720	760	720	750	770	770	790	770	1000	1200
0036 HRLY 00	US-006, .2 mi E of SR-360. 355	440	415	430	440	440	450	440	500	530
0037 HRLY 00	SR-362 (Hawthorne Truck By-Pass Rd), N of US-95. 710	635	940	975	930	830	800	1300	1050	1050*
0038 HRLY 00	US-95, 800' N of SR-362 (Truck Bypass). 2025	1810	1900	1990	1900	1800	1700	1450	1500*	1200
0040 HRLY 00	"A" St, 125' N of W Seventh St. 620	850	880	880	940	900	900	900*	900*	900*
3051	Paiute-Vista Dr, 303' E of Farm Rd.at the RxR Tracks.								150	

MINERAL COUNTY


TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
3052	Valley Farm Rd, .4 mi W of Hospital Rd at RxR tracks.									320
3053	Glazier-Mesquite Rd, 172' W of Hospital Rd at the RxR tracks.									80
3054	Pilot Cone Rd, 78' N of Hospital Rd W of US-95 in Schurz at the RxR tracks.									290
3055	Double Springs Rd, 247' N of Lake Pasture Rd at thr RxR tracks.									250

*23




*23




TONOPAH

318



BEATTY



NYE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0001 HRLY 00	SR-160 (Pahrump Valley Rd), in Pahrump Valley .2 mi N of the CL-NY County Line.	2405	2970	3420	4070	4700	5000	5400	6050	6400	6400*
0002	Ash Meadows-Bell Vista Rd, 2.3 mi W of SR 160.								2400	2500	
0003 HRLY 00	Belmont Rd, 1000' E of SR-376.								30	110	
0004 HRLY 00	Devils Hole Rd, .2 mi W of SR-160.								200	200	
0005 HRLY 00	SR-160 (Pahrump Vy Rd), 200' S of SR-372 (Charles Brown Hw).	9595	10600	11700	13900	14500	15600	16100	16100*	16400	16400*
0006 HRLY 01	SR-372 (Charles Brown Hw), .8 mi W of SR-160 & .2 mi W of mp 7.	4455	5190	5450	6945	8200	8900	8350	9450	9800	9800
0007 HRLY 00	SR-372 (Charles Brown Hw), to Shoshone California at the NV-CA Stateline.	760	670	670	700	670	640	600	830	780	1000
0008 HRLY 00	SR-160 (Pahrump Vy Rd), .1 mi N of SR-372 (Charlie Brown Hw).	5900	6670	7870	10300	10800	11900	13800	14400	15000	15000*
0009 HRLY 01	SR-160 (Pahrump Vy Rd), 7.7 mi N of SR-372 (Charlie Brown Hw).	715	715	885	1140	1100	1050	1200	1350	1300	1400
0010 HRLY 00	Haffen Ranch Rd (Caas St), .7 mi S of SR-160.									2150	2100
0011 HRLY 01	SR-160 (Pahrump Vy Rd), .1 mi S of US-95.	695	655	670	825	750	720	730	820	800	910
0012 HRLY 01	US-95, 4 mi N of the Mercury Intch.	2870	2715	2525	2550	2780	2855	2940	2960	2980	3110

NYE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0013 HRLY 01	US-95, S/B off-ramp of the Mercury Intch.	155	140	105	110	100	80	85	110	100	120
0014 HRLY 01	US-95, S/B on-ramp of the Mercury Intch.	615	560	430	530	350	350	410	375	460	460
0016 HRLY 01	US-95, N/B off-ramp of the Mercury Intch.	620	565	430	500	310	350	315	375	460	460
0017 HRLY 98	D.O.E Rd to Mercury Test Site, .2 mi N of the Mercury Intch.	1510	1375	1075	1220	860	830	850	855	1000	960
0018 HRLY 01	US-95, N/B on-ramp of the Mercury Intch.	160	145	100	105	90	75	100	110	100	110
0019 HRLY 01	US-95, 1.5 mi S of SR-373 (Death Vy Jct Rd).	2650	3150	2600	2880	2800	2900	2700	2850	2700	2900
0020 HRLY 99	SR-373 (Death Vy Jct Rd), .5 mi S of US-95.	485	615	590	835	720	610	700	660	650	650*
0021 HRLY 01	US-95, .2 mi N of SR-373.	2325	1910	2270	2735	2350	2500	2400	2580	2450	2500
0022 HRLY 01	US-95, .1 mi S of SR-374 (Death Vy Rd).	3625	3535	3275	4055	4800	4800	4800	4900	3500*	3400
0023 HRLY 01	SR-374 (Death Vy Rd), 300' W of US-95.	1970	1980	1685	1810	1750	1700	1610	1450	1200	1100
0024 HRLY 01	SR-374 (Death Vy Rd), .6 mi W of US-95.	1070	1160	1230	1265	1350	1200	850	650	530	530
0026 HRLY 99	SR-374 (Death Vy Rd), 5.1 mi W of US-95 in Beatty.	315	395	280	360	310	310	360	400	280	280*

NYE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0027 HRLY 01	US-95, .3 mi N of SR-374 (Death Vy Rd). 3780	3625	3545	3790	3600	3650	3550	3600	3650	3600
0028 HRLY 01	US-95, 1 mi N of SR-374 (Death Vy Rd). 2575	2365	2150	2495	2600	2600	2600*	2700	2700*	2500
0029 HRLY 01	US-95, 7 mi N of Springdale Rest Stop at mp 77. 1795	1720	1730	2130	2000	2000	2000	2300	2150	2200
0030 HRLY 01	SR-267 (Scotty's Castle Rd), .3 mi W of US-95. 100	95	60	95	70	70	60	60	60	70
0031 HRLY 01	US-95, .2 mi S of US-6 in Tonopah across from the Sierra Pacific Power Company. 6125	6440	6590	6410	6200	5900	5800	6600	6150	5800
0032 HRLY 01	US-006-US-95, in Tonopah .2 mi N of US-006. 7540	7635	7525	7270	7100	7700	7600	8000	8200	7400
0033 HRLY 01	US-006-US-95, in Tonopah 100' S of Bryan Av. 8450	7840	7720	7795	7900	8200	9000	9500	9500*	7800
0034 HRLY 01	US-006-US-95, 500' N of Cemetery Rd N of Tonopah at mp 0. 4020	3975	4020	4310	4150	4550	4400	4700	4500	4100
0038 HRLY 00	SR-361 (Gabbs Vy Rd), 200' N of 3rd St. 475	385	355	445	350	310	270	320	230	250
0040 HRLY 00	SR-361 (Gabbs Vy Rd), .2 mi N of SR-844 (Ione Rd). 245	200	145	170	160	190	180	220	160	170
0041 HRLY 00	SR-844 (Ione Rd), .2 mi E of SR-361 (Gabbs Vy Rd). 95	65	55	65	55	95	70	110	50	50*
0043 HRLY 00	SR-844 (Ione Rd), mp SR-844/NY-12.32. 70	45	50	55	45	80	50	90	40	40*

NYE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0049 HRLY 01	US-006, .25 mi E of US-95 in Tonopah. 2290	2125	2045	1850	2000	2150	2050	2200	2300	1900
0050 HRLY 01	US-006, .2 mi W of SR-376. 1285	1095	1110	1005	1150	1250	1250	1300	1500	1100
0052 HRLY 01	SR-376 (Tonopah-Austin Rd), .7 mi N of mp NY 36 E. 425	340	380	375	400	450	390	410	520	430
0054 HRLY 00	SR-377 (Manhattan Rd), in Manhattan 300' W of the E end of SR-377 & 6.6 mi E of SR-376. 80	105	80	105	90	110	140	80	80*	80
0055 HRLY 00	SR-377 (Manhattan Rd), to Manhattan 400' E of SR-376. 85	75	75	100	95	100	120	65	90	80
0056 HRLY 01	SR-376 (Tonopah-Austin Rd), .1 mi N of mp NY 37. 425	360	410	405	430	475	420	440	540	460
0059 HRLY 01	SR-376 (Tonopah-Austin Rd), 2.4 mi S of Carvers Rest Area. 1070	755	950	995	970	1100	1140	1200	1200	1200
0060 HRLY 01	US-006, .2 mi E of SR-376 (Tonopah-Austin Rd). 790	640	630	590	635	650	650	670	670*	600
0061 HRLY 01	US-006, .1 mi W of Sandia Rd. 640	445	410	395	460	500	475	490	450	510
0063 HRLY 01	US-006, .1 mi E of Sandia Rd. (Tonopah Test Site Rd) 235	245	240	315	360	300	310	320	420	300
0064 HRLY 01	US-006, 200' W of SR-375 (Warm Springs Rd). 280				300	280	290	340	290	
0065 HRLY 00	SR-375 (Warm Springs Rd), 200' S of US-006. 120				130	120	150	200	140	

NYE COUNTY


TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0066 HRLY 01	US-006, .3 mi E of SR-375 (Warm Springs Rd).				195	200	200	150	210	180
0069 HRLY 01	US-006, .6 mi W of SR-379 (Duck Water Rd).	325	225	220	225	200	250	270	250	250*
0070 HRLY 01	SR-379 (Duckwater Rd), .1 mi N of US-006.	155	160	175	165	145	130	140	100	100
0071 HRLY 01	US-006, .2 mi E of SR-379 (Duck Water Rd).	370	250	245	235	225	300	320	300	300
0072 HRLY 01	SR-379 (Duckwater Rd), 19.2 mi N of US-006 & 150' S of the N end of oiled pavement.	30	45	55	90	60	60	75	90	130
0074 HRLY 01	SR-318 (Sunnyside Rd), drop box W at NY-WP County Line.	715	650	760	725	810	900	925	1000	1000
0075 HRLY 01	SR-318 (Sunnyside Rd), 1.2 mi S of the County Rd to Kirch Wildlife Area.	685	625	730	650	700	850	870	920	950
0076 HRLY 99	US-006, 11 mi E of jct of SR-375 400' NE of mp 62.	170	160	185	120	140	200	200	200	220
0078 HRLY 99	Valley View Rd, .1 mi W of US-95.		275	265	165	135	140	135	120	100
										100*


*27



324




LOVELOCK AREA



LOVELOCK

INTERSTATE 80 INTERCHANGES

27



PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0001 HRLY 00	IR-80, E/B off-ramp of the Toulon Intch "Exit 93" 250' W of the cross traffic rd. 85	85	65	120	60	60	105	100	90	90
0004 HRLY 00	IR-80, E/B on-ramp of the Toulon Intch "Exit 93" 150' E of the cross traffic rd. 65	95	80	95	95	95	75	80	100	50
0006 HRLY 98	IR-80, W/B off-ramp of the Toulon Intch "Exit 93" 250' E of the cross traffic rd. 65	95	80	95	95	95	120	110	120	120
0008 HRLY 99	IR-80, W/B on-ramp of the Toulon Intch "Exit 93" 150' W of the cross traffic rd. 85	85	65	60	60	60	170	160	140	140
0010 HRLY 99	Lower Valley Rd, at mp PE 11.1 2.2 mi E of the rd to Derby Airport SW of Lovelock.						50	40	40	40
0013 HRLY 00	SR-396 (Cornell Av), 100' S of Boween St. 2000 1625 2070 2025 1550					2200	2200	2250	2400	2700
0014 HRLY 00	SR-396 (Cornell Av), 150' W of SR-398 (Main St). 3610 3600 3500 3800 3550					3900	3900	2700	2800	2800*
0015 HRLY 00	SR-398 (Main St), 200' S of SR-396 (Cornell Av). 1345 1380 1460 1590 1860					1850	1850	1750	2000	2100
0016 HRLY 00	SR-396 (Cornell Av), 100' E of SR-398 (Main St). 4175 4300 4180 4805 4500					4850	4850	3400	3450	4000
0017 HRLY 99	SR-398 (Main St), 100' S of Dartmouth Av. 2250 2060 2180 2390 2800					2450	2450	1700	1700*	2700
0018 HRLY 00	SR-396 (Cornell Av), 125' E of 13th St. 3465 4230 4030 4630 4200					4500	4500	3200	3400	4100
0020 HRLY 00	SR-856 (Airport Rd), .1 mi S of the E/B on-ramp at the E Lovelock Intch "Exit 107". 630 720 710 795 890					1000	1000	825	890	890*

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0021 HRLY 00	SR-396 (Upper Valley Rd), .1 mi S of Loorz Rd. 1300	1220	1255	1390	1450	1450	1450	1230	1250	1400
0023 HRLY 00	SR-396 (Upper Valley Rd), 1 mi N of Loorz Rd. 860	770	880	940	960	950	950	810	810	950
0025 HRLY 00	SR-396 (Upper Valley Rd), .2 mi W of cross traffic rd of the Coal Canyon Intch "Exit 112". 605	550	560	600	600	470	420	390	390	460
0027 HRLY 99	IR-80, E/B off-ramp of the Oreana Intch "Exit 119" 236' W of SR-858. 165	180	190	190	165	140	205	190	190	170
0030 HRLY 00	SR-858 (Oreana Rd), .7 mi S of the E/B ramps of the Oreana Intch "Exit 119". 265	265	310	295	295	280	280	270	260	250
0031 HRLY 99	IR-80, E/B on-ramp of the Oreana Intch "Exit 119" 55' E of SR-858. 60	60	65	140	140	60	120	90	60	70
0033 HRLY 99	IR-80, W/B off-ramp of the Oreana Intch "Exit 119" 130' E of SR-858. 60	60	55	60	60	55	70	65	60	60
0034 HRLY 99	IR-80, W/B on-ramp of the Oreana Intch "Exit 119" .1 mi W of SR-858. 165	165	160	145	145	165	150	165	180	150
0035 HRLY 01	IR-80, E/B off-ramp of the Rye Patch Intch "Exit 129" .2 mi W of the cross traffic rd. 360	400	475	440	385	385	385	490	390	350
0037 HRLY 01	IR-80, E/B on-ramp of the Rye Patch Intch "Exit 129" .1 mi E of the cross traffic rd. 385	425	460	455	380	480	495	520	380	330
0039 HRLY 01	IR-80, W/B off-ramp of the Rye Patch Intch "Exit 129" .1 mi E of the cross traffic rd. 215	255	245	255	280	380	350	290	200	220
0040 HRLY 01	SR-401 (Rye Patch Dam Rd), .4 mi N of the W/B ramps at the Rye Patch Intch "Exit 129". 50	90	160	245	245	245	245	120	160	150

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0042 HRLY 01	IR-80, W/B on-ramp of the Rye Patch Intch "Exit 129" .2 mi W of the cross traffic rd. 190	230	245	245	300	300	360	320	300	220
0043 HRLY 01	IR-80, E/B off-ramp of the Humboldt Intch "Exit 138" .2 mi W of the cross traffic rd. 90	90	50	65	65	95	95	55	70	60
0046 HRLY 01	IR-80, E/B on-ramp of the Humboldt Intch "Exit 138" .1 mi E of the cross traffic rd. 125	125	80	110	110	200	145	115	100*	110
0048 HRLY 99	IR-80, W/B off-ramp of the Humboldt Intch "Exit 138" .1 mi E of the cross traffic rd. 125	125	80	110	110	190	145	120	100	100*
0051 HRLY 99	IR-80, W/B on-ramp of the Humboldt Intch "Exit 138" .2 mi W of the cross traffic rd. 90	90	65	70	70	95	95	60	70	70*
0052 HRLY 98	IR-80, E/B off-ramp of the Imlay Intch "Exit 145" .2 mi W of the cross traffic rd. 150	90	100	110	110	110	75	70	70	70*
0053 HRLY 01	IR-80, E/B on-ramp of the Imlay Intch "Exit 145" .2 mi E of the cross traffic rd. 160	100	110	120	120	110	105	100	60	90
0055 HRLY 01	IR-80, W/B off-ramp of the Imlay Intch "Exit 145" .2 mi E of the cross traffic rd. 160	100	100	110	110	110	65	60	40	80
0056 HRLY 01	Imlay Rd, 70' N of the Frontage Rd. 275	235	225	235	245	245	300	250	300	270
0057 HRLY 01	IR-80, W/B on-ramp of the Imlay Intch "Exit 145" .1 mi W of the cross traffic rd. 150	90	80	100	100	100	75	100	100	100*
0058 HRLY 99	Imlay Rd, 150' S of Nevada Av. 135	115	145	140	145	145	150	120	130	100
0059 HRLY 01	IR-80, E/B off-ramp of the Mill City Intch "Exit 149" .2 mi W of the cross traffic rd. 415	480	285	400	465	465	320	330	250	210

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0060 HRLY 01	IR-80, E/B on-ramp of the Mill City Intch "Exit 149" .2 mi E of the cross traffic rd. 100	70	75	85	80	90	80	90	100	90
0063 HRLY 01	IR-80, W/B off-ramp of the Mill City Intch "Exit 145" .2 mi E of the cross traffic rd. 55	45	45	55	55	50	60	60	60	60
0066 HRLY 01	IR-80, W/B on-ramp of the Mill City Intch "Exit 149" .2 mi W of the cross traffic rd. 715	815	970	780	545	600	590	530	550	550*
0067 HRLY 01	IR-80, E/B on-ramp of the Dun Glen Intch "Exit 151" .15 mi E of the cross traffic rd. 505	460	440	415	450	475	475	450	340	340
0069 HRLY 01	IR-80, W/B off-ramp of the Dun Glen Intch "Exit 151" .2 mi E of the cross traffic rd. 675	615	590	385	550	550	540	470	500	500
0071 HRLY 01	IR-80, E/B off-ramp of the Cosgrave Intch "Exit 158" .2 mi W of the cross traffic rd. 245	190	265	440	300	275	275	350	350	360
0072 HRLY 01	Cosgrave Rest Area Rd, Cosgrave Intch "Exit 158" 75' E of the cross traffic rd.								620	430
0073 HRLY 01	IR-80, E/B on-ramp of the Cosgrave Intch "Exit 158" .15 mi E of the cross traffic rd. 270	285	285	325	325	270	325	360	400	270
0075 HRLY 01	IR-80, W/B off-ramp of the Cosgrave Intch "Exit 158" .15 mi W of the cross traffic rd. 125	285	125	115	115	145	285	275	230	180
0077 HRLY 01	IR-80, W/B on-ramp of the Cosgrave Intch "Exit 158" .15 mi W of the cross traffic rd. 100	190	200	190	190	145	145	275	240	300
0078 HRLY 99	SR-400 (Unionville Rd), .2 mi N of the Unionville-Kyle Hot Springs Intch. 115	75	85	85	85	85	85	95	80	80*
0087 HRLY 99	Reservation Rd, .2 mi E of Westfall Rd.							65	60	70

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0088 HRLY 99	Westfall Rd, .1 mi S of Reservation Rd.							130	120	160
0095 HRLY 98	SR-397 (Westergard Rd), .1 mi W of Carpenter Rd. 50 65 50 65 75 75 90 70 60 60									
0097 HRLY 00	SR-397 (S Meridian Rd), .1 mi S of Reservation Rd. 145 160 140 140 165 165 165 150 140 160									
0098 HRLY 00	SR-397 (S Meridian Rd), .2 mi N of Reservation Rd. 255 290 225 280 300 300 300 270 270 300									
0100 HRLY 99	Carpenter Rd, .1 mi S of Reservation Rd.							90	80	80
0102 HRLY 98	SR-397 (Amherst Av), 150' S of 9th St. 400 450 535 710 700 410 410 490 620 580									
0103 HRLY 00	SR-398 (Central Av), 371' N of Main St. 1640 1310 1280 1350 1400 1500 1500 1350 1450 1400									
0104 HRLY 98	SR-398 (Central Av), .4 mi N of 16th St. 840 550 490 640 585 620 620 620 630 580									
0105 HRLY 00	SR-854 (Western Av), 75' W of Elmhurst Av. 1810 1530 1725 2005 2020 2020 2020 2020* 1800 1700									
0106 HRLY 00	SR-854 (Arobia Ln), 297' W of Jamestown Av. 590 515 505 570 575 575 575 575* 600 600*									
0107 HRLY 00	SR-854 (NS section of Lone Mtn Rd), 250' N of Western Av 2.7 mi W of SR-396 (Cornell Av). 120 100 80 125 125 95 95 100 80 120									
0108 HRLY 00	SR-399 (Pitt Rd), .3 mi W of SR-854 (Lone Mtn Rd). 280 225 235 330 335 260 260 240 230 180									

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0109 HRLY 00	SR-399 (Pitt Rd), to Eagle Picher Mine. 170	160	150	220	220	140	140	205	190	150
0111 HRLY 00	SR-399 (Pitt Rd), .2 mi W of SR-398 (N Meridian Rd). 330	340	355	385	385	350	350	345	330	260
0112	SR-398 (N Meridian Rd), .1 mi S of SR-399 (Pitt Rd). 500	400	370	530	530	490	490	480	450	430
0113 HRLY 00	SR-398 (N Meridian Rd), .1 mi S of the EW portion of SR-398 (Fairview Rd). 350	290	345	405	405	470	470	425	400	370
0114 HRLY 00	SR-398 (Fairview Rd), .9 mi W of Loorz Rd. 290	240	255	270	270	320	320	260	240	220
0115 HRLY 00	SR-398 (Fairview Rd), .2 mi E of Loorz Rd. 250	215	210	220	220	290	290	225	200	220
0119 HRLY 99	SR-397 (Amherst Av), under E/B lanes of IR-80. 500	535	505	655	600	600	600	430	510	520
0120 HRLY 01	IR-80, .9 mi E of the Humboldt Intch "Exit 138". 6680	6600	6625	6655	6920	6985	7245	7280	6900*	7080*
0122 HRLY 01	IR-80, E/B off-ramp of the W Locklock Intch "Exit 105" .1 mi E of IR-80. 790	710	720	575	560	730	730	635	550	440
0125	Franklin St, 50' S of 14th St.							500	500*	540
0126 HRLY 01	IR-80, W/B on-ramp of the W Lovelock Intch "Exit 105" .6 mi W of Cornell Av. 890	715	555	530	465	600	725	490	430	460*
0127 HRLY 00	14th St, 100' E of Franklin St.							730	880	840

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0129 HRLY 01	IR-80, W/B on-ramp of the Main St Intch "Exit 106". 210	190	180	320	375	360	270	445	400	400*
0130 HRLY 01	IR-80, E/B off-ramp of the Main St Intch "Exit 106". 300	225	155	315	330	320	275	270	290	330
0131 HRLY 01	IR-80, E/B on-ramp of the Main St Intch "Exit 106". 260	265	250	395	340	330	375	490	430	460
0132 HRLY 01	IR-80, W/B off-ramp of the Main St Intch "Exit 106". 345	265	230	320	330	320	360	465	430	420
0136 HRLY 01	IR-80, .5 mi E of the bridge at the Main St Intch "Exit 106". 5475	5400	5635	5755	6285	5825	6085	6795	6780*	6830*
0137 HRLY 01	IR-80, E/B on-ramp of the E Lovelock Intch "Exit 107". 725	750	695	515	470	665	640	440	360	300
0138 HRLY 01	IR-80, W/B off-ramp of the E Lovelock Intch "Exit 107". 650	720	535	525	445	665	525	425	360	300
0139 HRLY 00	SR-856 (Airport Rd), .3 mi N of the W/B off-ramp of the E Lovelock Intch "Exit 107". 2000	2425	1790	2040	1850	2450	1940	1500	1850	1600
0141 HRLY 01	IR-80, .3 mi E of the E Lovelock Intch "Exit 107". 6850	6870	6865	6795	7200	7155	7250	7660	7500*	7430*
0142 HRLY 01	IR-80, 1.6 mi E of the Coal Canyon Intch "Exit 112". 6770	6690	6800	6710	6990	6830	7095	7375	7200*	7200*
0143 HRLY 01	IR-80, W/B on-ramp of the Coal Canyon Intch "Exit 112". 165	250	130	150	200	275	225	220	230	230*
0144 HRLY 01	IR-80, E/B off-ramp of the Coal Canyon Intch "Exit 112". 185	240	165	180	255	300	250	265	260	180

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0145 HRLY 01	IR-80, E/B on-ramp of the Coal Canyon Intch "Exit 112".	145	150	120	135	135	.2 mi E of the cross traffic rd.	165	100	90
0146 HRLY 01	IR-80, W/B off-ramp of the Coal Canyon Intch "Exit 112" 250' E of the cross traffic rd.	125	160	110	110	110	115	155	100	90
0147 HRLY 99	Coal Canyon Rd, 200' N of the W/B ramps of the Coal Canyon Intch "Exit 112".	425	460	330	380	380	350	350	290	290*
0149 HRLY 01	IR-80, .5 mi W of the bridge at the Main St Intch "Exit 106".	5380	5285	5460	5710	6125	5845	5895	6540	6610*
0150 HRLY 98	SR-860 (Derby Field Rd), .1 mi S of Old US-40.	30	35	35	40	45	45	45	70	40
0151 HRLY 98	SR-860 (Derby Field Rd), .2 mi S of Westergard Rd.	15	20	20	20	25	25	15	15	10
0152 HRLY 98	SR-397 (Westergard Rd), .1 mi W of Westfall Rd.	50	60	55	55	60	60	90	60	60
0153 HRLY 98	SR-397 (Westergard Rd), .3 mi W of S Meridian Rd.	40	65	55	50	60	60	60	40	40
0154 HRLY 01	IR-80, 1 mi W of the Rye Patch Intch "Exit 129".	6560	6480	6580	6575	6855	6615	7045	7160	6950*
0155 HRLY 01	IR-80, .7 mi W of the Humboldt Intch "Exit 138".	6610	6530	6580	6570	6835	6785	7145	7160	6840*
0156 HRLY 01	IR-80, 2.2 mi E of the Imlay Intch "Exit 145".	6700	6620	6655	6675	6940	6995	7275	7270	6830*
0157	IR-80, .4 mi W of the E/B off-ramp of Cosgrave Intch "Exit 158".	6775	6315	6820	6715	6875	6915	7340	7260	6810*
										7170*

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0158 HRLY 96	IR-80, 363' W of E/B off-ramp of the Dunn Glen Intch "Exit 151". 5725	5440	5980	6105	6065	6070	6505	6560	6190*	6470*
0159 HRLY 01	IR-80, E/B off-ramp of the Dunn Glen Intch "Exit 151" .25 mi W of the cross traffic rd. 130	200	190	190	190	180	180	220	220*	140
0160 HRLY 00	Loorz Rd, .2 mi N of SR-398 (Fairview Rd). 60	80	85	110	145	145	75	80	100	
0161 HRLY 98	Peterson Rd, .2 mi W of Carpenter Rd. 20	15	25	30	30	20	20	20	20	20
0162 HRLY 00	Coal Canyon Rd, cross traffic rd, 200' S of E/B ramps of Coal Canyon Intch "Exit 112". 440				440	425	450		340	
0163 HRLY 99	6th St, 300' W of Franklin St.							880	1500	
0164 HRLY 99	Coal Canyon Rd, .1 mi N of Prison Rd.						70	40	40*	

*29



STOREY COUNTY


TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0001 HRLY 00	SR-342 (Silver City-Gold Hill Rd), .2 mi S of SR-341 (Virginia City Rd).	2580	2585	2210	2210	2500	2200	2200	1800*	1950	2400
0002 HRLY 00	SR-341 (Virginia City Rd), .1 mi S of SR-342.	380	455	410	410	450	400	400	400	500	690
0003 HRLY 00	SR-341 ("C St"), 200' N of SR-342.	2360	2435	2410	2410	2700	2400	2300	2050*	2200	2700
0004 HRLY 00	"F" St, .1 mi S of Washington St N of RxR tracks.					200	200	245*	250	270	
0005 HRLY 00	SR-341 (Virginia City Rd), 120' S of Six Mile Canyon Rd (Mill St).	2635	2710	2210	2210	2750	2400	2400	2100*	2250	2250*
0007 HRLY 00	SR-341 (Virginia City Rd), 100' N of Six Mile Canyon Rd (Mill St).	2520	2600	2190	2190	2850	2500	2600	2360*	2600	3100
0010 HRLY 01	Six Mile Canyon Rd, 2.3 mi W of US-50 E of Dayton.							490	650	780	
0011 HRLY 00	"D" St, 300' N of Flowery St.	450	680	680	560	650	590	560*	610	550	
0013 HRLY 00	"D" St, 175' N of Union St.	385	630	630	620	650	640	640	650	620	
0014 HRLY 00	Six Mile Canyon Rd, E of "D" St.					700	790*	780	890		
0015 HRLY 00	Cartwright Rd, .1 mi S of Buckeye Rd. (Virginia City Highlands)						1000	1000	1100		


*31

OREGON



337



*31




RENO URBAN AREA




FEDERAL AID HIGHWAY SYSTEM OF
NEVADA

2001
PREPARED BY THE NEVADA DEPARTMENT OF TRANSPORTATION

*31




*31




SPARKS AREA







*31




INTERSTATE 80 INTERCHANGES

31




PATRICK 28**TRACY-CLARK 32****THISBE-DERBY DAM 36****ORCHARD 38****PAINTED ROCK 40****WADSWORTH PYRAMID LAKE 43**

395 INTERCHANGES



RED ROCK 78



COLD SPRINGS VALLEY 80

549

547

605

604

607

548

612


608

611

609

615

3121109



BORDER TOWN 83

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0001 HRLY 02	IR-80, Last Chance ramp of the W Verdi Intch "Exit 2" 100' N of W/B IR-80. 1475	1500	1660	1730	1605	1670	1715	1570	2140	2300
0002 HRLY 02	IR-80, W/B on-ramp from the W/B off-ramp of the W Verdi Intch "Exit 1". 65	60	65	55	55	50	60	60	65	65
0003 HRLY 02	SR-425 (FRWA48) of the W Verdi Intch, .1 mi E of the W/B off-ramp "Exit 2". 1560	1585	1700	1820	2000	1800	2050	2000	2550	3200
0004 HRLY 02	IR-80, W/B off-ramp of the W Verdi Intch "Exit 2". 1770	1820	1710	2020	1105	1150	1335	1570	2140*	2300*
0006 HRLY 00	FRWA48 of the W Verdi Intch, 200' E of Dog Valley Rd (Trelelease Ln). 1300	1310	1750	1620	1450	1550	2200	2100	2500	2700
0007 HRLY 02	SR-425 (Third St) of the W Verdi Intch, 200' E of the overpass of IR-80 "Exit 3". 1015	875	1100	1010	925	920	790	800	1100	1200
0008 HRLY 99	US-395, S/B off-ramp at S Virginia St Intch "Exit 57B" 200' N of S/B lanes of SR-430. 14140				15525	15215	16300	16260*		16100
0009 HRLY 02	IR-80, E/B on-ramp of the W Verdi Intch "Exit 2" 50' S of E/B lanes of IR-80. 980	950	710	870	400	650	665	1050		1050* 1500
0010 HRLY 02	IR-80, E/B off-ramp of the W Verdi Intch "Exit 2" at the end of off-ramp. 620	570	635	530	800	830	850	680	765	860
0011 HRLY 01	IR-80, W/B off-ramp of the Verdi Intch "Exit 3". 165	150	150	160	165	165	185	160	170	170
0012 HRLY 02	SR-425 (Third St), at the E end of the bridge over the SPPC canal W of Verdi. 1315	1075	1400	1305	1205	1250	1200	1150	1400	1500
0013 HRLY 00	US-395, .2 mi S of the S/B off-ramp at S Virginia Intch "Exit 57B". 11130				15680	15160	16770	16670*		16240*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0014 HRLY 99	US-395, S/B off-ramp of the Mt Rose Intch "Exit 56" (to W/B SR-431). 4475					7175	7270	.2 mi N of SR-431. 7350	7950	7600
0015 HRLY 01	US-395, S/B off-ramp of the Mt Rose Intch "Exit 56" (to E/B SR-431). 1255					1000	640	.2 mi N of SR-431. 650	750	670
0016 HRLY 02	IR-80, E/B on-ramp of the Verdi Intch "Exit 3" 200' E of IR-80. 200	180	130	135	140	160	160	150	155	160
0017 HRLY 02	IR-80, E/B off-ramp of the Garson Intch "Exit 4". 950	1010	1100	1305	1370	1230	1280	1170	1300	1300
0018 HRLY 02	IR-80, E/B on-ramp of the Garson Intch "Exit 4" 300' W of E/B IR-80. 2100	2155	3005	2735	2510	2245	2545	2260	2280*	2500
0019 HRLY 99	SR-431 (Mt Rose Hw), .3 mi W of S/B off-ramp at IR-580-Mt Rose Intch "Exit 56". 12800					13800	16100	16500	16800*	17600*
0020 HRLY 02	IR-80, W/B off-ramp of the Garson Intch "Exit 4" 550' W of the cross traffic rd. 2985	3005	3200	3285	3395	3050	3480	2700	3200	3200
0021 HRLY 02	IR-80, W/B on-ramp of the Garson Intch "Exit 4" 500' W of the cross traffic rd. 1835	1860	1900	2140	2140	2130	1855	2400	2100	2200
0022 HRLY 02	IR-80, W/B off-ramp of the E Verdi Intch "Exit 5" 50' W of IR-80. 1600	1470	1380	1690	1600	1770	1805	2100	2000	2100*
0023 HRLY 00	SR-425 (Old US-40), 400' W of W/B off-ramp of the E Verdi Intch "Exit 5". 3240					3400	3580	4550	4250	4000
0024 HRLY 02	IR-80, E/B on-ramp of the E Verdi Intch "Exit 5" 50' W of IR-80. 1565	1440	1340	1675	1600	1810	1760	2110	1900	2170*
0025 HRLY 00	US-395, N/B on-ramp of Mt Rose Intch "Exit 56" .3 mi S of E/B SR-431. 5200					7100	7075	8550	7750	7890

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0026 HRLY 00	US-395, N/B on-ramp at Mt Rose Intch "Exit 56" .1 mi N of W/B SR-431.				200	400	175	220	270*	80
0027 HRLY 02	IR-80, E/B off-ramp of the Mogul Intch "Exit 7".	195	230	225	235	205	460	250	250	250*
0028 HRLY 00	US-395, N/B on-ramp of S Virginia St Intch "Exit 57" .25 mi N of N/B lanes of S Virginia St.				17300	17800	18220	19000	19455*	18500
0029 HRLY 02	IR-80, E/B on-ramp of the Mogul Intch "Exit 7" 200' E of the cross traffic rd.	1200	1465	1090	1240	1130	1330	1300	1380	1390*
0030 HRLY 01	US-395, S/B off-ramp of the S Virginia St Intch "Exit 57A" .2 mi S of S/B lanes of US-395.				2800	810	305	390	390*	130
0031 HRLY 02	IR-80, W/B off-ramp of the Mogul Intch "Exit 7" 300' NW of IR-80.	1195	1435	1000	1135	1105	1275	1320	1340	1380*
0032 HRLY 00	US-395, 1.4 mi N of N/B on-ramp at Damonte Ln Intch "Exit 59".				45370	49815	48900	52460	52775*	58800*
0033 HRLY 02	IR-80, W/B on-ramp of the Mogul Intch "Exit 7" 50' E of IR-80.	190	200	225	195	195	220	220	200	200
0034 HRLY 02	IR-80, E/B off-ramp of the W 4th St Intch "Exit 8".	1260	1240	1340	1200	1150	1110	1100	900	1050
0035 HRLY 02	IR-80, W/B on-ramp of the W 4th St Intch "Exit 8" 200' W of the Ranch Rd.	1320	1370	1600	1270	1230	1150	1045	1020	1200*
0036 HRLY 02	IR-80, E/B off-ramp of the Keystone Intch "Exit 12" 120' W of "Exit 12" sign.	2220	2425	2350	2890	3160	3035	2845	3200	3200
0037 HRLY 02	IR-80, W/B on-ramp of the Keystone Intch "Exit 12" .3 mi W of Keystone Av.	2080	2340	2330	2900	3450	3320	2895	3250	3500
										3500*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0038 HRLY 01	US-395, N/B off-ramp of the S Meadows Pk Intch "Exit 60"				.1 mi N of N/B lns of US-395.					
				535	665	860	1070	1500*		1800
0039 HRLY 00	US-395, N/B on-ramp of the S Meadows Pk Intch "Exit 60"	200'			N of S Meadows Pk.					
		2200		2015	5100	5550	7200*			7400*
0040 HRLY 02	IR-80, E/B on-ramp of the E McCarran Intch "Exit 19"	240'			from end of on-ramp.					
	3440	3490	3800	4030	4540	4190	4000	3450	2675	2600*
0041 HRLY 00	US-395, S/B off-ramp of the S Meadows Pk Intch "Exit 60"				.1 mi S of S/B lanes of US-395.					
				2150	1570	4000	5520	7100		7400
0042 HRLY 02	IR-80, W/B off-ramp of the E McCarran Intch "Exit 19".									
	3525	3745	4100	4265	4960	4070	4660	3610	3000	3100
0043 HRLY 01	US-395, S/B on-ramp of the S Meadows Pk Intch "Exit 60"				.2 mi S of cross traffic rd.					
				405	375	640	800	1500		1600
0044 HRLY 02	IR-80, E/B off-ramp of the Vista Intch "Exit 21".									
	3375	4345	4340	5015	5175	5745	6375	7000	7700	7800
0045 HRLY 01	Genty Wy, 150' W of Neil Rd.									
				5330	5600	4500	4450	4350	5100	5400
0046 HRLY 01	Greg St, .1 mi S of the E/B on-ramp of the Vista Intch "Exit 21".									
					9600	9800	11700	12500		13000
0047 HRLY 02	IR-80, E/B on-ramp of the Vista Intch "Exit 21" .1 mi E of Vista Bl.									
	1255	1410	1400	1495	1585	1620	2175	1870	1900	2115*
0048 HRLY 01	IR-80, W/B off-ramp of the Pyramid Intch "Exit 18".									
								1200	1400	
0049 HRLY 02	IR-80, W/B off-ramp of the Vista Intch "Exit 21" 220' E of the cross traffic rd.									
	1185	1295	1280	1350	1505	1540	1860	1870	1900	2200

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0050 HRLY 00	Vista Bl, 100' N of the W/B off-ramp of Vista Intch "Exit 21".			14900	13700	18200	20600	20500	19600	22000
0051 HRLY 01	US-395, Fire Creek Intch "Exit 63" off-ramp from IR-580 to Kietzke Ln.				4050	4635	4840	5300	5400	
0052 HRLY 02	IR-80, W/B on-ramp of the Vista Intch "Exit 21" 200' from the end of the ramp.	3855	4125	4345	5020	5910	6555	6185	7020	7700
0053 HRLY 98	Sunset Mountain Rd, 250' S of old US-395 (N Virginia St).		405		320	375		350	400	400*
0054 HRLY 02	IR-80, E/B off-ramp of the Lockwood Intch "Exit 22" 175' W of cross traffic rd.	1285	1630	1500	1590	1435	1515	1595	1500	1600
0055 HRLY 01	IR-80, E/B on-ramp of the Pyramid Intch "Exit 18" 150' W of Pyramid Wy.								1200*	1500
0056 HRLY 02	IR-80, E/B on-ramp of the Lockwood Intch "Exit 22" 150' E of cross traffic rd.	125	165	170	175	160	160	225	150	110
0058 HRLY 02	IR-80, W/B off-ramp of the Lockwood Intch "Exit 22" 50' E of the cross traffic rd.	75	110	105	100	135	115	220	120	110
0059 HRLY 00	SR-430 (Virginia St), .9 mi N of Mt Rose-Geiger Grade Intch .4 mi S of Damonte Ranch Rd.					13700	12500	12500	12500	10000
0060 HRLY 02	IR-80, W/B on-ramp of the Lockwood Intch "Exit 22" 75' W of cross traffic rd.	1235	1575	1450	1400	1505	1425	1495	1510	1595
0061 HRLY 01	IR-80, E/B off-ramp of the Mustang Intch "Exit 23" 25' E of IR-80 E/B.	600	700	700	580	580	640	725	780	770*
0062 HRLY 02	FRWA12 (S Frontage Rd), .1 mi E of the cross traffic rd of the Mustang Intch "Exit 23".	940	1050	1050	1065	1055	1080	1075	1020	820

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0063 HRLY 02	IR-80, E/B on-ramp of the Mustang Intch "Exit 23" 75' W of cross traffic rd. 80	90	95	80	80	90	115	90	90	80
0065 HRLY 02	IR-80, W/B off-ramp of the Mustang Intch "Exit 23" 50' W of the N frontage rd. 75	85	80	80	95	75	110	100	80	80
0067 HRLY 02	FRWA10 (N Frontage Rd), 100' E of the underpass of the Mustang Intch "Exit 23". 360	465	420	455	595	630	630	480	480*	370
0069 HRLY 02	IR-80, W/B on-ramp of the Mustang Intch "Exit 23" 50' W of W/B lanes of IR-80. 595	695	670	655	855	700	680	780	650	430
0070	IR-80, .2 mi E of the Lockwood Intch "Exit 22". 16390	17750	19055	19965	20245	19545	22240	22060	22310*	22380*
0071 HRLY 02	IR-80, .5 miles E of Mustang Intch "Exit 23". 15350	16530	17860	18890	18485	18370	21060	20690	21060*	21680*
0073 HRLY 02	IR-80, E/B off-ramp of the Patrick Intch "Exit 28" .1 mi W of cross traffic rd. 180	350	340	330	225	370	425	380	350	600
0074 HRLY 02	FRWA14 McCarran Ranch Rd, 400' W of the cross traffic rd of the Patrick Intch "Exit 28". 300	300	340	300	340	60	40			50
0075 HRLY 02	IR-80, E/B on-ramp of the Patrick Intch "Exit 28" 290' E of cross traffic rd. 15	25	30	30	60	95	85	70	70	120
0076 HRLY 02	IR-80, W/B off-ramp of the Patrick Intch "Exit 28" 120' W of FR13 WA at mp 4. 20	30	35	40	75	125	110	220	70*	110
0077 HRLY 02	IR-80, W/B on-ramp of the Patrick Intch "Exit 28" 120' W of FR13 WA at mp 4. 185	355	320	310	245	160	380	360	350	600
0078 HRLY 02	IR-80, 2 mi E of the Patrick Intch "Exit 28". 15020	15880	17265	18320	18150	18060	20450	20240	20500	20710

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0079 HRLY 02	IR-80, E/B off-ramp of the Tracy-Clark Intch "Exit 32" 100' E of E/B lanes of IR-80. 175	280	370	260	725	215	235	200	180	180
0081 HRLY 02	FRWA156, Eagle Pitcher Rd 450' W of the cross traffic rd of the Tracy-Clark Intch "Exit 32". 190	290	485	465	950	380	320	300	300	300*
0082 HRLY 02	IR-80, E/B on-ramp of the Tracy-Clark Intch "Exit 32" 170' E of FR-15WA to Clark Station. 80	130	130	160	165	100	110	90	100	110
0083 HRLY 02	IR-80, W/B off-ramp of the Tracy-Clark Intch "Exit 32" .2 mi W of the structure. 70	120	85	110	160	85	90	80	90	90
0084 HRLY 02	IR-80, W/B on-ramp of the Tracy-Clark Intch "Exit 32" .2 mi W of the structure. 165	270	310	190	715	200	215	180	190	170
0085 HRLY 02	FRWA16 (Clark Rd), 100' S of the E/B on-ramp of the Tracy-Clark Intch "Exit 32". 230								240	200
0087 HRLY 02	IR-80, E/B off-ramp of the Thisbe-Derby Dam Intch "Exit 36" .1 mi E of IR-80. 70	70	55	55	55	55	50	60	80	60
0090 HRLY 02	IR-80, E/B on-ramp of the Thisbe-Derby Dam Intch "Exit 36" .1 mi E of the overpass. 35	35	50	50	50	50	55	60	60	40
0092 HRLY 02	IR-80, W/B off-ramp of the Thisbe-Derby Dam Intch "Exit 36" 100' W of the overpass. 35	35	55	50	50	50	60	65	60	20
0093 HRLY 02	IR-80, W/B on-ramp of the Thisbe-Derby Dam Intch "Exit 36" 125' W of the overpass. 70	70	55	55	55	55	55	65	90	40
0094 HRLY 01	IR-80, E/B off-ramp of the Orchard Intch "Exit 38" 500' W of the underpass. 15	15	15	15	15	15	25	25	20	10
0096 HRLY 01	IR-80, E/B on-ramp of the Orchard Intch "Exit 38". 25	25	40	40	40	40	45	45	20	20

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0098 HRLY 01	IR-80, W/B off-ramp of the Orchard Intch "Exit 38" 100' W of exit from IR-80. 25	25	40	40	40	40	50	50	20*	10
0099 HRLY 01	IR-80, W/B on-ramp of the Orchard Intch "Exit 38" 250' E of the cross traffic lanes of IR-80. 15	15	15	15	15	15	25	25	20	20*
0100 HRLY 01	IR-80, E/B off-ramp of the Painted Rock Intch "Exit 40" 275' E of IR-80. 65	65	60	60	60	60	60	60	50	50
0102 HRLY 01	IR-80, E/B on-ramp of the Painted Rock Intch "Exit 40" 350' E of S cross traffic rd. 70	70	80	80	80	80	65	65	70	50
0104 HRLY 01	IR-80, W/B off-ramp of the Painted Rock Intch "Exit 40" 25' W of IR-80. 70	70	80	80	80	80	90	90	90	50
0105 HRLY 01	IR-80, W/B on-ramp of the Painted Rock Intch "Exit 40" 300' W of the cross traffis rd. 65	65	60	60	60	60	65	65	60	50*
0108 HRLY 01	IR-80, .2 mi W of the W Wadsworth Intch "Exit 43". 14790	15540	16965	18220	17115	17910	20300	20110	20320	20520
0109 HRLY 01	IR-80, E/B off-ramp of the W Wadsworth Intch "Exit 43" .1 mi from W end of ramp. 660	875	800	810	700	665	650	700	720	735*
0112 HRLY 01	IR-80, E/B on-ramp of the W Wadsworth Intch "Exit 43" .1 mi E of the cross traffic rd. 225	335	380	335	220	245	305	320	300	250
0114 HRLY 01	IR-80, W/B off-ramp of the W Wadsworth Intch "Exit 43" .1 mi E end of ramp. 275	340	410	340	255	250	310	330	300	280
0115 HRLY 01	IR-80, W/B on-ramp of the W Wadsworth Intch "Exit 43" .2 mi W of the cross traffic rd. 710	880	770	845	740	695	695	700	720*	765
0116 HRLY 00	IR-80, E of the W Wadsworth Intch "Exit 43" .1 mi W of the Storey County Line. 13920	14460	16105	17240	16150	17045	19480	19360	19480	19560*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0117 HRLY 01	SR-427 (Wadsworth Rd), .3 mi W of SR-447. 1800	1940	1960	1990	1900	1800	1920	1900	1700	1700
0118 HRLY 01	US-395, S/B off-ramp of the Lakeview Intch "Exit 42" .1 mi N of SR-428. 210	225	235	215	185	215	200	240	200	210
0120 HRLY 01	SR-429, 150' N of List Country Rd. 2290	2560	2680	2850	2650	2850	2800	2600	2600	2500
0121 HRLY 01	US-395, S/B on-ramp of the Lakeview Intch "Exit 42" 200' S of the cattle guard. 1830	2035	2135	2255	2335	2320	2350	2100	2200	2000
0123 HRLY 01	US-395, N/B off-ramp of the Lakeview Intch "Exit 42" 20' S of the "Exit 42" sign. 1630	1865	1960	2045	2030	1980	1965	1780	1750	1700
0124 HRLY 01	US-395, N/B on-ramp of the Lakeview Intch "Exit 42" .2 mi N of SR-428. 210	220	230	210	180	220	205	250	220	220
0125 HRLY 99	SR-428 (East Lake Bl), 100' E of the N/B ramps of the Lakeview Intch "Exit 42". 1880	1980	2020	2330	2400	2400	2350	2200	2250	2250*
0126 HRLY 99	SR-429 (Bowers Rd), .3 mi S of the S branch of SR-877 (Franktown Rd). 1110	1100	1150	1755	1600	1900	1800	1700	1950	1600
0127 HRLY 99	SR-877 (Franktown Rd), .1 mi N of the jct with SR-429 (Bowers Rd). 505	625	650	690	530	530	530	570	540	470
0128 HRLY 99	SR-429 (Bowers Rd), .4 mi N of SR-877 (Franktown Rd) at mp 2. 785	740	775	1335	1250	1450	1400	1300	1600	1300
0129 HRLY 99	SR-877 (Franktown Rd), .2 mi S of SR-429 (Bowers Rd). 385	430	450	440	440	440	440	420	410	340
0130 HRLY 99	SR-429 (Bowers Rd), .6 mi N of SR-877 (Franktown Rd). 1090	1210	1270	1260	1200	1400	1300	1300	1400	1200

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0132 HRLY 01	US-395-SR-430, .7 mi S of E Lake Bl at Washoe Hill. 25000	25355	26600	27900	29300	30200	30800	31000	32500	32000
0133 HRLY 99	Eastlake Bl, .7 mi S of US-395. 4025			4500	4200		4350	4450	4500	4400
0134 HRLY 00	US-395/SR-430, in Pleasant Valley at mp12 N of Washoe Hill. 28100	28850	29400	30725	32200	31400	33500	35000	36500	36500*
0135 HRLY 99	US-395/SR-430, .5 mi S of SR-431 (Mt Rose Hw). 29125	29700	30300	31000	33200	32600	35700	38000	38000	39500
0136 HRLY 99	SR-431 (Mt Rose Hw), .2 mi W of US-395. 8590	10500	11000	11700	5750	5800	5900	6200	6200*	6600
0137 HRLY 99	SR-341 (Geiger Grade), .4 mi E of US-395-SR-430. 9250	9900	10400	10700	10900	11400	11900	11500	11500*	12800
0138 HRLY 96	US-395/SR-430, .25 mi N of SR-341 (Geiger Grade) & SR-431 (Mt Rose Hw). 42445	44100	45400	48100	50000	46215	47935	47400	47800*	44970*
0139 HRLY 00	US-395/SR-430 (S Virginia St), .2 mi N of Foothill Rd & S Meadows Pk. 53675	55875	57475	60870	21300	19800	19500	19500	22200	22200*
0140 HRLY 01	SR-671 (Holcomb Ln), .1 mi W of SR-430 (S Virginia St). 1390	1545	1835	1890	2500	2600	2650	2450	2850	3100
0141 HRLY 01	SR-671 (W Holcomb Ln), .1 mi W of Thomas Creek Rd. 1700	1890	2190	2240	2000	2150	1700*	1650	2150	2100
0142 HRLY 00	SR-430 (S Virginia St), .5 mi S of Longley Ln. 26100	27900	25670	26400	21900	23000	22600*	23700	24000*	24400*
0143 HRLY 01	Longley Ln, .2 mi E of SR-430 (S Virginia St). 17450			11200	11300	11400	12300	9750	13100	14000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0145 HRLY 01	Lakeside Dr, .2 mi S of SR-671 (Huffaker Ln). 2925	3250	3130	3090	2600	2700	2500	3500	2950	2700
0146 HRLY 99	SR-430 (S Virginia St), .2 mi S of Del Monte Ln. 25400	25900	26710	26900	22300	23500	23100	24000	24600*	25000*
0147 HRLY 00	SR-430 (S Virginia St), 150' S of Delucchi Ln. 23900	25400	25100	25500	25100	23900	25100	26000	25800*	26300*
0148 HRLY 00	SR-650 (McCarran Bl), 250' E of Kietzke Ln. 14400	17000	17300	18600	21200	23800	24000	27000	27000*	27000*
0149 HRLY 98	SR-430 (N Virginia St), 411' S of Sierra St for N/B & 75' N of 17th St for S/B. 11600	10500	10080	9350	8100	9400	9700	11000	11000*	11000*
0150 HRLY 00	SR-660 (N Sierra St), .25 mi S of SR-430 (N Virginia St). 6650	6390	7300	7430	7300	7900	7950	8550	8800	8800*
0152 HRLY 00	SR-430 (N Virginia St), .1 mi S of Panther Dr & Virginia St. 13000	12800	12055	13300	13300	13600	13300	14500	14300	14000
0154 HRLY 02	US-395, .1 mi N of the N/B on-ramp of the Golden Valley Intch "Exit 73". 39085	39380	41345	42450	44915	45430	45025	45875	47700	50785*
0155	US-395, 200' S of the N/B off-ramp of the Stead Intch "Exit 76". 28465	29990	31955	33290	33995	35130	34520	35515	36000*	37985*
0156 HRLY 00	US-395, .15 mi N of the RxR underpass N of Stead Intch "Exit 76". 15955	16820	17725	19235	19735	20515	20180	21170	21450	23360*
0157 HRLY 01	US-395, N/B off-ramp of the Stead Bl Intch "Exit 76" 30' N of "Exit" sign. 6690	7020	7510	7535	7775	8010	7600	7685	7820*	8060*
0161 HRLY 01	US-395, S/B on-ramp of the Stead Bl Intch "Exit 76" .1 mi S of the cross traffic rd. 6615	6945	7505	7415	7350	7575	7710	7290	7580*	7585*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0162 HRLY 00	SR-651 (McCarren Bl), 500' W of Kietzke Ln. 21550	21600	21500	22400	23300	22600	22800	23600	27700	27700*
0163 HRLY 01	Longley Ln, 300' S of Peckham Ln. 12670		11700		11600	11600	13200	12000	15800	16000
0164 HRLY 00	Longley Ln, 175' N of Peckham Ln. 13560		13100		15500	12800	13200	12000	14000	15000
0166 HRLY 00	Peckham Ln, .2 mi E of Persimmon Rd. 13000	12900	13450	13500	13500	13800	12400	13100	14200	14200*
0167 HRLY 01	SR-430 (S Virginia St), 350' S of SR-667 (Kietzke Ln). 27400	26300	26920	26400	25200	22700	25400	26400*	27500	28000
0168 HRLY 01	SR-430 (S Virginia St), 200' N of Redfield Pk. 23900	23500	23590	22700	22400	20200	22600	30500	33000	33000*
0169 HRLY 01	SR-667 (Kietzke Ln), 150' S of Peckham Ln at S end of divider. 11200	11800	12500	12000	13000	14100	14200	15500*	16600	20300
0170 HRLY 01	Peckham Ln, .2 mi E of Kietzke Ln under the IR-580 overpass. 17000		17700		17300	17900	17800		18900	18000
0171 HRLY 01	SR-667 (Kietzke Ln), .1 mi N of Peckham Ln. 20800	20900	21400	20000	22200	24000	24000	19100	20500*	24000
0172 HRLY 01	Peckham Ln, 100' E of SR-430 (S Virginia St). 13800		13100		14300	13400	13800	12600	13500	12000
0173 HRLY 01	SR-430 (S Virginia St), .2 mi N of Peckham Ln. 28000	28300	27900	27900	27700	24900	27900	30000	30500	32000
0174 HRLY 01	Moana Ln, 300' W of SR-430 (S Virginia St). 18400	17800	18400	18200	17500	17600	17200	16700	17500	17000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0176 HRLY 01	Plumas St, 100' S of Moana Ln. 8200		9800	9400	9050	8300	9100	9450	8600	
0177 HRLY 00	Plumas St, .2 mi N of Moana Ln. 14800	12600	13400	14700	16100	16300	14300	16300	16800	16000
0178 HRLY 99	SR-430 (S Virginia St), .1 mi S of Gentry Wy. 34900	31300	30845	29900	29300	26400	32300	30500	31000	30000
0181 HRLY 01	SR-667 (Kietzke Ln), .2 mi N of Gentry Wy. 25000	25600	27700	23700	26700	27200	27200	26500	28800	26000
0185 HRLY 99	SR-653 (E Plumb Ln), .1 mi E of SR-430 (S Virginia St) & 150' W of Locust St. 21150	23000	23500	21400	22400	22300	22300	22500	22100	22100*
0186 HRLY 99	SR-430 (S Virginia St), 150' N of SR-653 (W Plumb Ln). 31800	33400	28600	29700	29900	29000	29500	29000	32500	31500*
0188 HRLY 99	SR-663 (Wells Av), .2 mi N of SR-430 (S Virginia St) & 50' S of Colorado St. 9970		10500	10500	10000	10000	9900		11300	10300
0189 HRLY 01	SR-430 (S Virginia St), 500' S of Vassar St. 23600	25600	26290	27400	19400	18700	18700	20000	21300	20000
0190 HRLY 99	SR-653 (Plumb Ln), 300' W of SR-667 (Kietzke Ln). 27450	27800	28300	25800	27200	27300	27300	27700	27100	27100*
0191 HRLY 97	SR-667 (Kietzke Ln), 300' S of SR-653 (E Plumb Ln). 26000	26200	27200	25300	27000	26600	25700	27000	27500	31800*
0192 HRLY 99	SR-653 (Plumb Ln), 300' E of SR-667 (Kietzke Ln). 28000	29200	28900	27200	29000	27600	29000	31800	31800*	27500*
0193 HRLY 01	SR-653 (Plumb Ln), 250' W of Terminal Wy. 13800	15300	15000	15400	17400	16500	16200	17500	17500*	18000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0194 HRLY 97	SR-667 (Kietzke Ln), 400' N of SR-653 (E Plumb Ln). 23000	23600	22300	22200	23500	24100	24100	24150	24500	24500*
0195 HRLY 00	SR-653 (Plumb Ln), 200' E of Plumas St. 18900	19100	19000	17400	18200	17900	16800	19500	18600	18000
0197 HRLY 00	SR-653 (Plumb Ln), .1 mi E of Arlington Av & 100' W of Lander St. 21000	19000	17400	19500	18200	17500	18600	19100	18000	
0203 HRLY 01	Arlington Av, 250' S of SR-653 (W Plumb Ln). 9000	8790	7350		8400	7950	7950	8600	9100	
0204 HRLY 01	Skyline Bl, 75' W of Sharon Wy. 4800	5300		4430	4350	4000	3800	4550	4400	
0205 HRLY 01	Skyline Bl, 400' W of Cashill Bl. 3025	3100	4000	3780	3700	3650	3600	3300	3950*	3900
0207 HRLY 01	Arlington Av, 150' N of SR-653 (W Plumb Ln). 12100	12300	12900	11300	12900	13300	12800	14400	14800	15000
0208 HRLY 01	SR-653 (Plumb Ln), 300' E of Hunter Lake Dr. 7990	8100	8400	7570	8600	8500	8100	9300	9400	9300
0209 HRLY 01	SR-653 (Plumb Ln), 150' W of Hunter Lake Dr. 5660	5600	6100	5630	6400	6500	6200	7100	7400	7400
0210 HRLY 01	SR-653 (Plumb Ln), 200' E of Alexander Hamilton Dr. 2120	2185	2600		2950	.1 mi W of Fenno Rd. 3000	3150	3050	3050*	
0211 HRLY 99	Mayberry Dr, .9 mi E of the bridge over the Truckee River & 5000	4825		5400	5400	5500	5900	5900	6600	
0213 HRLY 00	SR-647 (4th St), .2 mi W of Mayberry Dr. 4655	4045								

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0214 HRLY 00	SR-647 (4th St), .1 mi E of Mayberry Dr. 3315	2830	3600	3440	3500	3500	4550	4750	4600	4600*
0215 HRLY 01	Plumas St, 50' S of California Av. 9680	9900	8100	9900	8300	9500	8200	8750	8650	8600
0216 HRLY 01	SR-660 (S Sierra St), 150' N of California Av. 8900		8700	8800		8700	8900	9800	9800*	8300
0218 HRLY 00	SR-430 (S Virginia St), 100' N of Stewart St. 17800	18225	18700	19500	18700	18100	18300	18500	19000	17000*
0223 HRLY 01	SR-663 (Wells Av), 70' S of Stewart St. 15000		15200		17200	17500	17100	18000	18000*	18000*
0224 HRLY 99	SR-667 (Kietzke Ln), 150' S of Mill St & 30' N of Stewart St. 25100	26100	26400	26200	27300	28300	26800	26850	28000	28000*
0225 HRLY 00	SR-647 (W 4th St), .15 mi W of SR-648 (W 2nd St). 7440	8100	10000	8620	8300	8300	10600	10200	10200*	10200*
0226 HRLY 99	SR-648 (W 2nd St), .1 mi E of SR-647 (W 4th St). 5140	4450	5200	5440	5000	5000	4850	5400	5400*	5400*
0227 HRLY 01	SR-647 (W 4th St), .35 mi E of SR-648 (W 2nd St). 7210	7850	8800	8300	7800	7700	7300	9650	9650*	9650
0229 HRLY 00	SR-648 (W 2nd St), 200' W of Ralston St. 7200		7000		6900	6300	6350	5200	5300	5300*
0231 HRLY 01	SR-648 (W 2nd St), 200' E of Ralston St. 6910			7000		7000	6700	7350	7350*	6400
0232 HRLY 01	SR-648 (W 2nd St), 200' W of SR-660 (Sierra St). 8600				8900	8600	8650	8650*		8500

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0233 HRLY 99	SR-660 (N Sierra St), 75' S of 8000	7820	SR-648 (W 2nd St). 7200	7600	7700	8500	8500*	8300		
0235 HRLY 01	SR-648 (W 2nd St), 100' W of SR-430 (N Virginia St). 10200	8800	8300	9700	9300	9350	9350*	8900		
0236 HRLY 00	SR-430 (N Virginia St), 100' N of SR-648 (W 2nd St). 13900	14000	14200	13800	14900	13500	13900	13900*		
0237 HRLY 00	SR-648 (E 2nd St), 50' W of Center St. 5830	9600	8400	9600	9650	9400	9400*			
0239 HRLY 99	Kuenzli St, East of Lake St. 5700	5820	9900	7400	7700	7600	7350*	7350*		
0240 HRLY 98	SR-648 (E 2nd St), at the westend of the Truckee River Bridge. 3300	3300	5050	5250	4750	5100				
0242 HRLY 01	SR-663 (Wells Av), 100' S of SR-648 (E 2nd St). 20500	21600	20600	19500	20900	20000				
0244 HRLY 99	Kuenzli Ln, 25' E of Park St. 6600	6740	6750	7300	7600	7500	7250*	7250*		
0245 HRLY 00	Kuenzli Ln, 250' E of SR-663 (Wells Av). 6200	5835	5900	6080	5850	6200	6100	5800	5800	5800
0249 HRLY 98	SR-648 (E 2nd St), 300' W of SR-667 (Kietzke Ln). 13300	14900	14900	15000	16000	14500	14000			
0250 HRLY 99	SR-667 (Kietzke Ln), 250' S of SR-648 (E 2nd St). 18000	18800	19100	18900	19000	19800	18900	20700	20000	19000
0251 HRLY 00	SR-648 (E 2nd St), .2 mi E of SR-667 (Kietzke Ln). 15200	16300	16600	15900	16900	17700	17700	17300	16900	16900*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0253 HRLY 01	SR-648 (Glendale Av), .1 mi W of SR-650 (McCarran Bl). 13150	14300	14640	14400	14700	14500	14500	13600	13500*	13500*
0254 HRLY 99	SR-650 (McCarran Bl), .1 mi N of SR-648 (Glendale Av). 27300	29500	30250	30600	29900	30200	29300	32000	32000*	32000*
0255 HRLY 96	SR-650 (McCarran Bl), .1 mi S of SR-648 (Glendale Av). 17550	19950	20330	20600	21900	21900	20600	21400	21400*	21400*
0256	East Greg St, 100' E of SR-650 (McCarran Bl). 16900		17200	16700		16800	17100	19700	22000	22000*
0257 HRLY 96	SR-650 (McCarran Bl), .1 mi S of Gregg St. 20750	21800	23200	23300	23200	23100	24300	25700	25700*	25700*
0258 HRLY 01	SR-650 (McCarran Bl), .1 mi S of Mill St. 16400	16400	17900	18500	18500	19200	19600	20900	20900*	20000
0259 HRLY 00	SR-657 (Keystone Av), .1 mi S of IR-80 & 100' N of 5th St. 29800	32700	32800	34200	35000	33500	32000	33500	31500	31500*
0260 HRLY 01	SR-647 (W 4th St), 295' E of SR-657 (Keystone Av). 10850	11250	11700	9965	12600	12400	11800	13300	12900	12900*
0261 HRLY 00	SR-647 (W 4th St), 120' E of Washington St. 11000	12900	13400	10700	12600	12900	13600	13600*	13900	13900*
0262	Ralston St, 100' S of SR-647 (W 4th St). 12850									2500
0264 HRLY 00	SR-647 (W 4th St), 130' E of Ralston St. 11600	12850	13500	10000	12500	13700	14100	14100*	14200	14200*
0265 HRLY 00	SR-647 (W 4th St), 150' W of SR-660 (N Sierra St). 13250	15400	16000	11900	14000	13400	14900	16700	16700*	16700*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0266 HRLY 01	SR-660 (N Sierra St), 150' S of SR-647 (W 4th St). 20200	19700	10500	11100	10900	12000	11700	11000		
0267 HRLY 98	SR-660 (N Sierra St), 75' S of W 5th St.		10200	10200	10000	11400	11700	11700*		
0268 HRLY 00	SR-647 (W 4th St), 60' E of Sierra St. 14400	15000	15600	15100	14000	14900	15800	16400	16400*	16400*
0269 HRLY 01	SR-430 (N Virginia St), 300' N of SR-647 (4th St). 13000	13100	13400	13400	12700	10500	10400*	14800		
0270 HRLY 00	SR-647 (E 4th St), 150' E of SR-430 (N Virginia St). 13400	14700	13700	13200	13300	14100	14100	13500	13500*	13500*
0273 HRLY 99	SR-660 (N Sierra St), 150' S of Imperial Wy. 7525	7615	7900	8110	7700	8000	8600	9200	9500*	9500*
0274 HRLY 00	SR-647 (E 4th St), 200' W of SR-663 (Wells Av). 14000	15335	14200	13700	14300	13900	13600	13300	13300	13300*
0275 HRLY 01	SR-663 (Wells Av) underpass, 150' N of SR-647 (4th St). 1930		1600	1650	1500	1400	1500	1500	1500	1500
0276 HRLY 00	SR-647 (E 4th St), 220' E of SR-663 (Wells Av). 13000	12675	13700	13200	13500	13400	13100	11800	13100	13100*
0279 HRLY 01	SR-663 (Wells Av), 200' N of 6th St for S/B & 100' N of 6th St for N/B. 30800		28700*	28400*	28300*	29000	28200	28200*		
0280 HRLY 00	SR-647 (E 4th St), 150' W of Tacchino St. 11350	14000	14400	14700	14200	14300	14000	14000*	13700	13700*
0282 HRLY 01	IR-80, E/B off-ramp of the Fourth St Intch "Exit 16" 400' W of " Victorian Av ". 4445	4015	4265	4670	4880	4860	5570	4780	4550	4580

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0283 HRLY 01	IR-80, E/B on-ramp of the Fourth St Intch "Exit 16" at IR-80. 2440	2920	3000	2810	2735	3145	2660	2800	2650	2700
0284 HRLY 02	IR-80, W/B off-ramp of the Fourth St Intch "Exit 16" at IR-80. 2300	2415	2730	2885	2920	2655	3640	2800	2650*	2650*
0285 HRLY 02	IR-80, W/B on-ramp of the Fourth St Intch "Exit 16" .15 mi W of "B" St. 5140	5010	5130	5900	5160	5695	4500	4200	4000*	5000
0287 HRLY 01	SR-647 (Victorian Av), btwn SR-646 (Prater Wy) & SR-667 (Kietzke Ln). 6720	7370	6600	5600	5950	5950	5950	6250	5900	
0288 HRLY 01	SR-646 (Prater Wy), 100' E of SR-647 (Victorian Av). 10740	10600	10800	10300	10900	12000	10900	10900	10000	
0289 HRLY 01	SR-646 (Prater Wy), 150' W of 22nd St. 13200	13700	14000	14000	13900	13900	13900	14000	14000	
0290 HRLY 98	El Rancho Dr, 150' N of Prater Wy. 14600	14150	15160	16000	16500	15600	16900	19000	18200	17000
0292	SR-668 (Rock Bl), 200' S of SR-647 (Victorian Av). 25600	23900	23950	24600	24300	23800	24100	24700	24300	25000
0293 HRLY 02	IR-80, W/B off-ramp of the Rock Bl Intch "Exit 17". 3010	3055	3250	3640	3495	3625	3495	3490	3400	3900
0294 HRLY 02	IR-80, W/B on-ramp of the Rock Bl Intch "Exit 17". 8735	8775	8870	8840	8880	9385	8785	8330	8220	8800
0295 HRLY 01	IR-80, E/B off-ramp of the Rock Bl Intch "Exit 17". 6875	6595	6895	7300	7305	7040	6975	6530	6450	6600
0296 HRLY 02	IR-80, E/B on-ramp of the Rock Bl Intch "Exit 17". 3275	3775	3760	3635	3745	3865	3310	3480	3750	3900

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0298 HRLY 01	SR-668 (Rock Bl), 200' N of SR-648 (Glendale Av) & 50' S of Saber Av.	24100	24600	24970	25200	24600	24400	25100	25900	25500	25000
0299 HRLY 01	SR-647 (Victorian Av), 250' W of SR-668 (Rock Bl).	9855	10050	8840	10600	9500	9300	9500	9000	9150	8900
0300 HRLY 01	SR-647 (Victorian Av), 100' E of SR-668 (Rock Bl).			10830	8650	9300	10600	10500	10100	10400	8900
0302 HRLY 00	SR-445 (Pyramid Wy), 100' N of SR-647 ("Victorian Av").	13700	14100	16395	16500	17000	14300	14300	16200	16900*	20000
0304 HRLY 00	IR-80, W/B on-ramp of the Pyramid Intch "Exit 18".	9690	9475	9915	9880	10175	11115	10450	11130	10905*	10900*
0306 HRLY 02	IR-80, E/B off-ramp of the Pyramid Intch "Exit 18" 30' E of E/B IR-80.	10025	9680	10140	10500	10815	10590	9955	11000	11545*	11300
0310 HRLY 01	IR-80, E/B off-ramp of the E McCarran Intch "Exit 19".	10470	11475	11630	11730	11700	11550	8380	11580	11935	12100
0311 HRLY 02	IR-80, W/B on-ramp of the E McCarran Intch "Exit 19".	8540	9040	9200	9140	9415	8820	7605	8810	7975	8600
0312 HRLY 01	SR-647 (Victorian Av), 250' W of Stanford Wy & 50' E of First St.			9340	8625	9400	9800	8900	7600	7350	6900
0313 HRLY 99	SR-650 (McCarran Bl), 150' N of IR-80.	27300	36000	28530	38200	38300	38100	36000	39300	39800	39800*
0314 HRLY 99	SR-646 (Prater Wy), 150' E of SR-650 (McCarran Bl).			21020	20900	20900	21200	20900	21200	21200*	20000
0315 HRLY 02	SR-650 (McCarran Bl), 530' W of SR-646 (Prater Wy).	18600	18550	18945	20200	21900	22300	24200	23300	22000	22000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0316 HRLY 98	SR-650 (McCarren Bl), 150' W of York Wy. 13200	13600	14265	15200	15500	16900	17900	17200	16500	17000
0317 HRLY 01	SR-667 (Kietzke Ln), .2 mi S of Victorian Av & 200' S of the S.P.R.R. overpass. 13700	13500	14510	14400	14100	14700	14700	15500	15200	15000
0318 HRLY 01	SR-663 (Wells Av), 200' N of Sadler Wy. 11100			10800	11100	11200	11800	11600	10000	
0319 HRLY 01	Sutro St, 300' N of Oddie Bl. 13200		13800	13400	13700	13700	16400	15700	15000	
0320 HRLY 00	SR-663 (Oddie Bl), .1 mi E of Sutro St. 10450	10125	10800	10600	10300	11000	11400	11900	12700	12600
0321 HRLY 01	SR-663 (Oddie Bl), 250' W of the S/B off-ramp to US-395. 14250	14385	14235	17400	16900	15100	15700	15900	17000	15000
0322 HRLY 00	US-395, S/B off-ramp of the Oddie Bl Intch "Exit 69" 75' N of Oddie Bl. 2175	2325	2225	2170	2065	2115	2125	2400	2400	2400*
0323 HRLY 02	US-395, S/B Loop on-ramp of the Oddie Bl Intch "Exit 69" 100' N of US-395. 5150	5070	5250	5270	6045	6350	5685	6450	6450*	6450*
0324 HRLY 02	US-395, N/B on-ramp of the Oddie Bl Intch "Exit 69" .1 mi N of Oddie Bl. 1955	2145	2080	1970	2100	2005	2250	2600	2150	2670
0325 HRLY 00	US-395, N/B off-ramp of the Oddie Bl Intch "Exit 69" 200' N of US-395. 7560	7845	7800	7500	7650	9695	8290	8770	8000	7800
0326 HRLY 99	US-395, S/B on-ramp of the Oddie Bl Intch "Exit 69" 300' N of US-395. 1735	2020	2090	1845	2420	2600	2095	2300	2300*	2100
0328 HRLY 99	SR-663 (Oddie Bl), .1 mi W of Silverada Bl. 23900	24365	23680	25400	26200	26300	27300	27500	27100	26000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0329 HRLY 99	SR-663 (Oddie Bl), 240' E of Mall Dr. 19000	18725	16940	18100	18600	20100	20900	20400	19900	20000
0331 HRLY 01	SR-663 (Oddie Bl), .1 mi E of El Rancho Dr. 16000	14950	13820	14300	16600	17100	17800	18600	18200*	18200*
0334 HRLY 01	SR-445 (Pyramid Wy), btwn "E" St & "F" St. 14800	13825	15890	16300	17600	15800	15800	17900	18700	19000
0335 HRLY 01	SR-445 (Pyramid Wy), 200' S of "H" St. 17600	18600	19410	20400	21000	20200	20200	21000	21600	22000
0336 HRLY 00	SR-445 (Pyramid Wy), 100' N of "J" St. 18200	17700	19200	19600	20200	20900	20900	21700	23000	23000*
0337 HRLY 01	SR-445 (Pyramid Wy), 140' S of Gault Wy. 12200	12425	13540	14000	15700	16200	15200	17800	16600	18000
0338 HRLY 00	SR-445 (Pyramid Wy), 220' N of Emerson Wy. 11800	13000	13300	18300	21000	22500	24800	23500	26000	26000
0340 HRLY 00	SR-445 (Pyramid Hw), .8 mi N of Queens Wy. 10500	12700	15900	17600	19700	21100	24000	22700	23400	24300
0341 HRLY 98	Wedekind Rd, .15 mi W of SR-445 (Pyramid Wy). 1040	960	1050	1005	950	1050	1050	1280	1280*	1200
0344 HRLY 02	Clear Acre Ln, 420' S of El Rancho Dr. 18400	18700	18100	18700	19000	18600	21100	23300	22500	22000
0345 HRLY 02	Sun Valley Dr, .1 mi N of El Rancho Dr. 25200	25800	26300	28200	30700	33200	32000	33600	32500	32700
0346 HRLY 02	Sun Valley Dr, 405' S of 7th Av. 11350	11900	13100	14100	13500	14800	15800	17500	17700*	16000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0347 HRLY 00	SR-445 (Pyramid Hw), 100' N of Sunset Springs Bl & Egyptian Bl. 2125	2850	3200	3600	4000	4100	4550	4650	4400	4400*
0348	SR-445 (Pyramid Rd), 1.2 mi S of SR-446 to Nixon & .1 mi N of mp-30. 855	960	1000	1120	1250	1050	1150	1050	1050*	1050*
0349 HRLY 01	SR-446 to Nixon, .4 mi E of SR-445 (Pyramid Rd). 465	500	490	525	560	480	480	460	520	540
0350 HRLY 01	SR-445 (Sutcliffe Rd), 1.1 mi N of SR-446 to Nixon. 900	940	980	1165	1300	1100	930	860	1120	1100
0351 HRLY 00	SR-445 (Sutcliffe Rd) N of Sutcliffe, .2 mi N of mp 36. 300	550	655	650	645	640	540	560	370	460
0352 HRLY 01	SR-447 (Nixon Rd), 8.7 mi N of Freemont St in Nixon & .4 mi S of mp 25. 380	405	560	485	540	590	640	670	520	530
0353 HRLY 01	SR-447 (Nixon Rd), .2 mi N of SR-446 to Sutcliffe. 1145	1085	1195	1155	1300	1300	1400	1300	1250	1250
0354 HRLY 01	SR-447 (Nixon Rd), 300' S of SR-446 to Sutcliffe. 1000	1090	1250	1195	1350	1110	1200	1100	1300	1300
0355 HRLY 01	SR-447 (Nixon Rd), 1.1 mi N of SR-427 in Wadsworth. 1050	895	910	865	1150	1160	1200	1100	1400	1200
0356 HRLY 98	US-395, btwn the Oddie Bl Intch "Exit 69" & the McCarran Bl Intch "Exit 70". 60335	59000	64280	69340	70535	78445	81285	80980	82050*	83985*
0357 HRLY 02	US-395, S/B on-ramp of the Parr Bl Intch "Exit 72" .2 mi S of the cross traffic rd. 3050	2500	2910	3475	3630	3730	4330	4460	3850*	3700
0358 HRLY 02	US-395, N/B off-ramp of the Parr Bl Intch "Exit 72" at the W end of guardrail. 3630	3110	3140	3500	4135	4260	4825	4980	4210*	4200

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0359 HRLY 02	Dandini Bl, 100' E of the N/B ramps of the Parr Intch "Exit 72". 3150	2835	3800	3220	7150*	6600	6600*		6000	
0360 HRLY 02	US-395, N/B on-ramp of the Parr Bl Intch "Exit 72" 300' N of the cross traffic rd. 635	495	550	520	650	590	875	1000	1000	1140
0361 HRLY 02	US-395, S/B off-ramp of the Parr Bl Intch "Exit 72" .2 mi N of cross traffic rd. 715	500	625	535	690	600	840	1030	900	1140
0362 HRLY 01	Parr Bl, 100' W of the S/B ramps of the Parr Bl Intch "Exit 72". 6420	6770	6900	6300	7750		9700	9000		8700
0364 HRLY 02	US-395, S/B off-ramp of the Panther Valley Intch "Exit 72 A" .2 mi W of the N/B US-395. 4320	5150	4405	4085	4405	4330	4600	4710	4400	4600
0365 HRLY 02	US-395, S/B on-ramp of the Panther Valley Intch "Exit 72A" .2 mi W of US-395. 1080	460	1420	1780	1225	2100	1730	1770	1720*	1800
0366 HRLY 02	US-395, N/B off-ramp of the Panther Valley Intch "Exit 72A" 300' W of the US-395 overpass. 975	850	1260	1420	1385	1565	1585	1700	1600	1780
0367 HRLY 02	US-395, N/B on-ramp of the Panther Valley Intch "Exit 72A" 300' W of the US-395 overpass. 4000	5430	4180	4175	4640	4550	4735	4750	4440*	5830
0368 HRLY 01	SR-431 (Mt Rose Hw), .1 mi S of Joy Lake Rd. 4540	5100	5760	5505	5200	5600	6200	6300	6300	6500
0369 HRLY 01	SR-431 (Mt Rose Hw), .1 mi N of New Sky Tavern Ski Area. 4145	4700	5310	5000	4600	5400	5850	5950	5950	5700
0370 HRLY 99	SR-878 to the Reno Ski Bowl, .3 mi E of Mt Rose Hw. 105	105	120	95	95	105	90	80	90	90
0371 HRLY 98	SR-431 (Mt Rose Hw), 5 mi N of SR-28 & 100' W of mp 5. 4130	4500	5085	4905	4450	5500	5800	5900	5900*	5600

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0372 HRLY 01	SR-431 (Mt Rose Hw), 100' N of SR-28 (Tahoe Bl). 4630 5050 5550 6060 6000					5300	5800	5900	5850	5600
0373 HRLY 00	SR-28 (Tahoe Bl), .1 mi E of SR-431 (Mt Rose Hw). 11200 11550 11660 11200 12600					12200	11500	12200	11800	11800*
0374 HRLY 01	SR-28 (Tahoe Bl), 450' W of SR-431 (Mt Rose Hw). 11350 12275 12100 11690 12700					12800	12100	12100	12100	12000
0377 HRLY 01	SR-28 (Tahoe Bl), at the NV-CA Stateline. 13800 15075 15170 14700 15500					15100	14600	13500	13900*	14000
0378 HRLY 01	SR-28 (Tahoe Bl), .4 mi W of Village Bl. 10350 11000 10860 10400 11300					11200	11100	11000	11000*	11000
0379 HRLY 01	SR-28 (Tahoe Bl), 200' E of Village Bl. 10350 11000 11155 10700 11700					12200	11900	11900	11900	12000
0380 HRLY 01	SR-28 (Tahoe Bl), .2 mi W of the E end of Lakeshore Bl. 4220 5010 5560 5340 5900					5800	5450	6200	5800	6200
0381 HRLY 01	Lakeshore Bl, .1 mi W of SR-28 (Tahoe Bl). 1670 2335 2435 2300 1700						1850	1850	1850	1700
0382 HRLY 01	SR-28 (Tahoe Bl), 200' E of the E end of Lakeshore Bl. 5645 6400 7300 7010 7700					6400	6000	7300	6700	7300
0384 HRLY 01	SR-447 (Gerlach Rd), in the middle of Gerlach 100' W of Bruno's Country Club. 555 510 710 850 740					720	720	750	650	490
0385 HRLY 01	County Rd to Vya, 1.4 mi N of SR-447.							0	120	150
0388 HRLY 00	Cedarville Rd, .1 mi N of the County Rd to Crutcher Springs. 180 220 205 215 215							220	180	180

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0401 HRLY 02	IR-80, .8 mi W of the Garson Rd Intch "Exit 4". 23885	.23915	24020	25305	24045	25350	25275	28050	29060*	29260
0402 HRLY 01	US-395, .5 mi S of the cross traffic rd of the Bellevue Intch "Exit 42". 22660	22745	23930	25195	25525	26790	27285	28860	28825	29380
0404 HRLY 99	SR-429 (Bowers Rd), .2 mi S of US-395. 1230	1665	1750	1735	1500	1700	1600	1600	1700	1700*
0409 HRLY 01	US-395, N/B off-ramp of the McCarran Intch "Exit 70" 500' N of the N/B lanes. 11260	10930	12930	14200	14810	16790	17595	18500	18400*	18000
0410 HRLY 02	US-395, S/B on-ramp of the McCarran Bl Intch "Exit 70". 12900	13265	13500	14800	15200	17265	19535	18500	18400	18000
0411 HRLY 02	US-395, S/B off-ramp of the McCarran Bl Intch "Exit 70" 200' N of McCarran Bl. 3030	2815	3410	4435	4030	4130	4685	5050	5050*	5200
0412 HRLY 02	US-395, N/B on-ramp of the McCarran Intch "Exit 70" 300' N of McCarran Bl. 2195	1175	2175	3100	4205	3900	4350	5000	5000*	6600
0414 HRLY 01	SR-650 (McCarran Bl), .1 mi E of US-395. 20100	20155	26000	30000	30300	31800	30500	32000	31700	31700*
0415 HRLY 00	SR-651 (N McCarran Bl), 50' E of Clear Acre Ln. 28000	26500	28130	31700	30600	32300	31900	35900	30600	29600
0416 HRLY 00	SR-651 (N McCarran Bl), .1 mi W of Clear Acre Ln East of Hug High School. 19600	17900	18840	20900	21100	21500	22500	24700	22200	22200*
0417 HRLY 02	SR-430, .2 mi N of Panther Valley & Virginia St. 10375	11200	12160	11460	11655	12545	14530	12930	13800	13000
0418 HRLY 00	US-395, 500' N of the N/B on-ramp of the Parr Intch "Exit 71". 36070	34180	39680	41945	42335	45620	45750	46620	49140	51435*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0419 HRLY 01	US-395, N/B off-ramp of the Bellevue Intch "Exit 44" North of N/B US-395. 130	145	150	175	160	180	160	200	180	180
0420 HRLY 01	US-395, N/B on-ramp of the Bellevue Intch "Exit 44" 300' S of cross traffic rd. 110	130	135	135	195	170	200	220	190	170
0423 HRLY 01	US-395, S/B off-ramp of the Bellevue Intch "Exit 44" 100' S of US-395. 100	110	115	170	150	170	200	170	150	150
0425 HRLY 99	US-395, S/B on-ramp of the Bellevue Intch "Exit 44" .1 mi S of the cross traffic rd. 120	125	130	135	145	120	120	150	130	130*
0426 HRLY 01	SR-447 (Gerlach Rd), 200' S of the RxR crossing .1 mi E of Gerlach. 475	465	590	530	650	650	700	730	600	550
0427 HRLY 01	SR-663 (Oddie Bl), 100' E of 12th St. 9190	9085	8140	7895	9000	9600	10000	9800	9600*	9900
0428 HRLY 02	IR-80, E/B on-ramp of the Keystone Av Intch "Exit 12" 350' E of Keystone Av. 15265	15800	16490	19000	19200	18220	18075	18200	17900*	17000
0430 HRLY 02	IR-80, W/B off-ramp of the Keystone Av Intch "Exit 12" 500' E of the cross traffic rd. 15220	14350	16300	18200	18480	16945	16825	17000	16730*	16000
0431 HRLY 02	IR-80, W of the Keystone Av Intch "Exit 12". 41730	44365	41145	48240	49255	53415	55895	59290	64250	64820*
0432 HRLY 02	IR-80, E of the Keystone Av Intch "Exit 12". 67915	69750	69255	79650	80325	82225	85055	88040	92180	91320*
0433 HRLY 02	IR-80, E/B off-ramp of the Virginia St Intch "Exit 13" 100' W of Sierra St. 4730	4570	3860	5095	4910	5415	5530	5670	6580	6000*
0434 HRLY 02	IR-80, E/B on-ramp of the Virginia St Intch "Exit 13" 300' E of Center St. 14000	14960	13195	15150	15890	15870	15280	15620	16855	16500

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0435 HRLY 01	IR-80, W/B off-ramp of the Virginia St Intch "Exit 13" 200' W of W/B I-80. 12555	14225	13560	14975	15655	15635	14755	15910	15585	16000
0436 HRLY 02	IR-80, W/B on-ramp of the Virginia St Intch "Exit 13" 200' W of Sierra St. 5345	5245	4350	6010	5330	5610	5730	5810	6450	6390
0438 HRLY 99	University Terrace, 380' E of Washington St. 0	0	0					3950	4500	4500
0439 HRLY 00	IR-80, E of the Virginia St Intch "Exit 13". 84395	89120	87800	98960	101630	102705	103830	108090	109760*	111430
0440 HRLY 02	IR-80, E/B off-ramp of the Wells Av Intch "Exit 14". 4600	4430	3280	5520	5430	5575	5110	5470	5860	5800*
0441 HRLY 00	IR-80, E/B on-ramp of the Wells Av Intch "Exit 14" 120' W of IR-80. 7975	8165	9820	9605	9850	10605	9825	8820	9200	9000*
0443 HRLY 01	IR-80, W/B off-ramp of the Wells Av Intch "Exit 14" 50' W of IR-80. 7895	8135	9470	7910	8650	9255	8955	8940	9200	9000
0444 HRLY 02	IR-80, W/B on-ramp of the Wells Av Intch, "Exit 14" 35' E of IR-80. 4565	5035	4605	5595	6045	6225	5540	5910	5770	5800
0445 HRLY 00	SR-663 (Wells Av), 150' N of the W/B ramps of the Wells Av Intch "Exit 14". 19000		16700		17300	17800	19000		19100	19000*
0447 HRLY 02	IR-80, E/B off-ramp to N/B 395 "Exit 15". 6735	6900	6140	6815	6900	7810	8995	7460	8000*	9600
0448 HRLY 02	IR-80, E/B off-ramp to S/B 395 "Exit 68". 18975	19500	20170	22100	23700	25595	24840	20300	24850	24000
0450 HRLY 01	IR-80, W/B on-ramp from N/B US-395 "Exit 68". 16465	17500	17375	19250	19905	19575	22095	21500	22500	22000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0451 HRLY 02	IR-80, E/B on-ramp from US-395 N/B "Exit 68". 15400	15435	15240	17000	17580	18325	16355	13500	18650	19000
0453 HRLY 02	IR-80, W/B off-ramp to S/B US-395 at "Exit 68". 17050	17950	16015	17405	17940	17660	15255	17760	18020*	19000
0454 HRLY 02	IR-80, W/B off-ramp to N/B 395 "Exit 68". 6935	7365	7900	8345	7860	8110	8330	8850	8400*	8400
0456 HRLY 02	IR-80, E/B on-ramp from S/B 395 "Exit 68". 7170	7120	6700	7450	7600	8210	8525	8700	8650	8650*
0457 HRLY 02	IR-80, W/B on-ramp from S/B 395 "Exit 68". 6560	6510	6060	7680	8120	7680	9160	7800	8100	8355*
0458	IR-80, 200' E of the E/B on-ramp of US-395 "Exit 15". 88920	93415	95315	99425	101010	106945	95335	106220	106800*	108925*
0459 HRLY 01	US-395, N/B on-ramp of the Glendale Av Intch "Exit 67" 50' E of the N/B IR-580. 5000	5500	6155	6805	6650	5970	5000	4850	5750	5500
0460 HRLY 01	US-395, S/B off-ramp of the Glendale Av Intch "Exit 67". 5700	6295	6840	7000	7115	7200	5725	6000	6700	6300
0461 HRLY 00	US-395, N of the Glendale Av Intch "Exit 67" .2 mi N of Glendale Av. 111140	111955	118235	125280	131130	142315	136515	133750	145120*	144290*
0462 HRLY 00	US-395, 200' N of the IR-80 Intch "Exit 68". 70650	69465	75035	79815	82485	92970	92980	93500	94250*	95295*
0463 HRLY 01	SR-651 (N McCarran Bl), 740' W of Sutro St. 14250	13300	14430	15300	14600	15900	16300	18600	17400	17400*
0464 HRLY 01	SR-651 (N McCarran Bl), .2 mi E of N Virginia St. 12725	12300	13440	14000	14300	15100	17000	17800	17500	17500*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0465 HRLY 98	SR-650 (N McCarran Bl), 300' E of Probasco Wy. 14900	(N McCarran Bl), 300' E of Probasco Wy. 14975	15870	16800	17200	18700	19300	17500	17500	18000
0466 HRLY 98	SR-650 (N McCarran Bl), 250' W of Probasco Wy. 15300	(N McCarran Bl), 250' W of Probasco Wy. 15650	16535	17600	17800	19700	20400	17800	17600	17600*
0467 HRLY 01	SR-650 (N McCarran Bl), 300' E of SR-445 (Pyramid Wy). 16050	(N McCarran Bl), 300' E of SR-445 (Pyramid Wy). 16475	17590	19700	19300	20800	22900	20000	20100	21000
0468 HRLY 02	US-395, btwn McCarran Intch "Exit 70" & Parr Intch "Exit 71" 100' N of Clear Acre underpass. 41400	38795	44555	47875	48760	52420	53190	54030	55300	57585
0469 HRLY 02	IR-80, W/B loop on-ramp of the E McCarran Av Intch "Exit 19" 275' E of McCarran Bl. 3130	3570	3720	3695	3845	3510	3015	3450	3450	3400
0470 HRLY 01	US-395, N/B off-ramp of the Red Rock Intch "Exit 78" .1 mi S of the cross traffic rd. 1615	1950	2060	2720	3050	3255	3310	3455	3600	3800
0472 HRLY 02	Silver Lake Rd, Red Rock Intch "Exit 78" 450' S of the Red Rock Rd. 2800						2900	3150	3300	
0473 HRLY 00	Red Rock Rd, .1 mi E of Moya Bl. 3625			3650	3700	4100	4150	4100	4100	4100*
0474 HRLY 97	US-395, N/B on-ramp of the Red Rock Intch "Exit 78". 425	410	555	640	675	705	505	595	600*	650
0476 HRLY 97	US-395, S/B off-ramp of the Red Rock Intch "Exit 78" .1 mi N of the cross traffic rd. 405	395	410	510	650	575	500	600	600	720
0477 HRLY 97	US-395, S/B on-ramp of the Red Rock Intch "Exit 78". 1400	1785	2060	2560	2950	3155	3215	3437	3500	3730
0480 HRLY 01	FRWA23 W Frontage Rd (Old 395), 100' S of the cross traffic rd of the Red Rock Rd Intch "Exit 7 520						520*	530	630	

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0481 HRLY 00	US-395, .3 mi N of mp WA 37. 13770	13890	14570	15105	15060	14385	14660	15473	15600	17200*
0484 HRLY 01	W 7th St, 500' W of Conway Ln. 5845	6700	6990	6500	7200	7900	8150	8550	9100	8700
0485 HRLY 99	W 7th St, 50' W of Wyoming Av. 8775		7805		7500	8100	8000	8400	9350	9350*
0487 HRLY 01	W 7th St, 300' W of Keystone Av. 13700		12000		12100	12800	13100	13000	13000*	12000
0488 HRLY 01	W 5th St, 200' W of Vine St.			8765	8600	8400	8600	8800	8650	7800
0490 HRLY 98	W 6th St, 150' W of SR-430 (N Virginia St).				13000	11100	10100	11700	11000	11000*
0491 HRLY 01	E 6th St, 75' E of SR-430 (N Virginia St).	8500	10500		9200	9200	8600	8600*	8500	7600
0492 HRLY 01	E 6th St, 200' W of SR-663 (S Wells Av).	10400	9600	10700	9400	9900	9250	9150	9150*	8900
0493 HRLY 01	E 6th St, btwn Morrill Av & Spokane St.	8600	9400		8900	8800	8400	9400	9400	10000
0494 HRLY 01	E 6th St, btwn Toano St & Montello St.	3900	4225		4000	3500	3800	5000	4400	3600
0495 HRLY 01	SR-646 (Prater Wy), btwn 18th St & 19th St.	11300	12040	12300	12700	12700	12800	12600	12000	12000
0496 HRLY 01	SR-646 (Prater Wy), btwn SR-668 (Rock Bl) & 16th St.	11680	11300	11700	12500	11900	11900	12700	12200*	

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0497 HRLY 99	SR-646 (Prater Wy), 100' E of SR-445 (Pyramid Wy). 16750	16100	16600	18800	17900	17300	17400	17400*		
0499 HRLY 99	E Prater Wy, 150' E of Probasco Wy. 18500		20000	21100	20100	18400	18500	18000		
0500 HRLY 99	SR-646 (E Prater Wy), 150' W of SR-650 (N McCarran Bl). 23020	21600	23200	23400	22600	21800	21000	21000		
0504 HRLY 01	Mayberry Dr, 300' W of Hunter Lake Dr. 9000	7990	8400	8800	8950	9550	8550*	8700		
0505 HRLY 98	Mayberry Dr, .2 mi E of Hunter Lake Dr & 30' E of Memory Ln. 8715	8200	9500	8300	9000	8600	8900	9100	8800*	8800*
0506 HRLY 98	California Av, 300' W of Booth St. 10100		10400	9900	11400	10900	9850	9850*		
0507	California Av, .1 mi E of Keystone Av & 200' W of Newlands Cr. 13700	12840	14400	13400	13400	13300	13200	13200*	12700	12700*
0508 HRLY 98	California Av, 300' W of Arlington Av. 11700	10900	10900	10800	12500	12500	12500*	12500*		
0509 HRLY 01	W Liberty St, 100' E of Arlington Av. 5900	6640	6400	6300	5800	5400	5800	6650*		
0510 HRLY 01	W Liberty St, 75' W of S Center St. 11800	11200	11700	11200	11200	11300	11600	11600*		
0511 HRLY 00	E Liberty St, 175' E of S Center St. 10500	10200	10500	12000	13000	11500	11100	10600	10500	10500*
0513 HRLY 99	Ryland St, 100' W of Locust St. 10100	9920	10050	11000	10700	10600	10300	11100	11200	10500

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0516 HRLY 99	Mill St, 250' E of Kietzke Ln. 23600		21800	27500	29900	25500	26400	26500	26500*	
0517 HRLY 00	SR-650 (N McCarran Bl), .2 mi S of SR-646 (E Prater Wy). 23900 25650 25590	27500	28200	28800	29800	28000	26800	26000		
0518 HRLY 01	Vassar St, 50' E of SR-430 (S Virginia St). 3255 3300 3575	3600	3550	3200	3350	3450	3400			
0520 HRLY 99	Vassar St, 150' E of Kirman Av. 6900	6740	6700	6500	6350	6050	6550	6550*		
0522 HRLY 01	Vassar St, 300' E of SR-667 (Kietzke Ln). 11800	11200	10400	11300	11200	11600	12100	12000		
0523 HRLY 01	Vassar St, .1 mi W of Terminal Wy. 7450	7500	7000	7000	6950	7500	7600	8100		
0525 HRLY 01	W Moana Ln, 50' E of Skyline Bl. 4115 4500 4600	4060	4200	5350	4000	3650	3650*	4300		
0527 HRLY 01	E Moana Ln, 250' W of SR-667 (Kietzke Ln). 27100	26800	24100	24500	24400	24200	24000	25000		
0528 HRLY 01	Neil Rd, 238' S of Mauldin Ln. 14700	13600	14300	13800	13800	14600	16400	16400*		
0529 HRLY 01	Neil Rd, 200' S of E Peckham Ln. 5600 6000 5325	6300	5400	5400	5650	6150	5700			
0534 HRLY 01	Hunter Lake Dr, 100' S of Mayberry Dr.					9700	9700*	9100		
0535 HRLY 99	Keystone Av, 100' S of Jones St. 13950 13500 14000	14000	14400	13300	13500	15600	14500*	13500		

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0537 HRLY 00	Keystone Av, 100' S of SR-647 20300	20800	22700	22100	(W 4th St). 23600	21800	22300	25500	24000*	24000*
0538 HRLY 00	Keystone Av, 120' S of 7th St. 26300	26765	28000	28800	29400	28100	29200	29500	30000	30000*
0539 HRLY 01	Keystone Av, 200' N of W 7th St. 14700	16385	17100	17600	16300	16300	16900	15500	17200	16000
0541 HRLY 01	Keystone Av, 300' N of Coleman Dr. 3985	4020	3910	4145	4100	4550	4250	4250*	4250	3900
0543 HRLY 01	Arlington Av, 25' N of Marsh Av. 13300		13200	12400	12300	11800	11800	12300	12000	
0544 HRLY 01	Arlington Av, 125' N of W Liberty St. 16600		17500	15500	16100	14700	13600	13400	14000	
0545 HRLY 01	Arlington Av, 200' S of SR-648 (W 2nd St). 12500		13000	10600	11000	10800	11100	10800	11000	
0546 HRLY 00	Arlington Av, 100' N of SR-648 (W 2nd St). 8415		10700	10400	10300	10400	10800	10800	10800*	
0547 HRLY 97	US-395, N/B off-ramp of the Cold Springs Valley Intch "Exit 80" 50' N of US-395. 2210	2315	2415	2430	2485	2480	2375	2500	2600	3350
0548 HRLY 99	Cold Springs Valley Rd, 75' E of the N/B ramps of the Cold Springs Valley Intch "Exit 80". 5000									5000
0549 HRLY 97	US-395, S/B on-ramp of the Cold Springs Valley Intch "Exit 80" .25 mi S of the cross rd. 2210	2315	2400	2360	2420	2430	2275	2500	2550	3280
0555 HRLY 00	S Center St, 100' S of E Liberty St. 4400			4300	3800	3800	4400	4750*	4750*	

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0556 HRLY 01	S Center St, 100' N of E Liberty St. 6600		6250		6300		5550	5550	5650	6100	5700
0557 HRLY 00	S Center St, 100' N of First St. 10300		9750		10200		8200	8200	9150	9650*	10700
0558 HRLY 00	S Center St, 200' N of SR-648 (E 2nd St). 12000		11600		11200		10000	10000	11100	11700	11000
0559 HRLY 00	N Center St, 100' S of E 6th St. 7000		7130		9300		9500	9500	8500	9200	9200
0560 HRLY 98	N Center St, 100' N of E 6th St. 8000		9130		9500		9600	9600*	9200	9550	9800
0564 HRLY 01	Locust St, 100' N of SR-653 (E Plumb Ln). 5900		6070		6100		6100	6450	5550	5550*	5000
0566 HRLY 01	Locust St, 100' N of Vassar St. 2310	2110	2300	2180	2100		2000	2000	2000	2100	2100
0567 HRLY 97	Locust St, 300' S of Ryland St. 2465	2390	2750	2580	2400		2900	2600	2400	2500*	2600
0568 HRLY 00	Locust St, 25' N of Ryland St. 		1215		1200		1350	1200	1300	1200	1300
0570 HRLY 01	Locust St, 200' N of SR-648 (E 2nd St). 1430		1530		1400		1450	1300	1450	1350	1200
0571 HRLY 01	Kirman Av, 100' N of SR-653 (E Plumb Ln). 4800		5005		4250		4700	4100	4600	4850	4500
0572 HRLY 99	Kirman Av, 100' S of Vassar St. 3000		3300		2850		2600	2600	2650	2850*	2500

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0573 HRLY 01	Kirman Av, 100' N of Vassar St. 2950	2815	3000	3300	2850	3000	3000	2650	2850	2800
0574 HRLY 00	Kirman Av, 125' S of Ryland St. 2995	3025	3100	3420	3200	3350	3350	2550	3150	3150*
0575 HRLY 01	Kirman Av, 75' N of Willow St. 5500	4300	4300	4790	4500	4550	4700	4300	4200	4900
0577 HRLY 00	Kirman Av, 100' N of SR-648 (E 2nd St.). 7500		7180		8300	8600	8100	8250	8250	11000
0579 HRLY 01	Sutro St, 200' S of E 9th St. 11900		11800		12800	11700	12200	13000	12300	12000
0581 HRLY 01	Sutro St, 150' N of Wedekind Rd. 9725	8710	9100	9260	9000	9500	9600	11000	11100	9600
0582 HRLY 01	Sutro St, 300' S of SR-651 (N McCarran Bl). 6990	6100	6600	7975	7700	7400	7300	8200	8300*	7100
0583 HRLY 01	SR-667 (Kietzke Ln), 300' S of Gentry Wy. 25600	27300	26600	26200	26200	28900	28900	28200	29700*	28000
0584 HRLY 01	SR-668 (S Rock Bl), 400' N of Mill St South of the Truckee River Bridge. 10100	9900	10180	9360	11300	9100	10100	11000	11500	11000
0585 HRLY 01	SR-668 (S Rock Bl), 100' S of Freeport Bl. 19000	18200	18695	18000	18000	20000	19200	19000	20400	20400*
0586 HRLY 01	SR-668 (Rock Bl), 75' N of "D" St. 15800		15800		15600	16400	16600	16400	16500	16500*
0587 HRLY 01	Probasco Wy, 60' N of "J" St. 3190	3065	3180	3075	3200	3250	3250	3050	2800	2700

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0588 HRLY 01	Probasco Wy, 125' N of Quail St. 2920	2670	2900	2880	2800	2800	2400	2650	2600	2300
0589 HRLY 01	Probasco Wy, btwn Gault Wy & N McCarran Bl. 2335	2125	2290	2270	2250	2300	2100	2350	2250	2000
0590 HRLY 01	Arrow Creek Pk, 375' W of SR-430 (S Virginia St.).							8900	12700	14000
0591 HRLY 98	Zolezzi Ln, 250' W of Oak Glen Rd East of Thomas Creek Rd. 3700			4100	4700		4600	5500	5500*	5900*
0593 HRLY 01	SR-668 (S Rock Bl), .2 mi S of Mill St. 15100	14700	15075	14400	14200	13800	14900	16000	17100	17000
0594 HRLY 01	Mill St, .3 mi W of SR-668 (S Rock Bl). 14900		14400		14800	14300	15300	18800	16700	18000
0595 HRLY 01	Mill St, .5 mi E of SR-668 (S Rock Bl). 9000		8730		9000	8400	9000	10900	10000	10000
0596 HRLY 01	SR-648 (Glendale Av), 100' E of the E entrance to the Hilton. 16300	17775	18780	19200	18400	19100	18900	20300	19500*	19500*
0597 HRLY 99	Eastlake Bl, 100' S of the Jumbo Grade Rd. 2060			2300	2300	2200	2100	2150	2100	2100
0598 HRLY 99	Eastlake Bl, 200' N of Coyote Dr. 3030			3200	3300	3900	3250	3150	3100	3100
0599 HRLY 01	El Rancho Dr, 100' SE of Clinton Ct. 9100		10100		12300	12300	12800	11900	11900	11000
0600 HRLY 01	Sun Valley Dr, .1 mi N of Gepford Pk. 19750	19000	20600	23300	22600	24600	25300	25500	25800	25000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0601 HRLY 01	SR-427 (Wadsworth Rd), 100' E of SR-447 (Nixon Rd). 1645	1700	1825	1775	1700	1600	2100	2100	1900	1900
0602 HRLY 00	SR-427 (Wadsworth Rd), .2 mi E of the Truckee River. 1885	2070	2155	2525	2400	2250	2550	2300	2150	2150*
0604 HRLY 99	US-395, N/B on-ramp of the Cold Springs Valley Intch "Exit 80" 600' N of the cross rd. 10	15	30	25	25	25	25	12	15	10
0605 HRLY 99	US-395, S/B off-ramp of the Cold Springs Valley Intch "Exit 80" .2 mi N of the cross rd. 15	15	30	25	25	25	25	15	15*	20
0607 HRLY 00	US-395, btwn the Cold Springs Vly Intch "Exit 80" & Bordertown Intch "Exit 83" at mp 40.9. 9375	9290	9815	10365	10205	10525	10060	10500	10480*	10600*
0608 HRLY 99	US-395, N/B off-ramp of the Bordertown Intch "Exit 83". 950	920	1000	1175	1200	1225	900	1200	1220*	1300
0609 HRLY 01	US-395, N/B on-ramp of the Bordertown Intch, "Exit 83" .2 mi N of the cross traffic rd. 360	330	370	435	380	270	250	260	300	360*
0611 HRLY 01	US-395, S/B off-ramp of the Bordertown Intch "Exit 83" 300' S of US-395. 265	235	230	250	230	230	250	260	200	200*
0612 HRLY 01	US-395, S/B on-ramp of the Bordertown Intch "Exit 83" 300' S of the cattle guard. 860	830	905	940	1155	1180	1000	1200	1245*	1200
0615 HRLY 00	FRWA23, .2 mi N of the Bordertown Bar. 425	415	440	510	460	470	475	350	430	390
0617 HRLY 98	SR-668 (Rock Bl), 150' S of SR-663 (Oddie Bl). 11600			12400		13100	14400	13900	12700	14000
0619 HRLY 98	SR-668 (Rock Bl), N of Vance Wy. 8240			8500	7400	8300	8300	8300*	8100	

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0620 HRLY 01	IR-80, 500' W of the Vista Bl 23500	26445	27735	29870	30885	31350	33410	35080	36885*	37365*
0621 HRLY 01	SR-648 (Glendale Av), .1 mi W of Industrial Wy. 16100	15900	16425	16600	16000	16300	16200	17300	17200	17200*
0622 HRLY 00	Kuenzli St, 100' W of SR-667 (Kietzke Ln). 3535	2800	3400	3420	3400	3350	3200	3350	3500	3500*
0623 HRLY 00	SR-668 (Rock Bl), 300' W of Longley Ln. 12700	12100	13750	13800	13800	13000	14600	15700	15800	16000
0624 HRLY 96	El Rancho Dr, .2 mi N of SR-663 (Oddie Bl). 11150	10900	9410	11300	11700	12000	13200	12200	11800	14000
0625 HRLY 00	Kuenzli St, 200' E of Kirman Av. 6595	7300	7400	7725	7800	8100	7700	8200	7600	7600*
0626 HRLY 98	El Rancho Dr, 500' N of Wedekind Rd. 6175	5775	5900	5500	5800	6500	6250	6250	6250*	
0627 HRLY 01	US-395, S/B on-ramp of the Glendale Av Intch "Exit 67". 3625	3795	3315	3600	3515	3800	4185	4900	4880	4500
0628 HRLY 01	US-395, N/B off-ramp of the Glendale Av Intch "Exit 67". 3735	3895	3930	4000	4060	4225	4000	4200	4450	4450*
0629 HRLY 00	US-395, btwn the Mill St Intch "Exit 66" & Glendale Av Intch "Exit 67". 107800	107850	112485	119075	124940	137168	133975	132000	142000	141440*
0630 HRLY 01	US-395, S/B off-ramp of the Mill St Intch "Exit 66". 9590	9430	9650	9490	9475	10180	9385	8600	9100	9700
0631 HRLY 01	US-395, S/B on-ramp of the Mill St Intch "Exit 66". 5500	4985	4795	5775	6010	6495	5490	6500	5900*	6700

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0632 HRLY 01	US-395, N/B on-ramp of the Mill St Intch "Exit 66". 7940	7775	7960	7700	8545	8825	8000	6470	8300	8300*
0633 HRLY 01	US-395, N/B off-ramp of the Mill St Intch "Exit 66". 5910	5415	4870	6015	7300	7340	6000	6870	5750	7170
0634 HRLY 99	US-395, btwn the Plumb-Villanova Intch "Exit 65" & Mill St Intch "Exit 66". 101680	101045	104540	115620	120230	132000	128080	130300	136250*	137310*
0635 HRLY 00	Mill St, btwn Matley Ln & Terminal Wy. 23200	23300	23700	24200	22500	25800	28400	27700	26000	
0636 HRLY 01	US-395, S/B off-ramp of the Plumb-Villanova Intch "Exit 65". 13655	11700	11970	12185	12240	14440	11950	12390	13000	16000
0638 HRLY 00	W Frontage Rd (one-way S/B), 400' S of Villanova. 10610	10900	10100	10400	10400	12200	11100	10330	10900	10900*
0639 HRLY 01	US-395, S/B on-ramp of the Plumb-Villanova Intch 300' N of S/B lanes "Exit 65A". 6430	5550	7070	6700	8000	8310	8175	8470	8950*	9100
0640 HRLY 01	US-395, N/B off-ramp of the Plumb-Villanova Intch "Exit 65" 250' N of the N/B lanes. 5460	5550	6280	6785	8015	8010	7625	7600	9000	8700
0641 HRLY 00	E Frontage Rd (N/B One-Way), btwn Villanova & Plumb Ln of the Plumb-Villanova Intch "Exit 65". 11650	11110	12000	12100	12100	13100	13100	13100	11000	11000*
0643 HRLY 01	US-395, N/B on-ramp of the Plumb-Villanova Intch "Exit 65" 200' S of the N/B lanes. 13140	12855	13150	13455	13740	14500	13400	13000	13000	13000*
0644 HRLY 99	US-395, btwn the Moana Ln Intch "Exit 64" & the Plumb-Villanova Intch "Exit 65". 83860	82995	87185	96810	103900	113390	112545	114840	122150*	120210*
0645 HRLY 01	US-395, S/B off-ramp of the Moana Ln Intch "Exit 64" .1 mi S of the S/B lanes of "Exit 64". 15300	14335	14740	16000	16200	15275	15275	13910	15150	15000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0646 HRLY 97										
	Moana Ln, 75' W of the S/B ramps of IR-580.						27600	31200	31200*	31200*
0647 HRLY 01	US-395, S/B on-ramp of the Moana Ln Intch "Exit 64".	1775	1800	2270	2110	3240	3000	3205	3280	3450
	.1 mi S of Moana Ln.									3700
0648 HRLY 01	US-395, N/B off-ramp of the Moana Ln Intch "Exit 64".	1590	1670	1890	1995	3065	3130	3325	3000	3150*
										3800
0649 HRLY 00	Moana Ln, 250' W of Neil Rd.				14500	14900	15700	15500*	15500*	15200
										15200*
0650 HRLY 01	US-395, N/B on-ramp of the Moana Intch "Exit 64" 100' S of the N/B Lanes.	14000	13540	14170	15665	15805	16925	15230	14500	15100*
										15000
0651 HRLY 99	US-395, 291' S of Moana Ln, btwn S/B off & on-ramps of Moana Intch "Exit 64"	57925	58590	62430	69200	78200	84580	88570	92710	98500*
										97710*
0652 HRLY 00	SR-650 (S McCarran Bl), .1 mi E Neil Rd.			12700	12500	12800	13200	15800	15600	15500
										17000
0653 HRLY 01	SR-650 (S McCarran Bl), .1 mi W of Neil Rd.			15800	15250	15600	16500	19000	18800	18800
										19000
0654 HRLY 01	SR-650 (S McCarran Bl), 300' W of Meadowood Mall Link.			24600	27100	29100	31700	35500	35500	40900*
										29000
0656 HRLY 00	SR-651 (S McCarran Bl), 335' S of E/B off-ramp at W McCarran Bl Intch "Exit 10".	17200	18200	20300	21200	23100	23800	23800	26300	35000
										35000*
0657 HRLY 02	IR-80, E/B off-ramp of the W McCarran Bl Intch "Exit 10".	1880	1910	2505	2330	2605	2575	2710	2680	3230*
										3300
0658 HRLY 02	IR-80, E/B on-ramp of the W McCarran Bl Intch "Exit 10".	8475	7650	7190	8465	10305	11840	11785	12270	13480*
										13000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0660 HRLY 02	IR-80, W/B on-ramp of the W McCarran Bl Intch "Exit 10" 300' W of 2845	1885	2035	2505	2300	2565	2720	2860	W/B lanes of 3250*	IR-80. 3400
0661 HRLY 02	IR-80, W/B off-ramp of the W McCarran Bl Intch "Exit 10".	8240	8220	6885	8600	10275	11350	11295	11050	13780* 13000
0662 HRLY 01	SR-651 (N McCarran Bl), 545' N of IR-80 W/B on-ramp of the W McCarran Bl Intch "Exit 10".	25200	24300	22625	23600	28100	29200	28100	31000	36000 37000
0663 HRLY 01	SR-651 (N McCarran Bl), 364' N of W 7th St.	12100	11900	13740	13800	15400	16800	16800	17700	20800 20000
0664 HRLY 01	SR-651 (N McCarran Bl), 638' W of SR-430 (N Virginia St).	11700	11700	12780	13100	13200	14900	14900	16100	18000 18000
0666 HRLY 01	SR-650 (S McCarran Bl), .1 mi E of Rio Poco Rd.		14900	15400	16100		16000	17500	17000	17900 19000
0669 HRLY 99	Vista Bl, 300' N of Brierley Wy.		11300	12400	11400	15700	18300	19100	18300	21000
0671 HRLY 02	IR-80, 200' E of the Mogul Rest Stop area W of "Exit 7".	29350	29115	29945	31265	29640	30865	31730	33650	35040* 35730
0672 HRLY 00	SR-430 (S Virginia St), 190' S of the S/B ramp under IR-580 & N/B is 200' from McCarran Bl.	29600	31400	31000	35900	34100	29300	30800	32000	35000 35800
0673 HRLY 01	US-395, .6 mi N of the Bellevue Intch "Exit 44".	22620	22715	23900	25195	25565	26830	27405	28900	28855 29390
0674 HRLY 01	SR-650 (N McCarran Bl), .3 mi E of El Rancho Dr.	18300	18600	21240	22900	24800	26100	27000	24200	26400 26000
0675 HRLY 01	SR-650 (N McCarran Bl), .2 mi E of Sullivan Ln.	23300	23300	25445	27300	28200	30000	31600	29300	29500 29000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0676 HRLY 99	SR-650 (N McCarran Bl), .1 mi E of Wedekind Rd sign. 24100	23950	26090	28000	28800	31400	32300	31500	31000	31000
0677 HRLY 99	SR-650 (N McCarran Bl), .2 mi E of SR-668 (Rock Bl). 23150	23350	26000	26800	27600	31100	32400	31600	32500	30000
0678 HRLY 01	SR-650 (S McCarran Bl), .1 mi N of Mira Loma. 16700	17800	18000	17800	19400	18500	18900	20000		
0681 HRLY 01	US-395, S/B off-ramp of the Stead Bl Intch "Exit 76" 200' S of "Exit" sign. 360	360	435	410	415	435	435	530	350	490
0682 HRLY 01	US-395, N/B on-ramp of the Stead Bl Intch "Exit 76" 10' S of the RxR Underpass. 435	435	510	485	450	535	535	600	500	530
0683 HRLY 00	SR-430 (N Virginia St), 251' S of 9th St. 17100	17800	16600	15700	17700	15300	17800*	17500*	17500*	17500*
0684 HRLY 99	E Prater Wy, 150' W of Greenbrae Dr. 17315	16300	18100	18000	18400	17000	17200	18000		
0685 HRLY 99	E Prater Wy, 100' E of Greenbrae Dr. 14700	16400	16000	17400	15500	16100	16000			
0686 HRLY 99	E Prater Wy, .1 mi W of Pullman Dr. 13200	14300	15100	15100	15100	14900	14700			
0687 HRLY 99	E Prater Wy, .2 mi E of Sparks Bl. 8100	9300	9400	9550	9650	9650*	10000			
0688 HRLY 00	SR-651 (S McCarran Bl), 200' W of Lakeside Dr. 18000	20000	20800	20800	21000	21700	23600	21000		
0689 HRLY 01	Neil Rd, .1 mi S of SR-650 (S McCarran Bl). 8900	8610	10000	11500	11700	11900	10700	10000		

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0690 HRLY 01	Neil Rd, 300' N of DeLucchi Ln.	3800	4010	4100	4500	4600	5200	4700*	4900		
0694 HRLY 01	Pembroke Dr, 30' W of Sinelio Dr.	4850	5380	5600	5200	5600	6600	5350*	5400		
0695 HRLY 00	Pembroke Dr, .1 mi W of Piping Rock Dr.	4020	3890	3900	3900	4200	4950	4950*	4900		
0696 HRLY 01	N Virginia St (Old US-395), 300' NW of SR-430 (US-395 Business Rt).	4140	3465	4175	4135	4000	4400	4500	5150	4700	4900
0700 HRLY 01	Stead Bl, 100' W of the S/B ramps of the Stead Intch "Exit 76".	1810	1600	2075	1850	2000	1800	1910	1950	2000	1700
0701 HRLY 01	Neil Rd, 50' S of Chris Ln.	6000	5670	5800	4900	4900	5100	5500	6500		
0703 HRLY 01	Terminal Wy, .1 mi N of National Guard Wy.	7500	7520	7100	6600	5950	5900	6700	7100		
0704 HRLY 01	Terminal Wy, 500' N of Plumb Ln.	11400	13000	11600	11600	12400	11500	11500	13400	12500	13000
0705 HRLY 99	Terminal Wy, .1 mi S of Vassar St.	12700	14100	13800	13300	14500	13500	12100	13700	12700	12700*
0706 HRLY 00	Terminal Wy, .1 mi S of Mill St.	14000	15000	13600	13400	15400	13600	13500	14400	14300	15000
0707 HRLY 00	Greg St, 400' NE of Mill St.	13000	12900	14600	12800	13200	14500	13900	13900*		
0709 HRLY 01	Greg St, .1 mi E of SR 668 (Rock Bl).	11800	11500	11300	10900	10900	11200	11800	12600	13500	12000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0710 HRLY 99	Greg St, 300' E of Marietta Wy 9800	8800	& Southern Wy. 8400	8900		8600	9000	9450	9950	8900
0711 HRLY 96	Greg St, .1 mi W of SR-650 (McCarran Bl). 7520	7300	7500	7500	7500	7800	8200	7800	8200*	8200*
0712 HRLY 00	Greg St, 200' E of Deming Wy.				11200	12100	12300	13000	14500	14000
0713 HRLY 00	Vista Bl, .1 mi N of E Prater Wy. 9605			11400	11000	13400	12300	12500	12500*	
0715 HRLY 00	Baring Bl, 200' E of Springland Dr. 5405			6700	6100	6750	6750	7100	7100	7100*
0717 HRLY 01	Baring Bl, 400' E of N Truckee Ln. 16000	15300	14500	15400	15100	16000	16700	16800	17300	16000
0719 HRLY 01	Sparks Bl, .2 mi S of Prater Wy. 16200	16200	16500	16200	16000	16800	18400	18900	20200*	20000
0720 HRLY 99	Sparks Bl, .1 mi N of Prater Wy. 15900	14400	14500		15500	16300	17000	17500	18700	19000
0721 HRLY 99	Sparks Bl, .2 mi S of Baring Bl. 8405			8900	9600	10500	11700	11400	13000	
0722 HRLY 00	Golfer Pass Rd, 200' W of Village Bl in Incline Village. 1030	1140	1150	1050		1100	1150	1000	1000	1000*
0723 HRLY 00	Golfer Pass Rd, 20' S of Bunker Ct in Incline Village. 475		500	450		450	550	550	550	550*
0724 HRLY 00	College Rd, 25' E of Mt Rose Hw in Incline Village. 1940	2280	2200	2350		2000	2000	2100	2100	2100

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0727 HRLY 00	McCourry Bl, 75' NW of Northwood Bl btwn Northwood Bl & McDonald Dr.	2600	3405	3050	3150	3050	2900	2900*	2600	
0728 HRLY 00	Village Bl, .1 mi W of Country Club Dr in Incline Village.	1065	1215	1250	1200	1200	1250	1250	1250	1250*
0729 HRLY 00	Village Bl, 110' W of 14th Green Dr "School Bus Stop Ahead" sign S.	2415	2500	2200	2200	2350	2250	2100		
0730 HRLY 00	Village Bl, 300' N of Northwood Bl in Incline Village.	5075	5770	5900	5900	5800	4800	4900	4600	
0733 HRLY 01	Village Bl, 330' N of Southwood in Incline Village.	3825	3795	4200	4200	3900	3500	3500*	3300	
0734 HRLY 00	Ski Wy, 100' W of Country Club Dr in Incline Village.	2840	2890	3000	2700	2900	3550	3200	3300	
0736 HRLY 00	Country Club Dr, 100' N of Lakeshore Bl in Incline Village.	3125	2730	3000	3610	3900	3150	3550	3650	3350
0737 HRLY 00	Country Club Dr, 100' N of SR-028 (Tahoe Bl) in Incline Village.	5015	5100	5050	4950	5350	5250	5300		
0738 HRLY 00	Country Club Dr, 125' N of First Green Dr in Incline Village.	2090	2305	2350	2400	2600	2450	2450*	2600	
0742 HRLY 97	Northwood Bl, 75' E of Village Bl in Incline Village.	1520	1815	1950	2900	2550	2700	2700*	2700*	
0744 HRLY 00	Northwood Bl, 50' S of Alder Av in Incline Village.	3080	3640	3700	3350	3250	3250	3250	3250	3250*
0747 HRLY 00	Southwood Bl, 225' E of Mays Bl in Incline Village.	3810	4405	4600	4500	4000	3850	4000	3700	

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0749 HRLY 00	Southwood Bl, 50' S of SR-028	(Tahoe Bl) in Incline Village.	5105	5150	4900	4500	4450	4900	4900	4900*
0750 HRLY 00	Incline Wy, btwn Southwood Bl & Country Club Dr	in Incline Village.	1665	1965	2100	1650	1700	1850	2000	2000*
0752 HRLY 00	Mays Bl, 25' E of Allen Wy in Incline Village.	1915	2080	2100	1850	1850	1900	1900	1700	
0753 HRLY 00	Tyner Wy, 200' N of Woodridge Wy in Incline Village.	870	1005	890	815	815	1150	700	750	
0754 HRLY 00	2nd Creek Dr, 75' N of Mt Rose Hw in Incline Village.	1070	1245	1250	1250	1200	1000	1030	1000	
0756 HRLY 00	Lakeshore Bl, 100' E of Village Bl in Incline Village.	5750	5635	5700	4550	4900	4750	4400	4400	
0757 HRLY 00	Lakeshore Bl, 100' E of Robert Av in Incline Village.	3930	5270	3370	3660	3400	2750*	2650*	3000	2900
0758 HRLY 00	Lakeshore Bl, 100' W of Village Bl in Incline Village.	4265	4260	4600	3700	3100	3450	3350	2900	
0761 HRLY 00	Lakeshore Bl, 100' E of SR-028 (Tahoe Bl) in Incline Village.	3730	4810	3890	4065	4100	3200	3100	3050	3050*
0762 HRLY 00	Tyner Wy, .1 mi W of Gayle St in Incline Village.			985	1000	1150	1050	900	860	860*
0764 HRLY 00	Tyner Wy, 200' W of Jennifer St in Incline Village.	990	1345	1300	1250	1150	1200	1200*	1200*	
0765 HRLY 00	Barbara St, 100' W of Mt Rose Hw in Incline Village.	940	965	1150	1100	1000	1100	1100	1000	

* = DATA ADJUSTED OR ESTIMATED

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0767 HRLY 00	Fay St, 50' W of Mt Rose Hw in Incline Village.	640	795	760	695	735	790	830	830*	
0768 HRLY 00	Marlette Wy, 25' W of Mt Rose Hw in Incline Village.	370	460	470	450	470	460	450	450	450*
0770 HRLY 00	SR-431 (Mt Rose Hw), 50' S of Barbara St.	4380	4700	4100	5015	5500	5050	5450	5450	5540
0774 HRLY 01	US-395, N/B on-ramp of the S Virginia St Intch "Exit 63".	9425	9070	10120	11890	12105	13305	13785	12900	15150*
0775 HRLY 01	US-395, Fire Creek Intch "Exit 63" S/B off-ramp from IR-580 to S Virginia St.	9910	10080	10170	12185	11960	9825	9545	9720	10600*
0776 HRLY 01	US-395, btwn the Virginia St "Exit 63" & Del Monte Ln Intch "Exit 62" 100' N of sound wall.	38590	39440	42140	45125	54135	57400	60605	65250	67450*
0777 HRLY 01	US-395, S/B off-ramp of the Del Monte Intch "Exit 62".	3900	3535	4040	5615	7500	7100	6600	5605	6000
0778 HRLY 01	US-395, N/B on-ramp of the Del Monte Intch "Exit 62".	3170	2875	3865	3825	4735	5255	4025	4250	4200
0779 HRLY 00	Del Monte Ln, 150' E of the N/B on-ramp & 488' W of Virginia St.	10200	12700	14000	15300	21700	19600	20200	21400	21200
0780 HRLY 00	Del Monte Ln, 193' W of W/B ramps of Del Monte Ln-US-395 Intch & 347' E of Kietzke Ln.	6190	8000	9200	6430	7300	7200	7150	14700*	17900
0781 HRLY 01	Del Monte Ln, 256' W of Kietzke Ln.	1270	1450	1800	1815	1850	1850	1700	1800	2350
0782 HRLY 00	Kietzke Ln, .2 mi N of Del Monte Ln.	6375	7400	8600	9275	9200	13300	13100	13900	16700
										18000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0783 HRLY 00	Kietzke Ln, 264' N of Redfield Pk & 434' S of Fire Creek crossing.	3965	5200	5400	6250	6200	10800	11800	11000	12000*
0784 HRLY 01	US-395, S/B off-ramp of the Lemmon Valley Intch "Exit 74".	975	840	855	595	630	940	810	980	900
0785 HRLY 01	US-395, N/B on-ramp of the Lemmon Valley Intch "Exit 74" 100' N of the cross traffic rd.	1640	1745	1700	1845	1735	1825	1600	1760	1450
0786 HRLY 00	US-395, N/B off-ramp of the Lemmon Valley Intch "Exit 74" 200' N of the gore.	6950	6440	6365	6240	6750	7060	6915	7000	7280* 7600
0787 HRLY 01	US-395, S/B on-ramp of the Lemmon Valley Intch "Exit 74".	6280	5535	5580	5360	6535	6005	6000	6100	6770
0788 HRLY 00	Lemmon Valley Dr, 20' W of US-395 & 50' W of the ramps.	480	420	420	400	420	450	1090*	960	700
0789 HRLY 02	Lemmon Valley Dr, E of the Lemmon Valley Dr Intch "Exit 74" 150' E of the ramps.	14465	14050	14600	14900	15585	15400	15700	17900	17700
0792 HRLY 02	IR-80, W/B on-ramp of the Sparks Blvd Intch "Exit 20" .2 mi W of the cross traffic rd.	7275	8410	8300	8580	8910	8725	8270	9380	9600
0793 HRLY 01	Evans St, S of Enterprise Rd.					1000	1500	2850	3050	3300
0794 HRLY 01	Huffaker Ln, 242' E of Meadow Vista Dr.	2300	2500	2800	2540	2900	2900	2800	2550	3600
0795 HRLY 01	US-395, S/B on-ramp of the Golden Valley Intch "Exit 73" 200' N of S/B US-395.	3645	3290	3710	3640	3135	4605	4885	4920	5310* 5500
0796 HRLY 02	US-395, S/B off-ramp of the Golden Valley Intch "Exit 73" 450' S of S/B US-395.	2020	1255	1335	1475	1500	1590	1540	1585	1780
										1800

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0797 HRLY 02	US-395, N/B on-ramp of the Golden Valley Intch "Exit 73" 125' S of N/B US-395. 2375	1610	1630	1790	1800	2000	1790	1900	2030	2000
0798 HRLY 02	US-395, N/B off-ramp of the Golden Valley Intch "Exit 73". 4000	3645	3870	4180	4020	4390	5190	5300	5460*	5700
0799 HRLY 02	Golden Valley Rd, 75' W of the S/B ramps of the Golden Valley Intch "Exit 73". 5475	5350	5600	5590	5800	6155	6500	7300	7900*	6900
0800 HRLY 98	Golden Valley Rd, 300' W of N Hills Bl. 9170	8530	9000	9435	11200	10400	11400	12900	13900*	12000
0801 HRLY 01	US-395, S/B off-ramp of the Plumb-Villanova Intch "Exit 65" to the airport "Exit 65B". 2440	2780	3550	4140	3960	3720	3685	3840	3750	3700
0802 HRLY 01	US-395, N/B on-ramp of the Plumb-Villanova Intch "Exit 65" from the airport. 1475	1815	2040	2515	2405	2270	2300	2300	2300	2200
0803 HRLY 02	IR-80, E/B off-ramp of the Nugget Intch "Exit 17" onto Nugget Av. 3925	4035	3990	4495	4115	4305	4105	4000	3630*	3300
0804 HRLY 02	IR-80, btwn the W Verdi Intch "Exit 2" & the Verdi Intch "Exit 3". 23520	23585	23740	25030	23740	25025	24930	27740	28735*	28930
0805 HRLY 02	IR-80, btwn the Garson Intch "Exit 4" & the E Verdi Intch "Exit 5". 26185	26205	27225	27900	26440	27285	28165	29440	31140*	31460*
0806 HRLY 02	IR-80, .1 mi E of the W/B off-ramp of the Mogul Intch "Exit 7". 31360	31585	31585	33210	31475	32790	33880	25920	37350	37930
0807 HRLY 02	IR-80, btwn the W 4th St Intch "Exit 8" & the Robb Dr Intch "Exit 9". 28780	28975	28645	30740	29095	30530	31735	34000	35100*	35530*
0808 HRLY 00	IR-80, btwn the E 4th St Intch "Exit 16" & Rock Bl Intch "Exit 17". 84075	89725	91650	94550	96625	102190	91565	104240	103550*	104695*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0809	IR-80, btwn the Rock Bl Intch 70825	77150	78905	"Exit 17" & Pyramid Wy Intch 81190	83565	84415	76505	90950	92400*	93795*
0810	IR-80, btwn the E McCarran Bl Intch 35935	41145	42200	"Exit 19" & Sparks Bl Intch 44540	47115	47115	48390	52040	54665*	56095*
0811 HRLY 02	IR-80, btwn the Thisbe-Derby Dam Intch 14760	15510	16795	"Exit 36" & the Orchard Intch 18130	17025	17820	20220	20080	20270*	20520
0812 HRLY 01	IR-80, btwn the Orchard Intch 14780	15530	16845	"Exit 38" & the Painted Rock Intch 18180	17075	17870	20265	20080	20270*	20520
0814 HRLY 02	IR-80, E/B on-ramp of the Sparks Bl Intch 800	785	825	"Exit 20". 1200	855	980	1160	870	800	800*
0815 HRLY 02	IR-80, W/B off-ramp of the Sparks Bl Intch 375	515	520	"Exit 20". 850	585	690	665	620	620	870
0817 HRLY 99	Sparks Bl, N of I-80 Sparks Bl Intch 19600	18500	20100	"Exit 20" .2 mi N of the W/B ramps. 20600	19300	21000	21500	21700	21700*	23000
0819 HRLY 01	US-395, S/B on-ramp of the Del Monte Intch 2880	3305	3190	"Exit 62". 3820	5900	8110	7315	7765	8070*	10200
0820 HRLY 01	US-395, N/B off-ramp of the Del Monte Intch 1335	1560	1920	"Exit 62". 2200	4965	6000	6100	6450	6700	9300
0823 HRLY 01	US-395, N/B on-ramp of the S Virginia St Intch 2745	2845	2560	"Exit 61" from S/B S Virginia St. 2595	2700	3500	2900	3535	3800	3700
0824 HRLY 01	US-395, N/B off-ramp of the S Virginia St Intch 2160	2390	2160	"Exit 61". 2390	2300	2460	2450*	2880		
0825 HRLY 01	US-395, N/B on-ramp of the S Virginia St Intch 15200	15755	16920	"Exit 61" from N/B Virginia St. 18030	2105	2550	2150	2175	2425	2000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0826 HRLY 01	US-395, S/B on-ramp of the S Virginia St Intch "Exit 61".			2560	1165		2170	2300	2300*	2120*
0827 HRLY 01	US-395, S/B off-ramp of the S Virginia St Intch "Exit 61".	17790	19295	20080	21080	3900	4300	6315	7000	6420
0828 HRLY 98	US-395, S of S Virginia St Intch "Exit 61".				48780	52360	56500	61660	64125*	70200*
0830 HRLY 02	IR-80, E/B off-ramp of the Sparks Bl Intch "Exit 20".	6335	7590	7510	8140	8760	8710	8535	9070	9600
0831 HRLY 00	Clear Acre Ln, 250' N of Wedekind Rd.	5960	5600	5990	5765	5700	5800	5400	5600	6200
0832 HRLY 99	Plumb Ln, btwn Matley Ln & Harvard Wy.	27475	28900	28600	28300	27700	23900	28300	31000	31000*
0833 HRLY 00	Kings Row, 250' NW of Majestic Dr.	6800	6920	6850	6750	6750	6600	6900	6900	6700
0834 HRLY 98	Spanish Springs Rd, .5 mi N of Goldy Wy.	1010	1100	965	1600	2000	1950	2000	2000	2000*
0835 HRLY 01	Stoker Av, .2 mi N of SR-647 (W Fourth St).	5000	5200	5225	5000	5400	5100	4700	4500	4400
0836 HRLY 01	Stoker Av, btwn W 6th St & W 7th St.	7800	4990	4470	4300	4400	4350	4000	4000*	4800
0837 HRLY 01	Brinkby Av, E of Plumas St.	2000	2240	2650	2300	2300	2000	1800	1800	1600
0838 HRLY 01	Brinkby Av, btwn Lakeside Dr & Portola Dr.	4200	4730	5260	4700	4700	4500	4500	4700	4500

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0839 HRLY 01	California Av, W of Keele Dr. 560	540	570	550	500	600	550	600	560	
0840 HRLY 01	California Av, 200' N of Mayberry Dr. 1890	1820	1670	1600	1600	1900	1900	1600	1600	
0841 HRLY 01	College Dr, 200' W of Bon Rea Wy. 1280	1260	1350	950	1150	1100	990	1050	950	
0842 HRLY 01	College Dr, 50' E of Mackey Ct. 2280	2200	2330	1950	2000	1950	2100	2100	1800	
0843 HRLY 01	S Plumas St, 250' N of Ridgeview Dr. 3500	4800	4930	5200	5100	5550	5150	5150*	5400	
0844 HRLY 98	E Ninth St, W of Silverada Bl. 6030	6000	6370	6300	6300	6100	6250	6650	6650*	
0845 HRLY 98	"G" St, W of El Rancho Dr. 6550	7290	7630	7900	7100	6800	6950	8200*	8000	
0846 HRLY 98	"G" St, 75' E of Sullivan Ln. 700	570	625	720	720	620	680	680*	700	
0847 HRLY 01	Gentry Wy, .1 mi W of SR-667 (Kietzke Ln). 6500	7100	6900	6600	6600	7000	6850	6850	6500	
0848 HRLY 98	Greenbrae Dr, 120' W of SR-668 (Rock Bl). 2850	2515	2530	2600	2400	2350	2250	2300	2300	
0849 HRLY 01	Greenbrae Dr, 300' E of Fourth St. 5375	4710	4790	4900	5100	4400*	4650	4700	4400	
0850 HRLY 01	Idlewild Dr, .1 mi W of Troy Ln. 1370		1220	1400	1400	1500	1500	1450	1400	

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0851 HRLY 00	Caughlin Pk, .2 mi W of McCarran Bl.								4700	3300
0852 HRLY 01	Idlewild Dr, 100' E of Hunter Lake Dr. 3165	2400	2510	2700	2700	2850	2850	2750	2750	2900
0853 HRLY 01	Lakeside Dr, 200' N of McCarran Bl. 7500	9350	9655	9600	9200	9150	8900	10200	10000	
0854 HRLY 99	Cashill Bl, 376' W of Skyline Bl.								2300	2400
0855 HRLY 98	Lakeside Dr, 350' S of Moana Ln. 11800	12300	12400	12800	13300	11900	11700	12400*	12400*	
0856 HRLY 01	Lakeside Dr, btwn Lakeside Ct & Berrum Ln. 10500	10000	10200	10100	10500	10500	9400	10000	9900	
0857 HRLY 02	Lemmon Valley Dr, 1.9 mi S of Red Rock Rd. 35	40	40	45	50	50	30	90	150	
0858 HRLY 01	Marsh Av, 278' W of Arlington Av.						450	400	400	400*
0859 HRLY 00	Manzanita Ln, 150' W of Plumas St. 1370	1360	1490	1650	1750	1450	1180	1650	1650	1650*
0860 HRLY 01	Manzanita Ln, 50' W of Lakeside Dr. 1340	1300	1360	1300	1400	1250	1160	1500	1500	1500
0861 HRLY 01	Manzanita Ln, E of Lakeside, btwn Warren Ln & Jasper Ln. 350	380	355	370	410	350	260	330	330	360
0862 HRLY 01	Mill St, 100' E of Eastern jct of River Rock St. 4700	6500	7135	7650	7700	6850	6300	6400	5900	

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0864 HRLY 01	Monroe St, btwn Mark Twain Av & Nixon Av. 780	800	750	790	750	750	820	740	700	
0866 HRLY 01	"I" St, 75' E of Fourth St. 2040	1920	1990	2400	2600	2650	2700	2500	2400	
0868 HRLY 01	Mt Rose St, 102' W of Plumas St.							4600	4500*	
0869 HRLY 98	Ralston St, 200' N of W Tenth St. 1650	1700	1760	1500	1550	1600	1400	1350	1350*	
0870 HRLY 00	Ralston St, 100' N of Imperial Bl. 435	450	445	520	430	440	380	400	400*	
0871 HRLY 01	Sharon Wy, btwn Belford Rd & Webster Wy. 2300	2600	2970	2550	2100	1800	1500	2350	2400	
0872 HRLY 01	Sharon Wy, 50' S of Marsh Av. 2875	2860	2730	2850	2550	2200	2100	2250	2100	
0873 HRLY 01	Sierra Madre Dr, btwn Matich Dr & Reggie Rd. 1470	1650	1575	1650	1450	1500	1500	1550	1400	
0874 HRLY 98	Silverada Bl, 60' N of Tom Sawyer Dr. 4555	4500	4540	4500	4900	4900	4900	5200	5300	
0875 HRLY 99	Lakeside Dr, 384' S of McCarran Bl.						8750	10500	10500*	
0876 HRLY 98	Silverada Bl, .1 mi N of Oddie Bl. 7975	7500	8000	7900	9250	9200	8850	8600	8200	
0877 HRLY 01	Valley Rd, 250' N of Manogue Rd. 2980	3600	3365	3400	3400	3550	3900	3950	3300	

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0878 HRLY 01	Washington St, 200' N of W Second St. 1695	1600	1875	1850	1800	1750	1700	1800	1900	
0879 HRLY 00	Washington St, 200' S of University Terrace. 4255	5000	5000	4300	4900	4900	5550	5500*	5500*	
0880 HRLY 00	Buck Dr, .1 mi E of Lemmon Valley Dr.						3850	4100	4100	
0881 HRLY 98	Wedekind Rd, 50' E of Silverada Bl. 3835	4000	5615	6300	6900	7200	7600	7400	7400*	
0882 HRLY 00	Wedekind Rd, btwn Clear Acre Ln & Whitfield Wy. 3600	3625	4340	4000	4700	4800	5650	5850	5850*	
0883 HRLY 01	Yori Av, S of Linden St. 1530	1500	1785	1650	1750	2050	1800	2200*	1600	
0884 HRLY 01	Yori Av, 200' N of Grove St. 1250	1200	1360	1300	1250	1450	1100	1300	1500	
0885 HRLY 01	Yori Av, S of Casazza Dr. 1190	825	790	900	900	950	910	1100	1100*	
0886 HRLY 99	Yori Av, 165' N of Stewart St. 1010	1210	1090	1100	1200	1250	1150	1200	1200*	
0887 HRLY 98	York Wy, 150' E of Rock Bl. 1980	2000	2060	2100	1850	2500	2550	2550*	2400	
0888 HRLY 99	Caliente St, 308' W of North Virginia St.						780	700	650	
0889 HRLY 01	York Wy, 100' W of Probasco Wy. 2300	2290	2340	2300	2300	2350	2600	2600	2600*	

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0890 HRLY 99	Lymberry Rd, 350' N of Moana Ln.							3150	3400	3400
0891 HRLY 01	E York Wy, 100' W of SR-650 (McCarran Bl).	2960	2980	3220	3050	3000	3050	3150	3200	3200*
0892 HRLY 98	Fourth St, 123' N of Tasker Wy & 129' S of York Wy.	3475	3250	3265	3150	3250	3250	3350	2850	2850*
0893 HRLY 98	Fourth St, 154' South of Devere Wy.	2720	2540	2690	2700	2800	2700	3100	2600	2600*
0894 HRLY 01	Fourth St, 100' N of Queen Wy.	1210	1250	1275	1200	1250	1200	1100	1100	1100
0895 HRLY 99	Gear St, 400' W of Williams Av.	960	790	820	840	715	900	750	950	950*
0896 HRLY 99	Grove St, 400' E of Virginia St.							5600	5600*	5700
0897 HRLY 97	Holcomb Ln, btwn Burns St & Wonder St.	6380	6800	6785	6300	4600	5750	6600	6700	6700*
0898 HRLY 01	Holcomb Ln, btwn Stewart St & E Liberty St.	3650	3800	4250	4100	4300	4100	3950	4350	4350*
0900 HRLY 01	Clean Water Wy, 1.7 E of S McCarran Bl over Steamboat Creek at the W end of structure.	240	250	235	270	270	290	330	330*	350
0901 HRLY 00	Lake St, 100' S of Bridge over Truckee River.	4600	6900	7575	6700	7200	7200	6350	6550	6550*
0902 HRLY 00	SR-663 (Wells Av) underpass, .1 mi N of Kuenzli Ln.	3175	3200	3410	3250	3200	2800	3200	3250	3250*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0904 HRLY 01	Vine St, 200' S of University Terrace. 2240	2600	2400	2200	2200	600*	650	860	920	
0905 HRLY 01	Washington St, 160' S of 7th St. 4570	5100	4625	4650	4700	3900	4950	4900	5400	
0906 HRLY 99	Ralston St, 190' N of Elm St. 3660	4100	3720	3200	3700	3400	3400	3400*	3400*	
0907 HRLY 02	Sierra St, 75' S of the W/B on-ramp to IR-80. 11320	9800	9200	10400	11500	10500	12000	11600	11600*	
0908 HRLY 02	Virginia St, 120' S of 8th St. 16300	18800	19000	21500	19400	19400	16100*	15900	15900*	
0909 HRLY 98	Center St, 80' S of IR-80. 3415	3400	4130	3400	3200	3000	3000	3750	3750*	
0910 HRLY 00	Evans St, 70' N of 8th St. 2450	2650	1880	2250	2250	2900	2850	2600	2600*	
0911 HRLY 99	Valley Rd, 130' N of 8th St. 4235	5000	4860	4800	4600	4900	4900	4850	4850*	
0912 HRLY 01	Booth St, 70' South of Idlewild Dr. 0	2600	2800	2800	2550	2550*	2900	2900	2900*	
0914 HRLY 99	Villanova Dr, 88' W of Market St.						3200	3500	3700	
0915 HRLY 01	Robb Dr, N of IR-80.									13000
0916 HRLY 02	Ramsey Wy, 164' S of Lemmon Dr.						650	650	700	

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0917 HRLY 02	Chickadee Wy, 183' E of Lemmon Dr.								270	300
0918 HRLY 00	Flanigan Rd (N of Gerlach), W of SR-447.							25	50	50
0919 HRLY 02	S Verdi Rd, 1.3 mi W of :Exit 5" ramps.							3300	3250	3250*
0920 HRLY 02	Military Rd, 421' N of Tholl Rd.							6750	6200	5500
0921 HRLY 00	Foothill Rd, 122' E of Thomas Creek Rd.							680	1000	1000
0922 HRLY 99	W Hidden Valley Dr, 158' N of Mira Loma Dr.							2100	2100	2000
0923	"C" St, E of Rock Bl.							1900	2000	1600
0924 HRLY 99	Edison Wy, .1 mi N of Rock Bl.							2200	1900	2260
0925 HRLY 99	Talus Wy, 100' W of North Viginia St.							2300	2450	
0926 HRLY 02	Patrician Dr, 150' W of Lemmon Dr.							690	1100	
0927 HRLY 02	Hoge Rd, 268' W of North Virginia St & 54' W of Nola Wy.							850	730	
0928 HRLY 99	Socrates St, 483' N of N McCarran Bl.							2400	2300	2200

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0929 HRLY 02	Selmi St, 125' W of Clear Acre.							3400	3200	3200
0930 HRLY 99	SR-431 (Mt Rose Hw), .2 mi E of the Callahan Ranch Rd. 7450	8420	8875	9300	9600	9700	10800	11000	11500	
0931 HRLY 01	SR-651 (N McCarran Bl), 343' E of Kings Row. 11800	13260	13600	12400	13700	13700	14000	16700	16700*	
0932 HRLY 99	Sierra Highlands Dr, 165' W of N McCarran Bl.						4800	6850	6800	
0933 HRLY 02	IR-80, W/B on-ramp of the Robb Dr Intch "Exit 9" 400' W of the cross traffic rd. 285	295	350	385	480	525	760	840	970	
0934 HRLY 02	IR-80, W/B off-ramp of the Robb Dr Intch "Exit 9" 350' W of the W/B lanes. 1995	1900	2900	2735	3550	3685	4330	4810	5700*	
0935 HRLY 02	IR-80, E/B on-ramp of the Robb Dr Intch "Exit 9" 50' W of the E/B lanes. 2125	2165	2880	2740	2350	3900	4600	5130	6100	
0936 HRLY 02	IR-80, E/B off-ramp of the Robb Dr Intch "Exit 9". 370	335	365	340	420	425	660	730*	840	
0937	IR-80, .5 mi W of the W McCarran Bl Intch "Exit 10". 32440	32080	35805	33845	35520	38370	41510	43470*	45520*	
0938 HRLY 99	Mae Anne Av, 517' E of Robb Dr.						11100	11100	9900	
0939 HRLY 02	Moya Bl, .1 mi N of Red Rock Rd. 1905	2400	2450	2650	3050	3050	3050	3050	3050*	
0940 HRLY 99	Moya Bl, .1 mi N of Lear Bl. 1500	1400	1750	1850	1850	2000	2000	2000*		

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0941 HRLY 02	Lear Bl, 350' E of Stead Bl.			2370	2600	3000	3100	3800	3800	3200
0942 HRLY 00	Lear Bl, 500' W of Stead Bl.			3010	2500	3700	3800	3500	3300	3100
0943 HRLY 01	Lemmon Dr, .5 mi E of N/B ramps of the Lemmon Dr Intch "Exit 74".	13100	13600	14800	14800		15300	15800	15800*	
0944 HRLY 01	Lemmon Dr, .6 mi E of Military Rd.	11100	11800	10800	10800		11100	10200	10000	
0945 HRLY 02	Sagewood Dr, 20' E of Andes St.		395	380	390	360	450	460	460*	
0946 HRLY 01	Kernite St, 150' S of Hornblend St.		425	440	555	555	555	555	555	550*
0947 HRLY 02	Humite St, 400' W of Zeolite St E of the Jct.		135	155	180	180	180	180	180	180
0948 HRLY 01	Mt Baldy St, 30' S of Mt Logan St.		615	510	870	770	740	1000	850	
0949 HRLY 00	Mt Rainier St, .1 mi S of Mt Whitney St.		200	195	260	230	230	240	240	240*
0950 HRLY 02	Bravo Av, 200' E of Mt Charleston St.			250	210	170	200	200	200	200*
0951 HRLY 01	Gregory Wy, 200' E of Sprout Wy. (local)		160	125	150	155	150	160	130	
0952 HRLY 01	Golden View Dr, 100' E of the Pyramid Hw. (local)		3300	3800	3950	3950	3800	3800	3600	

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0953 HRLY 01	Lindsey Ln, .2 mi NW of Pah Rah Dr.(local)			205	210	245	200	200	200*	220
0954 HRLY 01	Sawyer Wy, 75' W of 4th St.(local)			175	315	210	200	170	180	180
0955 HRLY 01	Baxter Wy, 30' N of York Wy.(local)			350	345	325	310	370	340	310
0956 HRLY 01	Gwen Wy, 100' W of Patrice Dr.(local)			525	235	245	210	250	220	190
0957 HRLY 01	Gleeson Wy, 50' W of Tanglewood Dr.(local)			680	800	850	800	800	800*	710
0958 HRLY 98	Lida Ln, 100' W of Round Mountain Rd.(local)			300	285	250	230	230	260	260*
0959 HRLY 98	Spanish Springs Rd, .25 mi S of Sparks Bl.(local)			540	660	900	800	900	860	860*
0960 HRLY 98	Drexel Wy, 100' N of Del Rosa Wy.(local)			210	210	240	240	200	230	230*
0961 HRLY 98	Whitewood Dr, 100' W of Blossom View Dr.(local)			500	580	625	770	880	800	800
0962 HRLY 01	Junction Dr, 300' N of Pullman Dr.(local)			195	215	195	200	250	250	240
0963 HRLY 98	Howard Dr, 75' N of Greenbrae Dr.(local)			2665	2800	2850	2800	2700	2600	2600*
0964 HRLY 98	"H" St, 100' E of 12th St.(local)			530	545	500	610	610	600	600

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0965 HRLY 98	15th St, .1 mi S of Rock Bl.(local)			3925	4200	4450	3900	3900	3150	3400
0966 HRLY 98	Covina Dr, 183' S of Greenbrae Dr.(local)			300	515	290	270	250	300	220
0967 HRLY 98	11th St, 300' W of N Virginia St.(local)			1690	1250	1250	1450	1650	1350	1350*
0968 HRLY 01	Brookfield Dr, 300' E of Williams St.(local)			130		100	120	100	135	120
0969 HRLY 99	Accacia Wy, 150' W of Apollo Wy.(local)			100	250	215	215	215	215*	60
0970 HRLY 98	Regal Dr, 50' N of Regal Ct.(local)			655	600	670	650	640	680	680*
0971 HRLY 99	Glenview Dr, 150' S of Regal Dr.(local)			60	260	495	310	310	250	250*
0972 HRLY 01	Ibis Ln, 200' S of 7th St.(local)			435	430	400	400	350	400	430
0973 HRLY 01	Greg Pk, 100' S of Greg St.(local)			1340	1400	1500	1500	1500	1500	1300
0974 HRLY 01	Davidson Wy, 100' N of Plumb Ln.(local)				130	170	185	170	200	180
0975 HRLY 01	Coronet Dr, 100' E of Coronet Cr.(local)			155	240	170	150	150	150	150
0976 HRLY 99	Sagittarius Dr, 300' N of Andromeda Wy.(local)			1100		1000	950	1100	900	900*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0977 HRLY 01	Clover Wy, 30' S of Moana Ln.(local)			120	130	175	140	120	170	190
0978 HRLY 01	Cavanaugh Dr, 200' E of Lakeside Dr.(local)			125	130	130	120	110	110	100
0979 HRLY 01	Ridgeview Dr, 300' N of Mountain Vista Wy.(local)			3295	3200	3400	3300	3500	3500	3200
0980 HRLY 01	Riley Av, 200' E of Neil Rd.(local)			2165	1950	1850	2100	1800	2000	1600
0981 HRLY 01	Bismark Dr, 200' W Acadia Wy.(local)			90	95	80	80	80	100	70
0982 HRLY 00	West 1st Av, 170' W of Sunflower Dr.(local)			210	225	250	470	470	330	420
0983 HRLY 01	Carol Dr, 350' S of 4th Av.(local)			400	310	410	310	300	355	350
0984 HRLY 01	4th Av, 50' W of Corral Dr.(local)			285	245	245	240	200	220	200
0985 HRLY 00	Short Av, 75' W of Frans Ct.(local)			90	95	95	30	40	50	50*
0986 HRLY 01	Sidehill Dr, 200' N of 5th Av.(local)			800	875	875	910	910	940	1000
0987 HRLY 00	Sidehill Dr, 100' N of Pit St.(local)			755	750	810	1100	1100	980	980*
0988 HRLY 02	Pit St, 100' W of Sidehill Dr.(local)			165	175	190	190	190	190	160

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0989 HRLY 00	Quartz Ln, 50' E of Sidehill Dr.(local)			800	765	700	890	1050	1150	1150*
0990 HRLY 02	Smokey Canyon Dr, 50' N of Warm Springs Dr.(local)			70	80	75	60	60	60	60*
0991 HRLY 02	Leon Dr, 125' N of Middle Fork Dr.(local)			1080	1030	1100	1100	1050	1050*	1050*
0992 HRLY 02	Klondike Dr, 100' N of 8th Av.(local)			770	470	460	800	700	700*	490
0993 HRLY 01	Seneca Dr, .3 miles W of Virginia St at the RxR tracks.			625	615	580	570	570	600	630
0994 HRLY 01	Robb Dr, .1 mi N of Mae Anne Av.						2450*	4500	5300	4400
0995 HRLY 02	Alpha Av, 25' W of Mt Vida St.						520	600	630	630*
0996 HRLY 01	Silver Lake Rd, .2 mi W of Stead Bl.						6300	6600	6500	6900
0997 HRLY 00	Mt Anderson St, .1 mi W of Mt Bismark St.						540	880*	1500	1300
0998 HRLY 00	Stead Bl, .1 mi N of Lear Bl.						5700	5800	5800*	5800*
0999 HRLY 02	Mt Vida St, 50' S of Echo St.						570	1180*	1100	1300
1000 HRLY 98	Sullivan Ln, 259' N of Prater Wy.						7800	8100	7600	7200

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
1001 HRLY 98	Sullivan Ln, 137' N of Wedekind Rd.						3100	3200	3000	3200
1002 HRLY 01	Mira Loma Dr, .15 mi E of McCarran Bl.							9900	9900*	10000
1003 HRLY 01	Wedge Pk, 245' N of Ghost Rider.						3100	3650	4200	
1004 HRLY 99	Toll Rd, .1 mi W of SR-341.						3600	3600*	4100	
1005 HRLY 01	Avenida De Landa, 275' N of Mae Anne Av.							2900	2900	
1006 HRLY 00	South Meadows Pk, 510' E of SR-430 (Virginia St) & W of US-395/IR-580.						5800	7450	8500	
1007 HRLY 01	Highland Ranch Pk, .45 mi W of Pyramid Hw.					2600	4250*	5000	5000	
1013 HRLY 00	US-395, N/B off-ramp of Damonte Ranch Intch "Exit 59" .3 mi S of cross traffic rd.							160	370	
1014 HRLY 00	US-395, N/B on-ramp of Damonte Ranch Intch "Exit 59" 282' N of cross traffic rd.							4400	4400*	
1015 HRLY 00	US-395, S/B off-ramp of Damonte Intch "Exit 59" .25 mi N of cross traffic rd.							3800	4100	
1016 HRLY 00	US-395, S/B on-ramp of Damonte Ranch Intch "Exit 59" 293' S of cross traffic rd.							125	300	
1019	US-395, S of Damonte Ln Intch.									50970*

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
3001	Seneca Dr, S of Virginia St at the RxR tracks (Panther Valley).									650
3002	Golden Valley Dr, .1 miles W of N Virginia St at the RxR tracks .									3100
3003	Link Ln, 195' N of Newport Ln. (Parr Bl Area)									130
3004	Ranger Rd, 186' S of Panther Dr.									3800
3005 HRLY 02	Parr Cr, 180' S of Parr Bl.									210
3006	Comstock Dr, .35 miles N of N Virginia St (US-395) at the RxR tracks N of McCarran Bl.									890
3009	Jodi Av, 118' E of Evans Av (U.N.R. Area-off Bartlet St).									1700
3010	Highland Av, 201' E of Evans Av (U.N.R. Area).									3100
3011	Ninth St, 364' E of Evans Av (U.N.R Area).									1100
3012	Eighth St, E of Evans Av (U.N.R. Area).									380
3013	Seventh St, E of Evans Av (U.N.R.Area).									480
3015	N Virginia St, .15 miles N of Security Circle. (N Junction)									5700

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -


STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
3017										270
	Crystal Peak Rd, at Stateline in Verdi at the RxR tracks.									
3018										540
HRLY 02	Bridge St, in Verdi at the RxR tracks.									
3019										120
	Mogul Rd, S of the Mogul Intch at the RxR tracks.									
3020										5600
	Woodland Av, S of (Old US-40) W of Reno at the RxR tracks.									
3021										200
	Del Curto Dr, S of (Old US-40) W of Reno at the RxR tracks.									
3025										420
	West St, at the RxR tracks.									
3027										320
	Morrill Av, at the RxR tracks.									
3028										2300
	Sage St, at the RxR tracks.									
3029										110
	Galletti Wy, at the RxR tracks.									
3030										7100
	E Glendale Av, E of McCarran Bl.									
3032										650
	Coney Island Dr, at the RxR tracks.									
3033										1200
	Purina Wy, at the RxR tracks.									

WASHOE COUNTY


TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
3034			Franklin Wy, at the RxR tracks.							2100
3036 HRLY 02			Whltham Wy, S of the Patrick Rd Intch at the RxR tracks.							930
3037			Canal Rd-Painted Rock Rd, S of the Painted Rock Intch at the RxR tracks.							130

*33



*33



417

ELY



WHITE PINE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0001 HRLY 01							200	200	210	160	170
	Av "F", in Ely at the RxR tracks near Sunbeam Coal Company.										
0002 HRLY 01								220	160	150	
0004 HRLY 99							10	10	15	20	20*
0005 HRLY 01	US-50, 1.2 mi E of Fish Creek Rd to Duckwater. 630	565	645	640	570		600	580	600	500	550
0006 HRLY 99	SR-892 (Strawberry Rd), .1 mi N of US-50. 75	65	90	75	70		75	85	100	80	70
0008 HRLY 01									470	500	440
0009 HRLY 01									440	430	420
0011 HRLY 01	Ruth-Kimberly Rd, .25 mi S of US-50. 1085		2370		1600		1500	1300	900	700	680
0013 HRLY 01	Kimberly Branch Rd, 1.6 mi W of the Main Rd to the New Ruth Townsite. 90		1660		750		740	710	180	90	120
0015 HRLY 01	US-50, 3.6 mi E of Ruth Rd, W of the Kennecott Copper RxR overpass W of Ely. 1515	1400	1630	2570	2100	2050	1820	1500	1450	1400	
0016 HRLY 01	US-50 (Aultman St), W of Mill St. 3590	3470	3760	3985	4800	4400	3900	3200	3000	3000*	
0017 HRLY 01	US-006 Spur (Mill St), 150' S of US-50 (Aultman St). 2490	2420	2685	3005	2900	2650	3150	2400	2050	1900	

WHITE PINE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0018 HRLY 01	US-50 (Aultman St), 25' W of 4th St. 6070	5950	6200	6570	7300	7200	7600	6150	5450	4900
0020 HRLY 01	US-50 (Aultman St), .2 mi W of US-93 jct. 10450	10240	10945	11600	10600	11600	11340	10700	9550	9400
0021 HRLY 01	Center St, btwn Orson St & Parker St.								120	80
0022 HRLY 01	Lackawanna Rd-Ogden Rd, at the RxR tracks.					970	970	1050	960	950
0023 HRLY 01	US-93, 200' N of US-50 (Aultman St). 11500	11270	12100	13100	11200	12300	12300	10500	11300*	10000
0025 HRLY 99	US-50-US-93, 25' S of the "Av H". 6600	5800	6380	6760	6700	7200	7750	7650	7500	7500*
0026 HRLY 01	US-50-US-93, .2 mi N of US-006. 3755	3365	3800	4030	4100	4400	4750	4900	7450	7450*
0027 HRLY 01	County Rd to the Ward Charcoal Ovens State Park, .5 mi SW of US-006-50 and 93.									30
0028 HRLY 01	Steptoe Creek Forest Camp (Cave Lake Turn Off), Cave Lake Turn off .2 mi E of US-006-50 and 93. 240		235	175	130	130	220	230	200	
0030 HRLY 99	SR-894 (Shoshone Rd), .2 mi E of US-93. 25	35	50	55	40	50	40	30	50	50*
0031 HRLY 00	Av "C", btwn 14th St& 15th St.								530	500
0033 HRLY 99	SR-893 (Spring Valley Rd), .2 mi N of US-006 & US-50. 40	35	45	45	50	50	60	45	50	50*

WHITE PINE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	
0035 HRLY 01	US-006-US-50, .25 mi W of the W leg of Wye of SR-487 to Baker.	635	575	575	485	580	620	640	680	660	600
0036 HRLY 01	SR-487 (Baker Rd), .5 mi S of the W leg of Wye of SR-487 to US-006 & US-50.	205	250	255	255	230	280	280	290	270	270*
0038 HRLY 01	SR-488 (Lehman Caves Rd), 1 mi W of SR-487 in Baker.	260	340	345	370	300	400	400	400	370	320
0039 HRLY 01	SR-487 (Baker Rd), 1.5 mi S of SR-488 to Lehman Caves.	145	175	140	165	150	180	180	170	160*	180
0047 HRLY 01	US-93, .4 mi S of McGill.	2095	2795	2845	3070	2950	3100	2900	2900	2850	3100
0050 HRLY 01	Duck Creek Rd, 200' E of US-93.	125	130	115	115	140	170	120	130	130	130
0054 HRLY 98	Cherry Creek Rd, .2 mi W of US-93.	60	40	30	40	50	80	45	60	50	50*
0055 HRLY 01	US-93, .5 mi S of US-93A (Lages Jct).	1095	1270	1445	1125	1150	1250	1250	1350	1350	1100
0056 HRLY 01	US-93, .3 mi N of US-93A (Lages Jct).	640	760	920	800	750	950	950	1000	1000	930
0057 HRLY 01	US-93A, .2 mi N of US-93 (Lages Jct).	300	355	470	370	380	350	370	350	380	380*
0058 HRLY 01	US-006, .45 mi W of Murray St.	935	1180	1080	1250	1300	1280	1450	1600	1550	1400
0062 HRLY 01	US-006, .3 mi E of SR-318 to Preston & Lund.	1030	965	1020	1170	1110	1130	1320	1450	1300	1300*

WHITE PINE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0063 HRLY 00	US-006, .2 mi W of SR-318 to Preston & Lund. 370	375	375	370	330	350	330	350	370	370*
0064 HRLY 01	SR-318 (Sunnyside Rd), .1 mi S of US-006. 900	850	830	1100	1050	1150	1030	1300	1200	1200*
0065 HRLY 01	SR-895 (Preston Spur), in Preston W of SR-318. 100	85	75	90	90	120	90	90	110	140
0067 HRLY 01	SR-318 (Sunnyside Rd), 200' S of Center St in front of School. 970	1090	1115	1070	1150	1250	1300	1600	1450	1400
0069 HRLY 00	US-006, 1 mi E of the US-006 Spur.								2000	2000*
0070 HRLY 01	US-006, .3 mi W of US-50 & 93. 1140	1210	1345	1630	1700	2100	2550	2800	2800*	2900
0071 HRLY 01	Murray St, .1 mi NW of US-006. 560	615	690	980	730	840	1180	600	820	860
0072 HRLY 01	US-006-50 and US-93, 50' S of US-006 jct. 2560	2360	2645	2805	3000	3050	3300	3400	3050	3300
0073 HRLY 01	US-006-50 and US-93, .6 mi N of US-006-50 with US-93 at Major Woods. 780	785	805	825	730	850	900	950	990	990*
0074 HRLY 01	US-93, .4 mi S of US-6-50 at Majors, 100' S of "US-006-50-93" sign N. 255	300	295	290	285	320	290	450	430	430*
0075 HRLY 01	US-93, .1 mi N of US-93 mp 55 E. 3200	3935	4005	4935	4400	4500	4800	4500	4850	4600
0076 HRLY 01	Campton St, 75' W Reno Rd. 1660	1805		2020	1950	1950	1650	2000	1600	1600

WHITE PINE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
0080 HRLY 00	SR-490 (Prison Rd), 1.5 mi N of US-93 Jct.			435	400	385	390	320	400	400*
0081 HRLY 01	SR-490 (Prison Rd), .5 mi N of Bothwick Rd.			925	970	900	930	950	960	880
0082	Ruby Valley Rd, 50' N of US-50.								50	40
0083 HRLY 00	Spring Valley Rd, .1 mi E of US-93.								30	30*
0084 HRLY 00	Charcoal Oven Rd, 200' S of US-50.								30	30*
0085 HRLY 01	Baker Cut-off Rd, .3 mi S of US-50. (4 miles E of SR-487)								150	150